

Get the Worlds News by Wireless

Every Home Can Listen-in with a Simple Radio Outfit - See Page 21

Useful Things to Do With Tools Japan's New Naval Monsters

200 New Practical Inventions NOVEMBER

25 CENTS



l'II Pay Your Railway Fare to Kansas City!

My Big Announcement this season— You can come to the world's hrgest and best trade school at no more expense than if it were located in your home town, for I am rebating fares from any point in the U.S. to the Sweeney School. No advance in tuition. No

extras. Just a fair, square rebate. No matter where you live, this brings the Sweeney Million Dollar School right to your door.

Trades The Sweeney man is taught seven different trades. No extras. No books to buy. We teach by doing the actual work. Learn in 8 toucks. You cannot get the Sweeney System of Practical Experience anywhere else. The system that trained over 5,000 men for Uncle Sam during the war and that has turned out an army of over 48,000 gradu-

ates. You can hardly go any place in the world without bumping into a Sweeney man holding down some mechanical job and ready to greet a fellow Sweeney graduate.

I will gladly send my 72-page B B Illustrated catalog FREE. Also a free copy of the Sweeney School News, a

most interesting monthly school paper published bere. You will enjoy them. Read the worth-while stories of men like yourself who came to Sweeney's and found success. Rend how Frank Powell and Harry Wilson built up a \$20,000 businsss in about two years after graduating. Read bow Elbert A. Pence built up a \$25,000 yearly garage business at Clearmont, Mo. These stories, and others are told by the Sweeney students. Also I want you to learn how my students enjoy so after work in the club and reading rooms, etc.

EMORY J. SWEENLY, Provident.

Send Coupon Right Now!

Deverywhere at good wages, \$50 a week and more, from garages, tire shops, welding concerns, auto repair shops, etc. In the last six months farm products have all gone down, but the autos still kept running and no trained mechanic had to hunt a job. Top wages are paid, but SWEENEY TRAINED MEN ARE WANTED. Here's the proof;

WEENEY trained men are in demand

make real money.

Hundreds of Openings For Men!

South Dakota wires: "Will pay most any price for a good man. Send him right away." Neck City, Mo., eays: "Put us in touch with a first class repair man. Excellent opening." Indiana says: "Wantone more Sweeney man for my new garage. Steady work at good prices. "Kansas appeals: "Send me a man who understands Ford Car from A to Z. Will pay tep wages." Mississippi telegraphs: "Want a post graduate mechanic. Will pay all he is worth. Wire at my expense. Florida calls: "Want bead mechanic. Will pay \$60 a week. Let me hear by return mail." Theseands of Sweeney products new owning their own business in various parts of the country materally lever the

Sweeney trained men. Sweeney loyal-ty is wonderful. Our daily mail is conclusive proof that the trained man with a Sweeney diploma can

can secure jobs like Green at \$50.00 a most and mary, Got UTOMORILE This SCHOOL From Book

For Big Free Catalog Mail This Coupen Teday?

EMORY J. SWEENEY, President Bept. 924 Sweeney Bidg., Names City, No. Bend me free without any obligation year Th-page estalog and your Bewency School News, Tall me of the appearanties in the Auto and Tractor Business.

Cary represent masterial

Business Is Better!

g man, he Independent, Strike outlier yoursell. Bold my your head, do the skyline of Spoortunity see the Sweeney School. We are TRAINERS OF MEN. ARCRITECTS of SUCCESS. I have made a million dai-lars in fifteen years BY MARING OTHERS SUC-CESSFUL, Take your first step towards success by writing me today.



"I was astourded at my man power over men and women. People actually went out of their way to do things for me—they seemed EAGER TO PLEASE ME"

The Secret of Making People Like You

"Getting people to like you is the quick road to success—it's more important than ability," says this man. It eurely did wonders for him. How he does it -s simple method which anyone can use instantly.

All, the office was talking about it and we were workering which one of an would be the lucky man.

There was an important job to be filled—as Amistunt-to-the-President. According to the general run of salaries in the office, this one would custly pay from \$7,000 to \$10,000 a year.

The main tempolatic, as we understood it, was driking termonality and the ability to meet even the higgest men to their offices, their clubs and they homes on a basis of absolute capality. This the first considered of even more importance than knowledge of the business.

YOU know just what happens when news of this sore note around an office. The boys got to picking the man among themselves. They had the thinke all astrowed down to two men—Harrison and myself. That was the way I felt about it, too. Harrison was hig enough for the job, and could undoubtedly make a success of it. Itus, personally, I felt that I had the edge on him it into it ways. And I was sure that the firm knew it, too. M. Ann.

Never shall I formet my thrill of pleasure when the president's secretary came into my affice with a cheery suite, looked as me mountagly, handed me is bulletin, and said. "Mr. Frence, here is the news phost the new Assistant-to-the-President." There seemed to be a new note of added respect in her actitude toward me. I spilled my appreciation as the left my deal.

At last I had come into my own! Never did the man state on brightly as on that morbins, and never did it seems so pood to be alive! These were my thoughts as I gazed out of the wiedless, essing not the highest fashing helium he. And then for a further hoyota thrill I read the bulletin. It said. "Effective Ignoury 1. Mr. Henry I, Peters, of our Cleveland office, will assume the duties of Assistant-to-the-President at the horse office." tu-the-President at the home office.

PETERS! Peters! country it could not be Peters who colly a branch officer micronan. Promodered Why he was only fine feet four lecture high and had no trove personality than a moure. Stack him by desires a big man and he would look and are the an office how. I have Peters well and there was nothing to him anahing at all. Interest, the first space had better amounted his new distinct. All the look west openly hostile to him. Naturally, I felt very hearts already the did not exactly go ent of my way to stable things pleasant for him-had exactly.

that of my way an status (blags personne for acceptable and open opposition did not seem to better Peters.) He went think on with his more and heppe an universal. Soon I noticed that discribe my feeling another hope. I want the other born, too. It wasn't lone before we all buried has little handlets and cathed up with Peters.

The formy thing about it was the his he made with the people we did buried as the his he made with the people we did buries with. I rever sum applicable it to the firm and praise Peters to the after. They inside an doing leading with him, and gave him orders of a size that made or iling to facile at. And offers of positions the period or like the made as discretely to have a provide the contract of a size that made or iling to facile at. And offers of positions the period.

WHAT I could not get into my mind was how a little, anasouming, ordinary-to-indust chap like Peters would make such an impression with everyone-respectably with influential and. He atomed

In home an encounty influenties over propie. The monterity bears of trains was no attrapenter different grow from the commonsplace Friers I had been not year tage. I could not figure it can been smalled the select bears.

One day of home brown is near right men and naked Private how to did to I had appeared him to a raide. But he did to I he for no to the secret. He not be not not performed in the let me to go the secret. He note be not not performed in the let are to go the secret. He note be not not the tops.

What laters took are pered up my period in copyrity the not a my man and the top of the note of the secret in the first dispute. Many there is not to the first dispute to form to the period in the secret in the first dispute. Many things I special not see before anotherly beginned paint of the secret temped the man top of the secret in the first dispute. Many things I special not see before anotherly beginned paint of parent temped the trape in a later of the secret of the period.

strained shringly in a level I left the struct to perform a protect.

It is had a protect I make obtting recentibility treatly. I feel necessary in more property. Business seem of language and which had becomed a form the make I may be resent so that it is not do things for me. At first I may anothering and the make I was anothering any recent seems of shell was anothering and recent of the first shell a grantently to prove the first of the first shell a grantently to prove the first of the first shell a grantently and the had been days to seem the first of the first shell a grantently to prove the first shell a grantently and the had been days to consider the first shell a grantently to make it is been been as a first shell goed assistanted to make all grantently for make the first shell goed assistanted to make all grantently for the first shell and the proposed them and arother first shell as a first shell goed assistanted to make all grantently for the first shell shell goed assistanted to make all first shell goed assistanted to make all grantently for the first shell goed assistanted to make all first shell goed assistanted to make all first shell goed assistanted to make all first shell goed assistanted to make a first shell goed assistant

remellators giviling use all his businesse.

I consider the price dearway of another therefore, but they all feel the country—the alphany to reade proofs the son, becomes proofs the son, becomes to believe, and to do what you wast there to deferm, and to do what you wast there to do I take do perform the do. I take do perform the do. I take do perform the do. I take to the beethed Person to the secondary winter.

I make the best of any the contract of the performance of the performan

BUT YOU want to know when method I seed to do all these remarkable through it is the You know that everyone does not think althe. What one they mostler distlices. What pleases are affected another. And what affectly one pieness mostler. Well, there is your out. You can replet an instant hit with anyone if you say the things they want you to say, and and the yay they you to you, and and they you are you. In this said they will earnly like you and betieve to you, and will an aribe out all their may to PLEASE YOU.

You can do this easily by housing crytain simple signs. Writtens on every ways, more an and chief six eights, in clearly and pe distinctly as though they were in helicit a loss likely, which show you know one excite glarre country what to vay and to do to please them—to get them to believe what you want them to believe what you want them to believe the distinct of a marriy what you want them to do.

Knowing these simple signs is the choic sector of gesting what you want our of life of making fitteds of business and social advantument. I very great leader town this method. That is why be to a leader. I se it control and you will quickly become a leader ropping you stay you. And you will want to not it for no other transmit to the it for no other transmit than to project yourself equilies offers.

VIAT Petric told me at terrhece that the way the feet Dr. Blanchred a Reading Character at ages I deal so Into the territor of the part of so It is been I thented to do not not territorial and the remarkable strings a have said you about.

You have bested of its Blanchred, the Master Character Anadyse. Many carriers as will bed enoughly a many without first graphy Lin. Blanchred as poste on blon. Common and many others pay the Observed as poste on blon. Common and many others pay the Observed the part was the department of the control of the part of the Character was the design of the part of the Character was the design of the part of the Dr. Blanchford good pay the sope paid to pay used to the mention in a suscept sevent to the sope paid to pay used the mention of the sope paid to the solution. Mastery of the control of the theory of the control o

Co the piler haid, if On the prior board, it is not be prior board, it is not be prior board, it is not be prior with far a \$800 for the letter, with far and may \$85 in full year mann. You take no real may \$85 in full year mann. You take no real production to the letter of the withdrawn. Inde-years, comparential, Days \$8.7711, \$100 blate Avepue, New York.

FREE EXAMENATION COUPON INDEPENDENT CORPORATION Dept. B-7711, 319 Stath Ave., N. Y.

Conference Piesse mail me Dr. Burisford's Courte Pending Chapmer at Sight. for 3 days free trial. If decide to keep it I will reput \$3, the Special Short. Time Offer Price. Otherwise I will return it to you. It is not return at the coupon puts me under no obligation what mending the coupon puts me under no obligation.

Nume	COLLEGE	 		
Address	111111	 	Dan Delm	- 303

400,000

promise have yould \$5 or \$7 for new of mur Solf-Improvements,

I would be marked as any super part to pay usual
be had five days to committee the course to but alway human.

Could the forespectant Congruences published Rath Boursey & Courte Paragon Stantisms. Martery of Street. University Art and Consuming Reacting Consumers at higher Library bounded to be seen a higher forespectation to action. Application processes in the process of the second published by a second discourage for the base \$13 to \$250.

Became we want to add two handred thousand more name to two list of calculated contours at an early date, we are making a

SPECIAL PRICE (Regular Price \$5-

Others sell from \$15 to \$75)

Act unickly as this special opportunity pury be open for said a above time. Many purchasers have written better written to Robert P. Downe, of theiroid, Mich., also re-

I may to see how you ask on both while others with far federate courses get from \$30 to \$80 for theirs.

HE WHO LOOKS BEFORE BE LEAPS BUILDS OF CYPERSS AND BUILDS FOR EREPS."

REPAIR NOW WITH CYPRESS

AND NEVER HAVE TO REPAIR AGAIN!

"Too bad the Wood Eter-

nal' wasn't used at first. Then we wouldn't be bothering with this fix-

ing up job."

True enough,

"it's the frequent repair bills that eat, the little holes in the bank account."



Why not stop them?

"Build of Cypress and You Build But Once"

but be sure you get the genuine

"Of Course"



"Of Course"

and be sure it is "thoroughbred" lumber, whose superior manufacture is attested by the famous Cypress trade-mark shown below. Look for it on every board or bundle. Insist on identified responsibility. It means "double your lumber money's -worth,"

It is possible that we might have a booklet you could use to advantage—we have 43 of them in the Cypress Pocket Library. Some have plan-sheetsbig and practical and artistic-and exclusive-and they cost us something-you nothing. Volume One contains the list. Also what the Government of the U. S. A. says about Cypress, "the Wood Eternal." Our address is below. What is yours? Is it all right to ask?

All-round Helps Department

Southern Cypress Mfrs. Association

1249 Poydras Bidg., New Orleans, La., or. 1249 Graham Bidg., Jacksonville, Pia.

INSIST ON TRADS-MARKED CYPRESS AT YOUR LOCAL LUMBER DEALER'S. IF HE HASN'T PF, LET US KNOW IMMEDIATELY



THINGS YOU NEED TO KNOW

Fascinating Features in the next issue of Popular Science Monthly

EVERY well-informed man in America will want the news of some of the year's most interesting scientific achievements, described in the December issue of Popular Science. Monthly.

You will find in the December issue scores of fascinating bits of new knowledge which will make just so many essential paving-blocks in the

road to your own success.

Here's a glance at some of them;

Men Who Made Millions in Radio A story of how you can get in at the start on the infant game of wireless operating, and of what chances it will bring you for adventure, success, travel, and wealth. Read about men who started as office boys, and now, in their thirties, are millionaires.

Mapping Up the Last Unknown Corners of the Barth

Do you realize that explorers this year have initiated the greatest period of exploration the world has ever known? Do you know that when the present era of discovery is over, the earth's surface will have practically no unprobed secrets, and explorers will have to turn to the moon to seek really new adventures? Read in the December issue the story of where intrepid explorers are going this. year, and of what they hope to discover.

Night Travel in Pullman Buses

The most extraordinary motor news of the year concerns the new Pullman autobuses, which have been tried out for intercity travel. A remarkable article in the December issue gives the first picture to the American public of what overnight transportation between cities will be like when the sleeper-bus systems are perfected.

The New Car Has Its Say In this, the November number, you will find the first part of a remarkable debate on the question, "Shail I Buy a New or a Used Car?" The argumenta brought forward on page 34 of this issue in behalf of the used car will be answered next month by an

Wireless Warfare Next

expert, who defends the new car.

If there is another war, just what will its battles look like? The disamament conference, soon to be held in Washington, has set all mankind to thinking about the staggering methods of slaughter with gas and machinery which will inevitably characterize another international conflict. Actual pictures of these methods will be one of the most significant and startling features of the next issue of Popular Science Monthly.

Calculated screen



An Amazingly Easy Way to Earn \$10,000 a Year

Let Me Show You How Free

To the everage man the \$10,000 a peac job in unity a dream. Yet today there are a suspensing anuables of men exeming five figure salaries who were mosely dreaming of them a short white age. The secret of their success should prove a startling revelation to every ambitious man who has ever aspired to get into the \$10,000 a year class.

There is nothing fundamentally "different" about the man whose salary true into five figures. He is thad of the salar stuff as you and I. It is not necessary that he must raise the privilege at some influential connection or "out?" For example take J. P. Overstreet, of Dallas, Texas. A few short years ago he was a poore officer carning less than \$1,000 a year. To-day his carnings are in excess of \$1,000 a poort. To-day his carnings are in excess of \$1,000 a poort. C. W. Campbell, Greenshorg. Pa., was formerly a railroad employee on a small salary—last month his carnings were \$1,562.

Why Salesmen Earn Such Big Pay

Just slop a moment and think over the successful from of your acquaintance. How many of them are connected with some form of selling? If you will study any business organization you will see that the bit jobs go to the men who sell, for upon their efforts depend the profits a company makes. Without trained other to place a product on the matter, the forest goods are worth no more than so much clay. Salesinen are the very nerve contern of a business. In it any wonder that they can big pay?

The man who starts working as a bookkeeper or clerk for \$25.00 a week, never increases his value to be firm. Any advance in pay is merely a reward for length of service. At the end of ten years he is no more essential to the life of the organization than he was at the end of ten weeks. He is only a necessary liability—drawing his pay because some-body must be found to work at the unimportant, routine jobs. Once established in the rut, he becomes a cog in the than him—when he is worn out, he can be a cog in the machine—when he is worn out, he can be easily and cheapily replaced.

Why Don't You Get Into the Selling Field?

Mr. Overstreet, Mr. Campbell and the others whose letters you see on this page are all successful salesmen. They realized their ambitions by landing salesmen. They realized their ambitions by landing \$10,000 john in an amatingly simple way, with the help and guidance of the National Salesmen's Training Association. Sometime—somewhere back Training Association. Sometime—somewhere back to the past, each one of them read of this temark-solve course of Entermanchic training and Employment Service just as you are reading of it to-day. Each one of them was dissatisfied with his caroing capacity—as perhaps you are—and each solve this lot with the N. S. T. A. To-day they are impartant factors in the huginess world—enjoying all the configuration for these are thousands of their are not exceptions. for there are thousands of they are not exceptions, for there are thousands of N. S. T. A. trained selemen who are making his money, as we will be only too glad to show you if you will mall the coupon.

We Train You and Help You Land a Job

The National Salesmen's Training Association is an organization of a protein salesmen and sales inspands for the express purpose of training men it the microse of surround asking. Vot do not read to know the first than aloud acting—for the N. S. T. A. 1984 per free; the ground up—a see you a country insight too setting exchange—

Rend These Amusing Stories of **Oulck Success**

Eurand \$524 to Two Weeks

I had never earned more than \$40 a month-hast week I simmed \$306 and this week \$318. You have done weedens for mr.—Goo. W. Kenros, 101 W. Park Place, Okkaboum City, Okla.

I New Earn on High so \$100 a Day

I took your course two years ago. Was earning \$15 a west election. Am now selling too y of the largest firms in the U.S. I have carned more than \$100 in a star. You seemed me my present the Sales Manager is a graduate of your J. L. DeBonis, 1878 S. Crawlord Ave. Chicago III.

Rarna \$1,562 in Thirty Days

My carrings for the past thirty days are \$1.567 and I wan Second Price in March with ugh I only worked two weeks during that wouth.—C. W. Campbell, Geremonay, Pa.

Rarned \$1,000 in Six Wooks

As soon as I twelved a letter from you and your literature. I knew that I was on the right track and very soon after I applied for a position as a Salesman to one of the firms whom you informed me write in need of a Sulesman and to whom you had secommended the. As soon as they secreted my application, which was by mail, they wised me to come for an appointment which I did, with the result being that I sold my services to them in about thirty minutes, took a territory in Illinois and Wisconsis and made a roccess of it from the

From that time on I have been what might be resed as a bigh pressure Salesman selling From that time on 2 have been what might be termed as a "high pressure" Salescana, selling lines where nine out of ten Order Takers would fail. I have sold goods in a highly successful manner in nine or ten States, both North and South. My caroings for March were over \$1,000 and over \$1,000 for the last via weeks, while hast week my carnings were \$356.00. I travel eleven months out of the year, working five days each work.

The N. S. T. A. dug me out of a rat where I wan carning less than \$1,000 a year and showed me how to make a success.—J. P. Overstreet, Dallas.

your open time without making it necessary

in your space time without making it necessity to give up your present position until you are ready to begin actual selling.

In addition to this remarkably efficient course of training, the N. S. T. A. maintains a Pree Employment Service to help its Members to jobs in the lines for which they are beet soited. This is likely and inculcinable value for it allows the prospective salesman to make a complete survey of the selling held and to select the work which most appeals to time.

Salesmen Are Needed-Now!

Get out of that run! Work for yourself! Salesmanshop is the binnest paid of all professions. Just because you have never said anything is no sign that
you can't. We have made Star Salesman of mentions all walks of life, with no previous selling erpersons. These men have jumped from small ray
poles to hig salling positions and handsome incomes.
The same training on which they founded their
youters is often to you get in a class with man
who make real money! Never before have the
apportunities been greater. At least you cannot
affined an in investigate the great field of Selling and
sees what it offers son. It will only most you a 2 cent
stamp and the facts and proof you will secsive will
surplies you.

Free Book on Salesmanship

Just mall the coupon or write for our free Blustrated Scots. "A Saight of the Gets," which we will be glad to send without any obligation on your part, let us prove to you that regardless of what you are done new, you can quickly become a Star Salesman. Let us show you how you too can step into the ranks of these big maney makers of business. See how cally you can learn this factioning, big jusy profession at home in your stare time. Learn what we have done for others and what we stand ready to do for you. Don't put it off until to-morrow—write us to-day. Every hour less heeps you that much farther from success. Mall the coopeo at once.


National Salesmon's Training Association Dept. 15-3 Chicago, IR., U. S. A.

National Salasmon's Training Association Dept. 18-5, Chicago, Ill., U. S. A.

Please send me, without any obligation on my past, your free flook. A Knight of the Grip," and full telermetion about the N. S. T. A. system of Salesmenthin training and Employment Service. Also a list abouting these of business with openings for

Name	
Street,	
City suspenses and a state of the	P.S11-44

Copyrighted Installation



Contents of the Home Workshop

A department for the man who works at home with tools

Why Some Tires Wear Out Sa Rapidly Stall Bearing Stationary Junks (og the Garage	
SHED COMPANY OF THE PARTY OF TH	11
Children William of Clare of the Bath	
Sifferent Ways of Cleaning Inh-Buttles	**
assessed Screw-Drives with Valva-Wheat	82
Daving the Dody Princh of the Automobile	43
Blinks Signaling with Auto Lamps	83
Flore Motor Makes Small Crinder for Carnes	83
Dispuser of Lass of Prints Spring Contar Roll	43
How to Make a Sain-Visor for Your Cur.	83
To Ron the Furnace Economically	84
Eich and Front Elmers-Light Builm.	84
For Removing Various States	
For Removing Various Stains.	- 85
Invisible Lines Etched ou Blankboards.	85
No Suppling on This Wath Light a Safety-Match without a Bug.	85
Light a Safety-Match without a Bug	45
Circulate Plantage and Paragona Basis at Planta.	- 66
Improving a Physicustagus Laval.	222
Distribut Your Motor-Driven, Machines,	164
Making a Static Machine	47
Making a Static Machine Ford Starting-Mater Pumps Water	87
Unifed Thiseas to Pleast Manage	71
Mare I May de Marene and A Ada 20 C	
How I Made Money with My Youla	90
LOUGHT VINE PLANTS FIRMS	90
Some the Resolute & Comb in Cabalition	- 91
Cost Your Skates Roady for the Winter	- 91
Home-Werkshop Prizm. One Way to Relieve the Paper Famine	- 93
One Way to Raiseve the Paper Famine	92
To Fir e Broken Chair-Rung. A Done-Bumper from an Auto-Spring.	93
A Done-Businer from an Auto-Server	93
Safety Hance Sharpener Run by Faut Pouce	- 94
Portable Crase for Yard or Shop	- 62
Blaves D. 6 fees (V.) Manage	-
Blotter-Pada from Old Magazines	
An Efficient Shop Stove	- 24
Michigan Adjustable Halling	45
Make an Adjustable Ruiling . How Sewer Gas May Let into the House .	95
E-Decent Plemersade Dunann Buener	97
Latting Wason Synthesis without Special Techto	- 93
One Mathed of Making a Quick Halt Repair	- 24
Prevent Faucets from Sulashing	- 64
Prolong the Life and Efficiency of a Broom. The Clearance for New Piston-Rings	- 64
The Chattern for Name Pinton Street	- 8
Illuminated Window Sign	- 64
Western Charles from Western Bridge	
Water-Louis from Decety-Find	100
Charles and Salas professional Control of the Contr	100
Schemists Will Find This a United Aid	1000
believe of the Dia Million William Blood A	150
CHARL FIRE DA DINA M. MARIE DISSESS.	101
Watch-Chain from Safety-Pina Einstein-Bell Signala. Chemists Will Find This a Undel Aid Heat Can Be Blown Where Needed Improvining an Emergency Pages!	
Some Uses for the Federa-Pin	101
Some Uses for the Fafety-Pin	101
Some Uses for the Fafety-Pin Drawer-Knobs from Close Botthe	101
Jems Uses for the Fafety-Pin Drawer-Knobs from Close Betthe A Glass-Pat from a Tin Cap Property Wheelbarraw from Tirrains	101
Jems Uses for the Fafety-Pin Drawer-Knobs from Close Betthe A Glass-Pat from a Tin Cap Property Wheelbarraw from Tirrains	101
Some Uses for the Safety-Pin Drawer-Knobs from Clase Betthe A Glac-Pet from a Tin Cap Provents Wheelbarraw from Tipping An In-Strame from Tin Petith-Cap	101
Some Uses for the fulcty-Pin Drawer-Knobs from Class Bottles A Glass Pot from a Tin Cas Provents Whoolbarraw from Tipping An Ica-Scraper from The Festip-Cape Shoe Brack from Gid Ruge	101
Some Uses for the Fafety-Pin Drawer-Kaules from Class Buttles A Glass-Pat from a Tie Cap Provents Wheelbarraw from Tipping An Isa-Strapur from Tie Puttle-Caps Shoe Brank from Gtd Rage Elashiota as Rufe	101
Some Uses for the Fafety-Pin Drawer-Kaules Iron Class Bottlee A Glue-Pat from a Tie Can Provente Wheelbarraw from Tipping An Iro-Scrupur from Tie Fetth-Cape Shoe Bruch Iron Cid Rage Flashight on Rife Tracing from Old Bluereints	101
Some Uses for the Safety-Pin Drawer-Knobs from Class Butthe A Glass-Pat from a Tin Cap Provents Wheelbarraw from Tipping An Ica-Scrapus from Tin Festip-Cape Shoe Bruch Irem Cad Rage Flacklight on Rufe Tracing from Old Plurpripts Salete Olive Devices for Mafeire	101
Some Uses for the Safety-Pin Drawer-Knobs from Class Butthe A Glass-Pat from a Tin Cap Provents Wheelbarraw from Tipping An Ica-Scrapus from Tin Festip-Cape Shoe Bruch Irem Cad Rage Flacklight on Rufe Tracing from Old Plurpripts Salete Olive Devices for Mafeire	101
Some Uses for the Safety-Pin Drawer-Kaules from Class Buttles A Glass-Pat from a Tin Can Provents Wheelbarraw from Tipping An Ins-Strams from Old Rags Flashight on Rife Tracing from Old Discrete Salety Citing Device for Shafting For the Tulephone in Noisy Stras	101
Some Uses for the Safety-Pin Drawer-Kaules from Class Butthe. A Glue-Pet from a Tie Can Provente Wheelbarraw from Tipping An Ins-Scraper from Cid Bags Shoe Struck from Cid Bags Flashinght on Rife Tracing from Cid Discrete Safety Citing Device for Shefting For the Tulephone in Noisy Sheps To Cut Meavy Showt Metal with Shepp Discrete Bulls Researces Durglar Alarm	101
Some Uses for the Sulety-Pin Drawer-Knobs Irom Clase Bottlee A Glac-Pet from a Tin Cap Proventy Wheelbarrow from Tipping An Iro-Scrupny from Tin Fettle-Cape Shee Struck Irom Old Ruga Flackinght on Rufe Tracing from Old Blueprints Salety Ckling Device for Shefting For the Tulephorn in Noisy Struct To Cut Heavy Sheet Metal with Shears Lieutra Bulk Personne Furglar Alaria Oreasetylane Cuts Steel Duke	101
Some Uses for the Salety-Pin Drawer-Knobe from Clase Butthe A GlacePet from a Tie Cap Proventy Wheelbarraw from Tipping An Ice-Scrapus from Tie Potth-Cape Shee Bruch from Clat Rage Flacklight on Rife Tracing from Old Burgeripte Salety Ching Device for Shefting For the Tulephone in Noisy Shepa To Cut Heavy Showt Metal with Shepry Dectric Bulk Resource Purples Aleren Outpassetylene Cuts Steel Disks	101
Some Uses for the Salety-Pin Drawer-Knobe from Clase Butthe A GlacePet from a Tie Cap Proventy Wheelbarraw from Tipping An Ice-Scrapus from Tie Potth-Cape Shee Bruch from Clat Rage Flacklight on Rife Tracing from Old Burgeripte Salety Ching Device for Shefting For the Tulephone in Noisy Shepa To Cut Heavy Showt Metal with Shepry Dectric Bulk Resource Purples Aleren Outpassetylene Cuts Steel Disks	101
Some Uses for the Safety-Pin Drawer-Kaulo from Class Buttles A Gluer-Pet from a Tin Can Proventy Wheelburraw from Tipping An Ins-Scrapes from Old Rage Shoe Bruch from Old Rage Flacklight on Rufe Tracing from Old Discrete Salety Ching Device for Shofting For the Telephone in Noisy Stree To Cut Heavy Showt Metal with Shoers Lieuten Bulb Penne-on Purples Alaren Organotylene Cuts Steel Disks Nesteiding for Laping Shingles Phonograph flore as a Tawer-Pot To Streighten Twieted Cut.	101
Some Uses for the Safety-Pin Drawer-Kaulo from Class Buttles A Gluer-Pet from a Tin Can Proventy Wheelburraw from Tipping An Ins-Scrapes from Old Rage Shoe Bruch from Old Rage Flacklight on Rufe Tracing from Old Discrete Salety Ching Device for Shofting For the Telephone in Noisy Stree To Cut Heavy Showt Metal with Shoers Lieuten Bulb Penne-on Purples Alaren Organotylene Cuts Steel Disks Nesteiding for Laping Shingles Phonograph flore as a Tawer-Pot To Streighten Twieted Cut.	101 104 104 104 104 104 104 104 109 109 110
Some Uses for the Sulety-Pin Drawer-Knobs Irom Clase Bottlee A GlacePet from a Tin Cap Provents Wheelbarrow from Tipping An Iro-Scrupper from The Futtle-Cape Shoe Struck Irom Old Bage Flackinght on Rufe Tracing from Old Blueprints Salety Ckling Device for Shofting For the Tulephone in Noisy Struct To Cut Heavy Short Metal with Shoars Lieuten Bulk Personnes Purpler Alaria Oxygantylane Cuts Stool Diale Sunfidding for Laping Shingles Phonograph Horn as a I know-Pot To Straighten Twisted Cut. Flations Turned into a Pauch April	101 104 104 105 106 106 107 108 108 108 108 108 108 108 108 108 108
Some Uses for the Sulety-Pin Drawer-Knobs from Class Briths A Glass-Pot from a Tin Cap Provents Wheelbarraw from Tipping An Ice-Seragan from The Fotth-Cape Shoe Bruch Irom Chil Rage Flacklight on Rufe Tracing from Chil Blueprints Salety Ching Device for Shefting For the Tulephorn in Noisy Steps To Cut Meavy Showt Metal with Shegry Bactric Bulk Penaros Purples Alarm Oxymetylene Cuts Steel Disks Sunfackling for Laping Shingles Phonograph flore or a Flores-Pot To Straighten Twisted Cut Flattren Turned into a Pouck Anuil Wreech for Suppre-Shanh Tools	101 104 104 105 105 106 107 108 109 109 1109 1109
Some Uses for the Sulety-Pin Drawer-Knobs from Class Briths A Glass-Pet from a Tie Cap Provents Wheelbarraw from Tipping An Ice-Seragus from The Fotth-Cape Shoe Bruch Irom Chil Ruge Flacklight on Rufe Tracing from Chil Blueprints Salety Ching Device for Shefting Salety Ching Device for Shefting Salety Ching Device in Noise Stype To Cut Meavy Short Metal with Shears To Cut Meavy Short Metal with Shears Describeng Cuts Steel Disks Sandading for Laping Shingles Phonograph flors as a Flavor-Pot To Straighten Twisted Cut Flation Turned into a Pauch Anvil Wreech Int Supure Shank Tools Cleaning Candlesticks Irom Was	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobs from Class Briths A Glass-Pet from a Tie Cap Provents Wheelbarraw from Tipping An Ice-Seragus from The Fotth-Cape Shoe Bruch Irom Chil Ruge Flacklight on Rufe Tracing from Chil Blueprints Salety Ching Device for Shefting Salety Ching Device for Shefting Salety Ching Device in Noise Stype To Cut Meavy Short Metal with Shears To Cut Meavy Short Metal with Shears Describeng Cuts Steel Disks Sandading for Laping Shingles Phonograph flors as a Flavor-Pot To Straighten Twisted Cut Flation Turned into a Pauch Anvil Wreech Int Supure Shank Tools Cleaning Candlesticks Irom Was	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobs Irom Class Buttles A Glambet from a Tin Cap Proventy Wheelbarraw from Tipping An Iro-Scrupper from The Politip-Cope Shoe Bruch Irom Old Bugs Flashight on Rufe Tracing from Old Disceptions Salety Ching Device for Shofting For the Tulephone in Noisy Stree To Cut Heavy Short Metal with Shoars Lieuten Bulb Becarese Purples Alaria Oxygostylana Cuts Steel Disks Scaffishing for Laping Shingles Phonograph Horn as a Hawar-Pot To Straighten Twisted Cut Flations Turned into a Pauch Annil Wreach Int Sugate Shank Tools Denning Condictions From Railing Foreste Hammer Head from Floring Od	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobs Irom Class Buttles A Glambet from a Tin Cap Proventy Wheelbarraw from Tipping An Iro-Scrupper from The Politip-Cope Shoe Bruch Irom Old Bugs Flashight on Rufe Tracing from Old Disceptions Salety Ching Device for Shofting For the Tulephone in Noisy Stree To Cut Heavy Short Metal with Shoars Lieuten Bulb Becarese Purples Alaria Oxygostylana Cuts Steel Disks Scaffishing for Laping Shingles Phonograph Horn as a Hawar-Pot To Straighten Twisted Cut Flations Turned into a Pauch Annil Wreach Int Sugate Shank Tools Denning Condictions From Railing Foreste Hammer Head from Floring Od	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobe from Clase Brithe A Glass-Pat from a Tie Cap Provents Wheelbarraw from Tipping An Ica-Scrapus from The Fotth-Cape Shee Bruch Irom Chil Rage Flacklight on Rufe Tracing from Old Blackerists Salety Ching Device for Shefting For the Talephone in Noisy Steps To Cut Heavy Showt Metal with Sheary Discton Bulk Persons of Purples Alaren Oxposetylana Cuto Steel Disks Sunfedding for Laying Shingles Phanograph flore or a I know-Pot To Straighton Twisted Cut. Flation Turned into a Pouch Anvil Wreech for Sounte-Shank Tools Denning Candicetiche from Physing Cel Comountaging Crask in Class Shalving Maske from Pine Statechists Shalving Maske from Pine Statechists	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobe from Clase Brithe A Glass-Pat from a Tie Cap Provents Wheelbarraw from Tipping An Ica-Scrapus from The Fotth-Cape Shee Bruch Irom Chil Rage Flacklight on Rufe Tracing from Old Blackerists Salety Ching Device for Shefting For the Talephone in Noisy Steps To Cut Heavy Showt Metal with Sheary Discton Bulk Persons of Purples Alaren Oxposetylana Cuto Steel Disks Sunfedding for Laying Shingles Phanograph flore or a I know-Pot To Straighton Twisted Cut. Flation Turned into a Pouch Anvil Wreech for Sounte-Shank Tools Denning Candicetiche from Physing Cel Comountaging Crask in Class Shalving Maske from Pine Statechists Shalving Maske from Pine Statechists	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobs Irom Class Buttles A Glass-Pet from a Tin Cap Provents Wheelbarraw Irom Tipping An Irombrough from Old Ruga Flashight on Rufe Tracing from Old Ruga For the Tulephone in Noisy Stree To Cut Heavy Short Metal with Shears Instrum Bulb Resource Purplar Alaxia Oxpostylana Cuto Steel Diale Susficient Bulb Pennice Purplar Alaxia To Straighten Twisted Cut Flationa Turned into a Pauch Annil Wreach for Sugare Shank Tools Cleaning Candicets he Irom Was Keep Inh-Bettle Cup Irom Relling Provents Hammer Head from Plying Oil Comountaging Crack in Class Shalving Masks Irom Pipe Statishiose Put Outleaks on a Chain. Grassophone Met be noise Turne Grandetung Grassophone Met be noise.	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobs from Class Briths A Glass-Pet from a Tie Cap Provents Wheelbarraw from Tipping An Isa-Scrapur from The Fotth-Caps Shoe Bruch Irom Old Ruga Flashinght on Rufe Traing from Old Plusprints Salety Ching Devian for Shafting Salety Ching Devian for Shafting For the Tulophoru in Noiny Shape To Cut Heavy Shart Metal with Sheary Bactrin Bulk Penas-on Purples Alaria Organization Cuts Steel Disks Sandishing for Laping Shinglin Phonograph flora as a Flancy-Pot To Straighton Twisted Cut Flation Turned into a Pauck Anuil Wreach int Swante Shank Tools Deaning Candisciche Irom Wan Koop Ink-Bestle Cap for m Railing Provents Hammer Head from Flying Oil Camenfinging Crask in Class Shalving Mask from Pipa Stanchiota Put Ourlands on a Chair. Caresophone Meabanism Turne Grandetung Koop String in This Turne Grandetung	101
Some Uses for the Sulety-Pin Drawer-Knobs from Class Briths A Glass-Pet from a Tie Cap Provents Wheelbarraw from Tipping An Isa-Scrapur from The Fotth-Caps Shoe Bruch Irom Old Ruga Flashinght on Rufe Traing from Old Plusprints Salety Ching Devian for Shafting Salety Ching Devian for Shafting For the Tulophoru in Noiny Shape To Cut Heavy Shart Metal with Sheary Bactrin Bulk Penas-on Purples Alaria Organization Cuts Steel Disks Sandishing for Laping Shinglin Phonograph flora as a Flancy-Pot To Straighton Twisted Cut Flation Turned into a Pauck Anuil Wreach int Swante Shank Tools Deaning Candisciche Irom Wan Koop Ink-Bestle Cap for m Railing Provents Hammer Head from Flying Oil Camenfinging Crask in Class Shalving Mask from Pipa Stanchiota Put Ourlands on a Chair. Caresophone Meabanism Turne Grandetung Koop String in This Turne Grandetung	101101101101101101101101101101101101101
Some Uses for the Safety-Pin Drawer-Knobs from Class Buttles A Glass-Pet from a Tin Cas Proventy Wheelbarraw from Tipping An Ica-Scrapus from Tin Fullip-Cape Shoe Struck from Old Bage Flashlight on Rife Tracing from Old Burgerists Safety Citing Device for Shafting For the Tulephone in Noisy Struct To Cut Meany Shart Metal with Sheary Tecut Make Personne Purples Alexe Outparetriese Cuts Steel Disks Sanfidding for Laping Shington Phonograph Horn or a Times-Pot To Straighton Twisted Cut. Flations Turned into a Pouch Anuil Wreech for Swoote Shank Toole Ocening Condicetiche Irom Was Koop Inh-Bettle Cap for m Relling Proventy Hammer Hot Cross Flying Oil Camenthaping Crask in Class Shalving Made Irom Pipe Stanchiote Put Ourleath on a Chain. Grassophone Mechanism Turns Grandetone Koop String in This Twins-Holder Combined Square and Anala Gage	101
Some Uses for the Safety-Pin Drawer-Knobs from Class Buttles A Glass-Pet from a Tin Cas Proventy Wheelbarraw from Tipping An Ica-Scrapus from Tin Fullip-Cape Shoe Struck from Old Bage Flashlight on Rife Tracing from Old Burgerists Safety Citing Device for Shafting For the Tulephone in Noisy Struct To Cut Meany Shart Metal with Sheary Tecut Make Personne Purples Alexe Outparetriese Cuts Steel Disks Sanfidding for Laping Shington Phonograph Horn or a Times-Pot To Straighton Twisted Cut. Flations Turned into a Pouch Anuil Wreech for Swoote Shank Toole Ocening Condicetiche Irom Was Koop Inh-Bettle Cap for m Relling Proventy Hammer Hot Cross Flying Oil Camenthaping Crask in Class Shalving Made Irom Pipe Stanchiote Put Ourleath on a Chain. Grassophone Mechanism Turns Grandetone Koop String in This Twins-Holder Combined Square and Anala Gage	101101101101101101101101101101101101101
Some Uses for the Salety-Pin Drawer-Knobs Iron Class Buttles A Glass-Pet from a Tin Cap Proventy Wheelbarrow from Tipping An Iron-Scrupper from The Polith-Cape Shee Struck Irom Old Ruge Flackinght on Rufe Tracing from Old Burgerists Salety Citing Device for Shefting For the Tulephone in Noisy Struct To Cut Heavy Sheet Metal with Sheary Flaction Bulk Personnes Purples Alarin Organization Cuts Steel Duke Sandidding for Laping Shington Phonograph Horn as a Hawar-Pot To Straighton Twisted Cut. Flations Turned into a Parch Annil Wreach for Swonte-Shank Tools Oceaning Candicetiche Irom Was Koup Ink-Bettle Cap for in Rulling Protects Hammer Head from Flying Oil Communiquing Crask in Class Shalving Made Irom Pipe Statishists Fut Ourlocks on a Chain. Grassophone Mechanism Turne Grandetnee Keep String in This Twine-Holder Cutt Buttons from Dire Combined Square and Angle Gage How in Pince Balty's Bathtub	101101101101101101101101101101101101101
Some Uses for the Sulety-Pin Drawer-Knobs Irom Class Butthe A Class Pet from a Tin Cap Provents Wheelbarraw Irom Tipping An Iro-Scrupper from The Pottle-Cape Shoe Bruch Irom Old Ruga Flashlight on Rufe Traing from Chid Blueprints Salety Ching Device for Shofting For the Tulephorn in Noisy Street To Cut Heavy Short Metal with Shoars Inctim Bulk Person-on Purples Alarm Chapacetylane Cuts Steel Disks Sandiding for Laying Shingles Phonograph Horn as a Hawar-Pot To Straighten Twisted Cut Flation Turned into a Pouch Anuil Wreach for Supure Shank Tools Cleaning Condicately Irom Was Knop Into Beattle Cap Irom Railing Provents Hammer Head from Flying Off Camenfaging Crash in Class Shalving Made Irom Figs Stanchiote Shalving Made Irom Pipe Stanchiote Put Ourlands on a Chain. Grassophone Mechanism Turne Grindetuce Knop String in This Twise-Holder Cuff Buttoms from Dire Cambined Square and Angle Gage How in Place Balvy's Bathtub Marble Provents Kompornation of Lub	101101101101101101101101101101101101101
Some Uses for the Salety-Pin Drawer-Knobs from Class Briths A Glass-Pet from a Tie Cap Provents Wheelbarraw from Tipping An Ice-Scrapus from The Potth-Cape Shee Bruch Irom Chil Rage Flacklight on Rufe Tracing from Chil Bloggeripte Salety Ching Device for Shefting Salety Ching Device for Shefting Salety Ching Device for Shefting For the Tolophorn in Noisy Steps To Cut Meavy Showt Metal with Sheary Bactrin Bulb Penacroe Purples Alaria Oxposetylene Cuts Steel Disks Sasfishing for Laping Shingles Phonograph flore as a Firmer-Pot To Straighten Twisted Cut Flation Turned into a Pouck Anuil Wreach for Swonte-Shank Toole Genning Candlesticks from Was Koop Ink-Bettle Cap from Rolling Prevents Hammer Head from Flying Off Communitation Candlesticks in Class Shalving Made from Pipe Stanchlishs Put Ourlacks on a Chain Grassophone Mechanism Turne Grandetsee Neep Strong in This Twine-Holder Cut Buttons from Dire Cambined Square and Angle Gage How in Fince Bally's Bathtub Markle Prevents Komperation of Jub To Keep Pasts in Constition	101 101 101 101 101 101 101 101 101 101
Some Uses for the Salety-Pin Drawer-Knobs from Class Buttles A Glass-Pet from a Tin Cas Proventy Wheelbarraw from Tipping An Isa-Strapmy from The Polith-Cape Shee Strack from Old Bage Flashlight as Rife Tracing from Old Burgerists Salety Citing Devian for Shefting For the Talephone in Noisy Strae To Cut Meany Sheet Metal with Sheary Flasten Bulk Personne Purples Alexin Oxportylene Cuts Steel Dake Sanfidding for Laping Shingles Phonograph Horn as a Hawer-Pot To Straighton Twisted Cut. Flations Turned into a Parch Annil Wreach for Sounce-Shank Toole Osening Candicetiche Irum Was Koup Inh-Bettle Cap for m Railing Proventy Hammer Head from Piping Oil Camenflaging Crask in Class Shalving Made Irom Pipe Stanchlone Put Ourleaks on a Chain. Grassophone Mechanism Turns Grandetone Koup String in This Twine-Holder Caff Buttons from Dire Cambined Square and Angle Gage How in Place Balty's Bathtub Mashle Prevents Responsition of (pb To Keep Putz in Confliction Make the Nail Hold Fast	101101101101101101101101101101101101101
Some Uses for the Salety-Pin Drawer-Knobs Irom Class Buttles A Glass-Pet from a Tin Cap Proventy Wheelbarraw from Tipping An Iro-Strapmy from The Fultip-Caps Shoe Bruch Irom Old Ruga Flashlight as Rufe Tracing from Old Ruga (Free Shoet Bruch Irom Old Ruga) Flashlight as Rufe Tracing from Old Ruga (Free Shoet Shoet Shoet Shoet Irom Old Ruga) For the Tulephone in Noisy Strap To Cut Heavy Shoet Metal with Shoety Institut Bulk Personnes Furglar Alaxin Oxpanyivana Cuts Stool Duke Sunfidding for Laping Shingles Phonograph Horn as a I know-Pot To Straighten Twisted Cut Flationa Turned into a Parick Annil Wreach for Swente Shank Tools Cleaning Candicetiche Irom Was Keep Inh-Bettle Cap Irom Ralling Provents Hammer Head from Flying Old Communiquing Crack in Class Shalving Masks from Pipe Statischiosa Fut Ourlocks on a Chain Grassophone Meetbanium Turne Grandetung Keep String in This Turne-Holder Cutt Buttons from Dire Cambined Square and Angle Gage How in Fince Bahy's Bathtub Masks the Nail Hold Fast For Increasing Harhanw's Dupth	101 101 101 101 101 101 101 101 101 101
Some Uses for the Sulety-Pin Drawer-Knobs Irom Class Botthe A Class Pet from a Tin Cap Provents Wheelbarraw Irom Tipping An Iro-Scrupper from The Pottle-Cape Shoe Bruch Irom Old Ruga Flacklight on Rufe Traing from Old Disceptions Salety Ching Device for Shofting For the Tulephone in Noisy Stree To Cut Heavy Short Metal with Shoers Inctim Bulk Penneron Purples Alarm Chapacetylane Cuts Steel Disks Scaffelding for Laying Shingles Phonograph Horn or a Times-Pot To Straighten Twisted Cut Flations Turned into a Pouch Annil Wreech for Supure-Shank Toole Deaning Condications from Was Knop Into Bettle Cap for m Balling Provents Hammer Head from Flying Off Communing Crash in Class Shalving Made from Pipe Standbloom Shalving Made from Pipe Standbloom Put Ourleads on a Chain. Grassophone Mechanism Turne Grindetune Knop String in This Turne-Holder Cuff Buttoms from Dire Cambined Square and Angle Gage How in Piace Balty's Bathtub Marible Provents Komperation of Inb To Keep Paste in Condition blake the Nail Hold Fast For Increasing Hackanw's Deptk A Mather-Treek Pulls Posts	101 101 101 101 101 101 101 101 101 101
Some Uses for the Sulety-Pin Drawer-Knobs Irom Class Bottles A Class-Pet from a Tin Cap Provents Wheelbarraw Irom Tipping An Iro-Scrupper from The Polith-Cope Shee Bruch Irom Old Ruga Flackinght on Rufe Traing from Old Bucgariate Salety Ching Device for Shofting For the Tulephone in Noisy Stree To Cut Heavy Short Metal with Shoars Incurs Bulb Penneroe Purplar Alarm Cut Heavy Short Metal with Shoars Incurs Bulb Penneroe Purplar Alarm Cut Heavy Short Metal with Shoars Incurs Bulb Penneroe Purplar Alarm Cut Heavy Short Metal Cut Instrum Bulb Penneroe Purplar Sandidding for Laping Shingles Phonograph flore or a I know-Pot To Straighten Twisted Cut Flations Turned into a Pauch Annil Wreech for Supuse Shank Toole Denning Candideticks from Was Knop Ink-Battle Cap for m Balling Prevents Hammor Head from Flying Oil Camenfinging Crask in Class Shalving Made Irom Pipe Stanchiotes Shalving Made Irom Pipe Stanchiotes Roep String in This Turne Grindetion Roep String in This Turne Gage How in Pince Balty's Bathtub Marine Prevents Responsition Manual Hold Fast For Increasing Hackanw's Doptk A Matter-Track Pulls Posta To Manual Electrical Resistances To Manual Electrical Resistances	101 101 101 101 101 101 101 101 101 101

\$75 Prize Contest for Home Workers

Popular Science Monthly is offering each month a first prize of \$50 and a second prize of \$25 for the best articles describing things made at home. Every reader is eligible. See page 98.

Home Address

Name

CATADISMS ...

See the New Ideas for Men Who Work at Home with Tools, Classified in the Home Workshop Index on Page 4

Popular Science Monthly

TABLE OF CONTENTS November, 1921

Vol. 99: No. 5

	Special Features	
How I Listen	In on the World by Radio.	Page 21
Japan's New Monster Battleships	Z8 Shall [Buy a [Jied Car?34
Making Steam with Mercury Boilers		rican Inventor
Pearl Buttons from Mussel-Shells		" for the Hand Drill
	50 Electric Auto w	th Sixty Mile Radius 80
Every Home a Phone Eachange	East of Maio w	tru pierla urite trauste
A	nd 157 Other Interesting Iter	ns
AERONAUTICS	Marcury Column Protects Electric Morre. 20	These Bireculus Steal Photographs 73
1.000.00	Fain Rewards I will 72	Sam Loyd's Pourle Page 74
Wing-Shaped Passings Strengthese by 24	House-Driven Scoon to Fill Truck 72	
Carlbon Ment Obtained by Airplane 18	Stacker Piles Wood for News Paper 72	MOTOR VEHICLES AND ACCESSORIES
Fixes Thirteen Yards Propelled by Idia Pers. 54	Wise Moult Uned for Conserves Forms 22	Shall I fluy a Used Carl
A Third Lye for the Airplane Pilet 60	Gives Double Light at Same Cort 71	Automobile Takes the Sky 1 tos 44
Selling Land and Buildings from the Au 61	Mail-Base Cleaned for Tumbling-Barrel 73 Figs. "Other Uses" for Hand Drill. 73	Coe This the Start of the Trailer Idea > 45
Most Daring Airplane Stunt on Record 62	Class Colonia Come Tale I Salar Livida	Treater Travels 30 Miles an Hour
		Exercise Garageanos (as Mujercycle 45
FOR THE FARMER	MISCELLANY	Wheels Open Garage Doors Automatically 45 Selects to Advertige Shoe Store 49
The ideal Farm Layret 11	How I Liston In on the World by Radio 21.	Fire Engine Tracer for Small Communities 19
Picks Up 30 Pounds of Apples a Minuse. 56	Silent Electric Phanegraph Motor	Call-Bell Notifies when Muturist Wants Can. 44
Artificial Rain Produced by Premure Pamp 56	Testing Ammunition with Manu Rest	Paint Lane on Road the Safety's Sake 72
Machine Separates Good Beaus from Bed 64	Sand Buries Farms and Railroad	Water Supply on Auto Heated by Enhance 76
Sand Tenter Made of Dinner Plates. 166	H There States Wern Burned Flat	Fushior Probests Gas for Startion 76
A Wheelbarrow that Felds Up 69	How My Internal Microsouter Was Invented. M. How Handwitzing Exposes Forgeties	Oil Shock-Absertiar 76
Homemude Spraying Outfit 75	What Put the Pop in Pop-Core)	Valve Admits Gas, Krensenn, or Air. 76
	How Het Is the Cigar You Smoke?	Flow-Motor Records on Car Cost 17
HOUSEKEEPING MADE EASY	Thirty-live Headred Varieties of Hunring II	Needle Valve Control Savsa Gasolina 77
Pipes Thewest from Incide	Lobston Caught Fresh from the Sea	Lientric Automobile Has 50 Mile Radius 50
Keep Small Service in Salt-Shaker 64	Lamp Lights on a Signal to Waiter 45	Weite to Un About Your Motor Tracking, co. #1
Percebby West Basin Folds Up	Europe la Going in for Skyscrapers 45	NATURAL SCIENCE
Repairing Chair-Seats While You Walt 34	She le Testing Perfeme of Flowers 51	
Pastry-Cutter Bent Into Many Shapes 56	Packet Entractor Pulls Buried Nails	Mosquitan Capture Ocean Liner
Meles Deping to Vegetablen Retains Plaute. 36	Formaldehyde Closet for Sonsonre	Chertake Trained to Hunt
Chaning co-Covered Windows by Electricity 37	Rendering Zuninghal Speciment Transparent 49	Benyan-Tree Spreads \$00 Feet 43
Matter Marking Sausaka Hard Wood Floors 50	Plumber Turns Surgeon to Save a Life	Hot Barks 2784 Years Old
	Testing Depth Bombs with a Pile-Driver 49	Fruit-Kating Bats of Caylon 24
INDUSTRIAL PROGRESS	Analyzing Composite Photograph	
Toward Faced with Concrete Gun 24	Traveling Laboratory Tests Milk and Water 32	PICTORIAL PAGES
Hand Truck Acts to Elevator 25	Photographs Novice and Then Projects Them 15	Life-Saving Gue for Lifebout Use
Matallic Steam Increases Efficiency 37	Machine Forces Confussion from Criminals 60	Evolution of the Pearl Button 12
Continuous Bluepitating Machine 33	Finger-Cuffe the Style for Criminals	Picture Naws of Home and Office Devices 71
74,000 Candlepower Searchitekt 46	Extending Gunstock Alsoriu Recell	Nava at Davelopment in Motor World 18
Magnet Selveges Naile from Ocean 47	Why Du We Do These Stupid Things? 61 Eclipse by Photographs and Micromotor. 65	
Sand Stimer Dogs Eight Men's Work 47 Pavement-Breaker for Pipe Transles 48	A Multi-Parket Overcoat	RAILWAYS
Canage Returns Sorted with Magnet 49	Records Traffic Vibrations 53	Magnetic Crane Shunts and Unicode Cura 66
New Automatic Talephone 50	Two Man Playing in Parain 65	Spack-Arrestors for Lecometives
Aline Piese Entingulated with Dead Air 54	What Do You Want to Know?	Generative Respotes Special Car. 63
Gamerates Hear and Light from Acid 55	Printing-Press Is Veteran of Two Wats 19	Piret and Last Word in Steam-Loopmetives. 68 Mechanics) Stoker Produces Cleaner Fire. 69
Capallary Other Prolongs Life of Busrings 55	Staty Fact of Alcohol Propagazola 22	Machanical Stoker Produces Charact Pile
Dumb Austionere Premite Sileur Bidding. 56		SHIPS AND SHIPBUILDING
Displacing 159,000 Ca. Ft. of Air a Minute 57		
Drives Sciences Grinder with Biggele 57	Copyright, 1921 by the Modern Publishing	What the Rembing Tests Prevent 21 The Latest Japanese War-Ships 22
Flanber Light Eighty Times a Minute	Company	The Oldart Ship that Soils the Sea
Wrist-Clemp Prevents Writte's Comp. 57	Portgan Science Mourner in bessel mountain. Venety subscription in the United	The First Electrically Driven Battleship 42
Magninting Machine Ehrsinates Frame 50 Lacks Been Sus-Inch Hole in Shalt 20	States, \$3.00; Casada, \$3.50; Foreign,	Twin Propeller Permits Larger Engines. 46
Machine Cate, Breeks, and Curveys Cont. 56	\$4.00. Single copy, 25 cents.	Developing Big Ships by Telephone 48
Total Cambines Drus. Planer and Scotter. 59	Advertising rates on application. Forms	Three-Horsepower Motor Drives Farryboat. 49
Plasting Cover on Oil Tanh Prevents Fires 59	preceding date of publication. Entered as	Window Brake Helds Ship when Launched 64
Hos Wire Resolveres Concrete Highway 59	Post Office at New York under the act of	A Water-Air Propolier ine Shallow Water 62
Inexperienceu Workers Can Operate Floist 59	March J. 1879. Entered as second-class mat-	**************************************
New Automatic Miles Ventilating Duce 6/	The contents of this magazine are copy-	SPORTS AND PASTIMES
Purtaide Grinder Uses Any Current	righted and must not be reprinted without	Moves Tiny Panch and Judy Show
Finne for Diremen Samplifies Fire Pophing 63	permission, H. J. Flaher, President; R. C. Wilson, Vice-President; O. B. Capen, Secre-	Seurabaard Describes Football Plays 42
Marks 3600 Tage an Hour by Electricity. 64	bare and Tressurer.	Tintography is a Decarative Art. 62

\$240 in Prizes Offered in This Issue—See pages 74, 81, 90, and 92

Modern Publishing Company

225 West Thirty-sinth St. New York City

tary and Tressurer.

Tire Bars with Wire Lang

Atilifico el Sandwiches for Lunckes

Electrical Proof To Day

Rider Is Chauffour and Engine Ted...... 42

New Cutcher's Mash Gives Better Vision . 73

Rubbur Suit Keeps Jacky Down to Weight ... 25

A Piece of String......

OUICK-ACTION ADVERTISING

HERE READERS AND ADVERTISERS MEET TO TRANSACT BUSINESS

Rate 25 Cents a Word. Advertisements intended for the January issue should be received by November 1st

AUTOMOBILES AND ACCESSORIES

WHAT do you need! We have it. Gray's Auto Parts. Og., 3213 Brighton Band, Pittsburgh, Pennsylvania.

AUTOMODILE Parts for all cars 50°, at manufac-turers but price. Platters, connection rods cam chafts, erank shades, spinulars, axies and genre. Due new cam-ledus and Used Parts higherin new ready. Write her it turday. Service tool statistication guaranteed. Auto Parts Copapagy, 4100 office Street, St. Louis, Monaget.

TOWLINES distance but long with hooks final enough for tool but Replaced if bruken winds year \$2.50 collected. Assule price \$15.00 cases. Hample \$15.00 Crder sample \$15.00 Crder sample to-day. Will buy both any you don't sell. The Superior Manufacturing to Free Policy Curveland. Oblo.

PATENTS — Write for Free Illustrated Suide Book and Evidence of Conception Blank Send mostel or metch and description of speculing for our opinion of its patend-able nature. Huntest reference Resemble treas-Victor J. Evans & Company, 180 Nichth, Washington, D. C.

ATTOMOBILE Owners. Garagemen. Mechanics. Re-pairings, sond for the copy of not expraint have. It contains helpful. Instructive information on overtaining ignition troubles, whing undergrains, storage batteries, etc. Over 170 pages, illustrated. Hend for the copy su-day. Auto-mobile Digest, 525 Earlier Hidg., Cincinnati.

BLICEFS OR, myre 25 in 30% gassione. Chapte curbus from engine. Fractainers, Fully surrammed accept refunded if fadime. Sample to Iron 125 milione gassing. If OC. O. D. Elloper Off Co., Carrowsp Station. Katalan City, Miscouri.

AUTO Top Recoverings many in apply Ford IT. Other fair \$12 and \$18 delivered at your deep. You cover \$2 price of new top feat covers \$2 to \$25. Change complex fee. Equipment Co., 20 Canal. Operapadi, Unio.

the an expert automobile painter. Learn the secrete of this trade. No experience required. Make \$100 weeker. Work everywhere. Automobile Finishing Co. dischargen.

HUN and discens viscous for any automobile, \$2.55. Aposto anted. Hutton Commany, eigetoglicht, Massochusella.

Affro The recipiliting and valendating is one a stroking profitable business, report part of the surty Million Tires to cally use. Here to fear a their action feast \$1. Plants \$1.00 up. Catalog free. Equipment Company, 17 Canal, Ciscinnatt, Ohio.

FORD ACCESSORIES

WIXARD intery charges for Ford cars charges 6 costs between From Ford imagined. Attached to Ford in few minutes. Characterists in most perfectly. Higheresis is come No more (st image, electrity year ford. Free 66 bt. postnase projectl. Send memory order. Account waster Write for circular. Wheard blig. Company, 306 Johnson, Marget, Pretinal, through

SPEKDSTER Famt. See "Red-Sud" ad, page 131.

FORD Magnetic Reclierant in five minutes, nothing to take apart, descrit exposed. Makes Furth start ever, bright treadlights more power, as we are destroyed guaranteed. Complete diagrams and instructions \$1 to prepaid. Read money resist or corresponded to the proper-papare shops quake hig money with this system. Winner Mig. Co., 206 Jefferson street. Portland. Oregon.

BLECTRICAL.

FREE retalogue of electrical goods at bargoin prices. Wrue new Holone Electric Company, Area, Illinois.

(at a wiring diagrams will remaily root electrical trouble, only make, middle ble Autopian, 11800 Ableshite, Cleve-land.

entropped Richards, mechanical all kinds Nucreal and the print to be give print and quick delivery. Steller Mrs. Co. Supplies Dept., Mrs. Brown Street, Philadelphia, Printsylvania.

SPOT Costs for gold and valuables: returned if disease-fied. Assaying for prospectors by arminate metallicrouts Cymbrid Schiece, Mil N. Prospect, a hampaign, (limina.

WANTED - Representatives in every Factory in the United States. Pupular Science Linciply, 225 West 20th Street, New York.

DUPLICATING DEVICES

"MODERN' Duplication Rusiness Getters 52.25
up, 50 separate from pain points appearate. No glue or
gelatine 40.000 in ups. Press trial. Need one! Bookletbree J V Gurkin-Heaves Ca. Patelogich Compression.

MR ADVERTIBLE: Ask to-day for a copy of the "Quick-action Advertising three Folder." It consists some reality important facts which will prove interesting and rainfalle to you. It also tells "How You Can Use Popular Science Monthly Profitable." You it like to hoos, wouldn't you." Manager Classified Advertising Popular Science Monthly, 225 West 2016 Street, New York.

FORMULAS

Fig. 1.— Jurquilla Catalog. Laim strettes, him Mills. Building, Chicago.

FORMULAS All kinds Carelorus free Gall-D N. Whipple St., Chicago, El.

MONEYMANING house, plans, formulas. Castle

FORMULA for positive five authorisher \$1.30. Theideo Erieger, Metamora, Michigao.

TUBENG

T. Dinc. dust. Hard, Copper Bram. Assessment - a recognists line. Connections and annual month for two price int. Standard Tube & Nictal Company, 1412 Count Avenue, Chicago, Edinois, Dept. E.

MAILING LISTS

SERVICE - design tearrespon (sugraption) lists. Ten dollars a thinward manner. National Newspaper Heading Service, 786 Broadway. New York.

Rec's Ewith S (2.0) per 1000.

New 45, Berwick, Promety/supin.

MR. ADVENTIBLE: Ask to-day for a copy of the "Croice-Action Advertising Exis Folder." It contains some really important facts which will prove interesting and valuable to you. It also take "How You Can Use Propular feringes Mogality Profitably. You didn to know, Smalle 4 you? Manager Classified Advertising, Popular Sciences Monthly 225 West Bitch Street, New York.

A 20% Discount For Six Insertions

Ever since Popular Science Monthly assumed its present popular style, in October, 1915, it has stood second in the volume of Classified advertising carried in the national magazines. During that time about 80% of its advertisers have used space consistently-month after month, year after year without omission. The other 20% have used space spasmodically and their results have undoobtedly been in proportion. In appreciation of those advertisers who find it profitable to be represented in every issue, we are offering a special discount of 20% for six consecutive insections. YOU can start your advertisement in the next issue and, by running it six months, ears a 200 reduction from the flat rate of 25 Cents a Word. On six insertions of a 50 word advertisement this means a saving of \$9,00-deductable from the sixth insertion. Not a had offer, is it? If you want to reach 250,000 BUYERS every month at this unusually low rate, send your order NOW to

Classified Advertising Manager.

POPULAR SCIENCE MONTHLY, 274 West 39th Street. New York City.

MANUFACTURING

LET us be your factory Write to-day Lorso Machine Company, 222 Septin Charles Sovery, Chicago 1999. WE manufacture applient develop and build special grachizery. Get out besidet his valuable to you. S. O. Clyne Engineering Co. St. Louis, Masouri.

MOTORS, ENGINES, MACHINERY

ELLITRIC Meters to being duty if H. P. motors. Centeral Electric and other standard makes. 110 vols. 60 cycle, stoole phase. Brand new heavy upparhed. Gugn-anized perfect. \$18.00 and \$20 to Pennsylvania bloom Exchange. Laurenter, Pennsylvania.

SHEALL Minters and Generators, he P. D. S. So., pt. P. \$33.400; I R. P. 304.30; S. V. enterplay generators, \$10.30 cach. All dues batts success and generators us to 5 M. P. in which is all times. Battain princes. Motor Sales Dept. 14. West Lad. Pintshurgh, Pennsylvania.

no-da. Metormark, 2017 Augusta, Balthmare, Maryland

PRESPECT. Ellis for air propulation 5 to diameter \$13.

Other mass to preparation Butt recupitions bearings, spreaded a and countersthat's complete. Full scale blue points for shotser-yiele-dylven may and less slock, Téc. Partitione. 31. Crawford Motor and Astrophage Mfr. 142 South Rangari street. New Orleans, Louisians.

FOR October we offer the greatest barenine in the history of aventury. Dope \$1.70, furniturates all stem like Arro closh 590 yr. Larhutasters \$10, shock absorber life in curtim motors \$175, Gamma motors \$175, here jropellers \$15, devis plac 2c, wheel covers \$1.25, steel rubing by Make sunderful bargains to Oct. min mast. Health Airplane Company, Chicago.

INVESTIGAS descring information settle let our Frantitustated (voide least and firstlence of Conception Stands Send model or eleter of suvention he our against of six patentials statute. Highest references. Prompt service. Reassonable herein. Viriar J. Evans & Company, Let Nigat. Washington, D. C.

LLARN to fir with America's cident abscript company. He bears fiving worked to with three mustles about training at \$100.00 makes our course the soun compute ever offered, and an opportunity long welled for Eproil at stock. Heath Attplane Commany Chicago.

AUDING MACHINES

TREE "Lightsine Calculator" Aids, Subtracts, and Multiples. The action is structed, Palent, exact and guaranteed for 5 years. Price 8(5.00). L. Lemon, 10 N. Horbe Armane, Chicago.

MODEL AND MODEL SUFFLEES

MARIEL corregiones that Gy. Buy your complete outle, state threetops, statings, etchperared air matter and all best randed aeropiane applies from the Wading Elver historications (company, learning the Wading Elver 1999, two page cotting illustrates twenty-four latest machinated dusting Report to the your copy. Wading Elver Manufacturing Company, 0715 Streetweep Brenchiyo, Kne York.

Will make working models for byverings and do experi-mental work, and entry a complete stock of train goats and species appared from for estatogue. The Places Model Works, Tinley Fack, Illinois.

GET our trookies before placing order for analels or anything and need. Our work the heat, our prices right, our dealings equare. R. G. Cirice Eligibleshing Co., St. Louis, Milmonth.

\$100381.8 and Experimental Works of every description. Laminous Model and Laportspectal Works, 025 Wood Jacksop, Besiles and Chimago.

MODEL, Steam Engines, Busiers, Electric and Steam Boots, Yarku, Model Chap's Istrings and Model Makers sciplists, from 22s for new large Unstrated catalogue Basile Mrg. C., Dept. C. 0314 Westelland Ave., Philiple-phia, Petatesylvania.

WORKING theseings and bushels made from your distribute and ideas. We back our unarrentee with 50 reams experience. It I became a Co. Roamske, Virginia.

LABORATORY AND CHEMICAL RESVICE

CHRISTICALE glassware templete supplies for the chemical belowatory. Calabase a recor. Nathing scenarios supply Ca. 551 Pennsylvania Avanue. Washing-tie. 17: 1.

Ciffication will test our and finished products: furticular acts o technical problems, and give continuous. J. Clayb. Leadington, Kentucky

Mile All's littles in Ash to-day for a copy of the "Quink-Action Advertising Rute Folder. It contains store really impartant facts which will prove interesting and saluable to you. It also tells like York Can United Popular coloning Monthly Profitable, You'd like to know, wouldn't you? Manager Classified Advertising, Popular Science Monthly, 236 West 20th Street, New York.

FOR THE HOME

CRANDIATION clock works, \$5.00 Build your own instruments free make good grows solling your energy. Clock works with chimns he this of new dame, the full personalize. Clock Co. Nicolown, Pennsylvania.


Madfi on Electric Foundain and save over half. Research and quested description for better and public places. Big profits. We furnish parts. Directions -25c. Molocular, 1917, Anggleis-Rahmesey, 88c.

AMERICAN MADE TOYS

MANUFACTURIES wanted for large production and for second or here or member scale for Metal Toys and Novelthes. For Schlere, Cantonia, Cowbors, Judiana, Bufalo Billa, World Addenda, Whetles, Bird-Whiteles, Bace Blowes, Principal and Addenda Whetles, Bird-Whiteles, Bace Blowes, Principal of other articles, Brandreds and thousands made chimplets are bond. No experience or other tools needed. Brance cantinularing eventualizations, complete match brisis \$2.40 up. We buy those pools all year paying flact prices. Contract orders placed with manufacturing. Examplement high prices paid for paretted cooks. An engineer business for this year offers laduarinus mess an excellent objectionity to onverthe bed. Write is noty if you mean rest business. Catalog and tolerypasting tree. Metal Toy Manufacturing Co., 1806 Reston flord, New York.

MR ADVIDTISER: Ask to-day for a copy of the "Guick-Assion advertising Rate Folder." It contains some really important facts which will prove interesting and extractle to roo. It shot tells "line you Can United States Manager Chartest Advertising, Popular Science Monthly, 725 West 19th Street, New York.

Carrolletinasy



his Free Proof of Bigger Pay How Salaries

Here are just a few of the thousands of letters in our files. "Power of Will" can push your pay up too! Let us prove it.—FRLE.

Salary Jumped from \$100
"Since I read 'Power of Will'
try salary has jumped from \$150
to \$880 a main' - J. P. Lillery,
Sad Diego, Cal.

Made \$500 in 5 Days "In five days" time "Power of Well less made me \$500 and I be a utler profitable things to hele." - C. Rassimuses, Contactor, Obles.

\$196 Profit First Week

"Power of Will' is a compla-tion of mighty spaces. My force week's benefit in deflate is 1900 per 1100; propin 1307 too. (Physic wint by yearly provide would be 1—5° W. Massacop, 216 Tribune Bidg., Chicago, 15.

860% Ingress in One Year
"I recognized Tipers of
Will to a young man and his
salary has increased 2000 per cents
belons a year. — W. M. I swice,
the mixed Efficiency Rapart.

\$1,000 to \$50,000 Yearly

Three years and I was realing \$1,500 a year and senting durand plate. To due I make \$2,000 a week and have thus for rater things as well. To the lessees in the book 'Power of Will do I one this epiden rim. — Clama on request.)

From \$100 to \$3,000 a Mantis One of our bear who read 'Power of Will' before he came eyer here support from \$100 a month to \$100 the first counts in \$100 pages for the best palermanality in the State — Pilyare Laurin A. State A.S.F.

Worth \$18,000 and More
"Tim book has been warth
more than \$15,000 to me."—
Oscan B. Sunyranp,

Anather 20% Intrones More than a year ago I por-chared Tener of Will and I family believe that it—and it alone that enabled me to increase my splacy more than 30 per sent in that their—L. C. Rubugeer. Soweth, Ohia.

Among new 100,000 meet of Power of Will are such then as Julian Ren B. Lindsey; Supreme Court Justice Parker: We Ting Fang, En. U. S. Chicare Ambassador; Andreant Postavaster Centeral Britt; Gov McKelvie, of Nebrusha; General Manager Universe Co.; E. St. Elmo Lewis, press Co.; E. St. Elmo Lewis, and many subrem of Construction Co. En-Cov. Feeria, of Michigan, and many subrem of cross prescribes.

WHY has this book swept the country like wildfire? Why have 500,000 copies of "Power of Will" been sold in just a few years? Why do letters like those printed here continually pour in from

all over the country? Why is it that people call "Power of Will" the "World's Greatest Pay - Raising Book?" CAUSE that is what "Power of Will" is it's a Pay-Raiser. People want to make bigger money and they are willing to boost and buy a thing that shows them bow. "Power of Will" shows the way to bigger pay. Read these letters and you will see why. It has done it for others-and we offer you free proof that it can do it for you!

You have always realised what a strong will would mean to you. You have known that will-power was what sent

"World's Greatest Pay-Raising Book" now sent Free for your examination, If "Power of Will" dose not convince you that it can rais your pay as it has for hundreds of others then return the book and forget the matter. Send no money coupon brings book for free examination,

> men forward to the places that you have longed to reach. Develop your willpower and prosperity will flow in upon you. Rich opportunities will open up for you. Driving energy you never dreamed you had will manifest itself. You will thrill with a new power-a power that nothing can resist. You will have an in-fluence over people that you never thought possible. Success—in whatever form you want it—will come as easily as disappointment came before. And this is your apportunity to PROVE FREE that you can quickly gain the power that brings these things!-And make bigger money!

Don't Send Money Just this Coupon!

Send no money—an, not a cent! Merely clip the coupon. By return mad you I receive, not a pamplifet, but the whole seares told in this wonderful book, "Power of Will." Keep it five days. Look it over in your home. Apply some of its simple exercises. If it doesn't show you bew you can increase your income many times over—just as it has for so many others—mail the book back. You will be out nothing. But if you do feel that "Power of Will" will do for you what it has done for these others who call it "The World's Greatest Pay-Raising Book" then just send its cost, \$1. If you pass this offer by, we will be out only the small profit on a three dollar sale. But you—

you may easily be out the difference between what you're making only and an income several times as great. So you see you've a lot—a' whole lot—more to use than we have. Mail the coupus now—you may never read this offer again.

Police Poblishing Company, 14-T Wilcox Block, Maridan, Com.

PELTON PUBLISHING COMPANY

14-T Wilcon Block Meridan, Conn.

Correlated Individual

You may send me "Power of Will" at your risk. I agree to remit \$3.00 or remail the book to you in five days.

Name

Address

Effective Work Demands Modern Equipment

Success is for those who take advantage of every opportunity. Notice how frequently the man of affairs uses



WEBSTER'S NEW INTERNATIONAL DICTIONARY-

a whole library in one book, the product of master minds, clear, accurate, compact, authentic. You will find this "Supreme Authority" in his study, at his club, in his office. It is on the table of his lawyer, his architect, in the editorial room of his daily paper, in the schoolroom of his children. Universally used by young and old in their work and play to answer questions of what, why, how, about words, people, places.

If hundreds of thousands of successful men and women knew and use this foundation back, why not you?

400,000 Words and Phrases, including the new words such as Bolsheviki, brisance, ace, Taube, fourth arm, ukulele, tank, Freedian, escadrille, lovey, Rotarian.

The ONLY Dictionary with the new divided page.

Type matter is equivalent to that of a 15-volume encyclopedia.

10,000 Geographical Subjects (2,000 Bingraphical Entring 4,000 Bingraphical 2,700 Pages 100 Valuebile Tobles of Calca, Weights, etc. Capitalization of Proper Names clearly indicated Syrrogens mare fully, clearby and carefully discrimtential provides in on English Dictionary Colored Plates and Englishings

Regular and India-Paper Editions.

G. & C. MERRIAM CO., Springfield, Mass.

Write for a sample page of the NEW WORDS.

specimes of Regular and India Papers, also bushlet "You are the Jury," prices, etc. To those naming Papels' Science we shall send Free a set of Pocket Maps.

Centleman | Send sample page of New Words, specimes of Regular and India pagers, FREE MAPS per Popular Science

A Company	 	 	 	-	
			9		

EFFICIENCY CHARTS

EPFICIENCY CHART. One side instantaneous stork ordering chart, other side, spark method of testing steel. Price, the Deliar, cash. A. E. Wrigley, 225 90th Street, Schooliya, New York.

FOR DOYS

PLAY Month-organ. Complete, cast instructor, Ele.

MR. ADVERTISER: Ask to-day for a copy of the Quick-Artists Advertainty Basic Folder: 3) excession some really temportant facts which will prove interesting and valuable to you. It also tells: How You Can the Popular Science Monthly Problemby Four Election District Popular Science Monthly States (Campbed Advertising, Popular Science Monthly \$75 West Spin Street, New York.

STAMPING NAMES

MAKE \$19 to Hundred Stamping Names on Key thecks. Sond Sie Ser sample and instruction. PS Keytad Company, Cubaca, New York

ROOTS -- HEARTS -- PLANTS

GALLSTORES. I metered apony—feel flow new—quilcteries game—no operation—purticulars from Mr. Dus, Glen Radge, New Jetsey.

MESCELLANGOUS

HOW to build beautiful bonne at small out. Hand for my free circular on building materials. Poter de Linde, Esse, Illinois.

TATTIONNG is a good paying business. Why not start name and make some catra make?. Get my book on How to lie Tattooing. Frim \$1.00. Heavy V. Lawson, See 21, Marfoth, Virginia.

MAGIC Words—America save earthod of obtaining year desires. Pustpaid for drass simethry, 145 Miller, ferosblyts. New York.

TELEGRAPHY

TELECURAPHY Could More and Wireless and Radinaly Accounting taught quickly. Big salaries. Great appearinguises. Chiese and largest school: established 45 years. All expenses less can more harge part. Calalog less. Hodge's testitute, K Mirset, Valparaim, Indiana.

LETYER SPECIALISTS

FRANCIS writes the Best Sales Letters in the World Pheyd Deloy Francis, Bux 604, Atlantic City, New Jessey

HALICH Letters. Multiscaphing. Mailtag Lists, Cir-

LOTTER'S applying for a position of any nature expertly system. \$1.00. Flayd V. Supher, Canadian, Texas.

STAMMERING

STANDACERESTS. Vuo can be permateratly curved by my course of private malividual lessons. Interventing book-let from planning E. Mabbena. 246 Huntimaton Avenue. Course.

ST-TUT-T-T-ERING and Stammering cured at bone. Instructive bucklet from Walter McDonned, 59 Percenar Bank Building, Washington, D. C.

ADVERTISING

ONE Inch Advertisement in 100 country town newspapers, \$12.00. Ad-Country free. Consouritte Magazine, 2DW York, Pennsylvania.

H2C2 results, efficient service. 30 words, 30 fown papers, \$10, 50. Durk B. Chiespa Advertising Agency, Chiespa, Comp.

PLYSID: 25 wards in 250 weekles, \$10. Custral Agency, Champaign, Disson.

CANADIAN Newspaper Directory quoting classified lates of all papers, sent tree to interested advertises, J. J. (Hebens, Limited, Toronto, Carendo.

INITATION Money by advertising sumples stage money like 103. Protected Bank Co., 842 D Northeast, Washington, D. C.

TYPEWRITERS AND SUPPLIES

ALL, makes, \$15.00 up. Silenz days' bre trul. Catalanus mailed on request. Sleary Typewriter Computy, 217 West (1924 Street, New York (Ny.

TYPEWRITTER ribbuns. \$50. Abbit Typewster Co., New York.

TYPEWESTERS—AD quakes Factory religible by Famous Young Prevens. As good look like west factorizational like, new Our big tousness permits lowest made prices. Manhones tended or said on time. Whatever your needs we can best serve your needs we can best serve your needs we can best serve your.

PATENTE FOR SALE

RAJLKOAD metal crowths. For sale or republy. Sharen in February number, page 55, this journal. F. S. Bunter, Bertford, Indiana.

WF have a bee practical money making investions for mic or trade. Atlam Fisher Mrg. Co., 1830, Sc. Louis, Missessort.

FOR Sale Double Spred Wreach. P. Firpo, 845 S. Moorce Street, Storkton, California.

PATENT No. 1371195 ple cutter. New invention, incorporative to magnificance, unfinited market, for pale-outrichs or royalty. Watter Boyer, McGreepe Joses.

MR. ADVERTISER: Ask to-day for a repy of the "Unith-Artism Advertising Rate Folder." It rentains some resity important facts which will prove interesting and valuable to you. It also wife "How You Can Use Papular Science Monthly Profitably." You'd like to know, wonden't you? Manager (Namided Advertising, Papular Science Monthly, 225 Wast Mith Street, New York.

PRINTING, ENGRAVING, MULTIGRAPHING

5800 | 1 2 Labets \$2.50. Save 30%. Well Labels, Stanloo E, Philippletphia.

250 BOND Letterthesis and 350 Bivelopes for \$2.76. Write for Practice and Samples. Balkow Printing Company, Merrico, Consecuti.

LETTERHEADS, Envelopes, 500 \$2.55. Samples-Free Quality Printery, Marierra, Ulsia.

10. Thirt printing for less concept. Send for our large parkage of samples of bubdreds of items every quer of printing is interested in. These samples with orders will be sent for 10 cents to pay portage. Ernem Famue Compuny, 525 Starta Describers Street. Chicago.

PRINTING. The Better Kind. Commed Labels, etc. May we quote you on your perm. Olde Tye From, 328 Buristells Avenue, S., Bover, New Jersey.

ENGILAVED stationery of 60% mying. Plates unnecessary. Cards, Letterbasia. Annual concern, secsamples sent. Aiden Non-Plate Engraving Company. 15 Acut Steet. System. Mamochusetts.

EMDORSED Busines, Personal Stationery Samples. Statup. Dapiels P. Company, Percados, Pennsylvants.

QUALITY PRINTING—1,000 Letterheads, Envelopes, Cards of Statementa, \$5.00. Good Labels 56s, per 1,000 qu. Multigraph Letters, \$5.00 | .000. Ramples free Howlett's, Paris, Illinois.

PRINTING rand or cotates. Our prime talk. Samples from A. St. Kraus, 409 Chestout Street, Milwauker. Wiscones.

QUALITY Printing for Jem-1000 Letterheads or Envelopes \$3.00. Ermbotule Printery, Lennis, New Jersey.

250 LETTERHUATIS or Envelopes, \$1.50. Additional 250, 90c. Franklin Scott, Newark, Olio.

PRINTING Optica-France, type supplies type services. Said stamp for estalogue, Model Press, York, Posts.

250 Letterbands or savelopes, \$1.50. Other printing. Samples stamp. II. Buscey, Parts, Missouri

PERPECTION annued labele! Quality ruliber stamps! Sunnam free! Galward Racrisso. Printley Salismore.

SCENERY FOR HIRE

SETTINGS for Opera, Plays, Migatrela, Phish Drops. Catalog: Ameria Grain, Philadelphia

MR. ADVENTINGE: Ask to-day for a ropy of the "Culck-Ariton Advertising fasts Fidder." It contains some really important facts which will prove interesting and released to too. It also tells "flow You Can Use Propular decemes Monthly Problemly." You'd like to how, wouldn't you' Manager Classifed Advertising, Popular Science Monthly, 325 West 59th Street, New York.

INFORMATION

INFORMATION furnished. All subjects. Charge 01-00 per subject. Missey back sparantee. Apaleonal Information Russia, 462 Fast 186th Street, New York.

RELEABLE salesmunter furnished on any subject or some refunded, for the University Sorvice. Times Final Bac said, Breaklyn, New York.

DOGS-BIRDS-PETE

RARBIT Hounds, Fushounds, Cook, Openius, Skupt, Southed Dugs, Settlers, Christian 10s, Brown's Kannetz, York, Penceptvania.

EDUCATIONAL AND INSTRUCTION

(ANCOLN-JEFFELSON University Home study in Academy College, Theodonical, Law, Music, Flarmacy, Sustained and Graduate Schools, leading to degree Lock Box 1996, Chicago

LEARN accounting quickly at bone. Earn \$25 to \$100 a week. Every business nems bushberpers. Our course is nonzero, practical and very easy. Law rate. Write Winter Accounting School, 410 31st 64zest, Milwaukes, Wholeakt.

MATRIMATICS laught by mail. Spare time better study course, (polyding arithmetic, desmetry, algebra, and wisconstry. J. A. Harding, 75 Brighton Ave., Highland Park, Michigan.

POR MEN AND WOMEN

ME a deterrive Hazellent opportupity, mond pay, travel, write C. T. Ludwig, 424 Womerew Mile, Katten City, Missouri

GENUINE Indian Itsabeta - Whotemin, Catalogue, Frankim Gilbam, Relegyville, California.

SINUAL Philosophy," 12c Clear, specific authoritative, complete, hest, esthaber. Fred B Kamphunt, Lawrence, Massachunetta

DETECTIVES. Excellent opportunity. Parsingles with Experience unbresseady. Particulars from Write. American Detective System. 1968 Recordway. New York.

5 MANTER Keys and Novel Key Chain, 81. Open and test thousands of different lacks. They have establed thousands of purchases and ser used and recommended by occlamates, january, desectives, firmen, politicases, transfer, etc. Marter Key Company, 40 Machattan Building, Milwauker, Wiscondin.

ARE You interested in your future? Trial results for biethints and the F. Crass, his Advertising H. E. Chicago.

SUCCESS or failure—which is your destiny? Scientific information. "Happens" pointers and personality stated for for and birthdate. Thempens Reywood, Dept. 700, Chronicle Side, Kan Francisco, California.

YOU'll future foresaid; Send done birthdate for truthful, reliable, convincing trial reading. Hasel Hauss. Set 21.58, Les Angeles, California.

VOUR hormouse reverter full year for \$3a. Includes an extensive reading, reducted daily milds, large partorial chart and executal for each month, Asientific, emploised. The in Money back if demails led. Give birthdate. Address L. Daniela, Platbook Sta., Box 32, Brookira, New York.

YOUR name on 24 Calling Cards. Ifte and statut. Star Commany, Chargonville, Connecticut.

LEARN Ju-Jiraq for self-defence. Complete course \$2.90 postpold. Guaranteed. Nishedo Book Co., 913 Chamber of Commerce Bidg. Los Appeles.

What the Old Timer said to Charley

"ONLY a few years ago, Charley, the man whose name you see on that door was just where you are today.

"I remember the day he came to work for us. He d.dn't know much about the husiness. But he was always asking questions—always anxious to learn.

"And by and by we got to noticing that Billy Stevens was getting ahead of some of us old fellows who had been around here for years.

"I can remember as clearly as though it were yesterday, the day Billy showed old Tom Harvey how to figure out the pitch of some new bevel gears we were making on an important contract.

"Tom told me afterward how respectful Billy was—nothing fresh, or "I know it all' about him. He just made a suggestion and showed Tom a quicker way to start the problem and a shorter, surer way to finish it.

"One day I said to him—'Where'd you get hep to all that fancy figuring, Bill?" We were enting lunch and he was reading some little book he always carried. He looked up at me and said innocently: 'Oh, I just picked it up!' I knew different than that, so I quizzed him until he told me the whole story.

"'Did you ever notice the old men around the shop,' he asked—'the men with families who drudge along day in and day out—never getting anywhere?" I admitted that I had noticed quite a lot of them.

"'Well,' he said 'I made up my mind I wasn't going to spend my whole life in a humdrum job at small wages. So I took a home-study course with the International Correspondence Schools that would give me special training for this business.

"'I tell you frankly that I never dreamed it would be so fascinating and so helpful in my work. I'm making mighty good money—twice as much as formerly—and I'm going to have even a bigger job around here some day,"

"Well, Charley, that boy went straight on up. The members of the by C.L.Hardy



firm heard about his studying in his spare time and encouraged him to keep on. You see where he is today.

"And I—I'm still plugging along at the same old job—struggling to make both ends meet. I had just as good a chance as Billy Stevens, but I let it slip by. Yes, I let it slip by.

"Now, Charley, you've got to want your training bad enough to get it. That's as far as I can help you; you've got to do the rest yourself.

"I've seen a lot of young men come into this business. Those who went ahead were always those who trained themselves for the job ahead. You can do the same thing.

"Start now! It will take only a moment to sign and mail that coupon. It doesn't obligate you in any way. But it's the most important thing you can do today. Some day I know that you will come to me and thank me for what I'm telling you."

The Old Timer is right. The good jobs invariably go to the trained men. The L. C. S. will help you get this training.

No matter where you live, the L. C. S. will come to you. No matter how limited your previous education, the simply-written, wonderfully-illustrated L. C. S. textbooks make it easy to learn.

This is all we ask: Without cost, without obligating yourself in any way, put it up to us to prove how we can help you. Just mark and mail this coupon.

	AR PER CA		
DITEUNATIONAL	COLUMNSTO	NDENCESC	HOOLS
COLUMN TARREST		BOTH A NUMBER OF	

Destrie Lighting & Br.
I was Wested Highting & Br.
I was Wested
There with Humanat
There with his Hanne at Ending
Metagral abeliance
Metagral abeliance
Townsky
Gos Englise Operating
(1771 FSOTNEYS
Surveying and Magular
MINE FIGHT AND ENGLE
AND HISTORY
AND HISTORY
AND HISTORY
Tomission and Rubble
AND HISTORY
Tomission and Rubble
AND HISTORY
Tomission and Rubble
Stewart and Rubble
Tomission beginner
Tomission and Rubble
Francisca Destricts
Formatical English
The Market of HEATO
Sheet Media Works

THE OVER

Brunstein Mallachis

Na Arsh (Ashrip
Arthur Bross Ing)

Balting, Front Ing

Balting, Front Ing

Balting, Front Ing

Braineding

Franks Serving

Braineding

Franks Serving

Braineding

Franks Serving

Braineding

Franks Serving

Braineding

Tharrist Marting

Commercia; Lan

Commercia; L

X		1-I-H
Mont of Part		_
C-ray	Blate	
0-41-		

CHRCK PROTECTORS

RALEPRUF Individual Poetra. Checks. Riseries. Convenient Machine unprocessary Lealing cover and 250 checks 33. Send for sample. Respect Check Co., 24 H. Tombhimville, New York.

INVESTMENTS

I'N'I'AL Inventoria Enportunity! Make your madely do utible doing form their large state groperty describe care grobts, becaming much holder accordance in factoring for their best for the large inventors. Unable their holder according to the large their states of their states o

I R AI VERTISER And to-day for a ringy of be "Unit's Arthur Advertising have holder. It contains more really important there which not prove kinetratup and taken for a long felly law You fair he housely Producting You'll like to kinet would be nearly Manager together Advertising Papatan Science Maintains 235 West Matching Advertising Papatan Science Maintains 235 West Matchine, New York.

GAMES AND ENTERTAINMENT

FINE carated -2 transfer paint, \$100 stage asoney fluided to a top blood 22. Thursdate rand thinks the five by the bounds of the bounds and the bounds of the bound of the bounds of the

"50 Paries Tyrks, Me. 18g Catalog, Sc. Hervey Treple, Decision Indiana.

P. AVE. vaudeville area recorded connection, minuscria, motivated distance equation continues are successful and the property of the property

Title KS solden stall piperion. Can may partition in the dependence of the bloom business between New york. There is a w

MOYN Three Astrophiting Mayle Trucks Fine to do

PHOTOGRAPHY AND SUPPLIES

PT 50% developed he tall prints to each. Photo Reving, 200 has believe a "perional deliber.

Start we she with any size files for development and the webset relate. Or seem six negatives any are and Nil lural prints. Or seem six negatives any are and Nil lural prints. Or seal did for one R a 'U programs' epistyle-transport. Prints Pintahing Company of a bell average Sampoke Sangles.

BAAR. You & Camery* Write for free acquise of our big management, above us made tester pirture and earn terrery. Apart on Thirtugraphy. JAB Capage Moune, because 17 Manageropastra.

POSSET CRE F Apprenia only send to the with first trief that a continuous and see the difference product products in the bright foreign to the difference of the difference of

h. 1/2 a fe filter and after the relation of the first tent of the first tented to the first tented tented tented to the first tented t

And Alex Delicated And tender for a copy of the Court Arthur Action only had before the copy of the Court Arthur Action only had been the property of the copy of

PHONOGRAPHS, RECORDS, ETC.

hi til 72 your men penningraph Perfection his heet quality epitong and piece a quantum Externite, epitodiateen cal morte Pictalizat of Arroches from the life most belong blong displacement is along seed indicting productions from Penjaral support viriageous Turkstantinology, Indiana.

11 3 to Beet Phonography With the Carolog and Pag-fine print offer Admiritate Phonograph Co. 3027 N Yantord, Thiomp.

AUTHORS MANUSCRIPTS

Will TE for several per and thoughthest 192 pay I apprehens a processor of the free Front Reporting systems that he again

With like There you a large through platty photogray persons to not memberspl now to Minde Pales ampai to be seen

TO THE PART MARKET PROPERTY PROPERTY TO THE PARTY AND THE PARTY PROPERTY OF THE PARTY PARTY PROPERTY OF THE PARTY PARTY

the first experience of important the length of interest packing three experience, tiles to A.B. of experience full cheep and play writing. A subject of free Just address Author's Press Deput to Authors New York.

He I of the S. Wanted Starting published copy. This is a start of the beautiful to be a start of the sease of

17 me jupuile yout threamt ing their Menity done recept active given manuscrips (Laire Francisch). Arriver Winner, Kente 11 4 hamberstram, Promp vania.

MOOKS AND PERIODICALS

Orall Assenses Sin marries trucks in princip Magnethry Crail assenses Sin marries trucks in 57 Princip chart. 37c Princip chart. 37c Princip chart. 37c Pointed Turbins 19 angustus. 30c rach American Pointed. Castlina Princip. Castlina Princip. Castlina Princip. Castlina Princip. Castlina Princip. Castlina Region. Since Castlina Princip. Princip. Castlina Castlina Princip. Castlina Castli Main Jack (MIC Control Phonetic Control Mantecher

BOYS (3th Landership thousands) 30 there issues for these dealine with horse Recommended by Naultinal et-peris 25 cents O. H. Fliebardson, M. 4711 Elm Street, Mittership Wincomes.

a trainfraction industrial of the projection pro-paid o the address only be projection of the \$10. All convent issues Satisfaction statem sed. Wellbander Com-pany Ladayette bilds. Philadelphia, (remay) and

THE Van Perkin Lawyer to plain English Asserting operation 112 Forms and F A Crimit writer, Money back unless an indeed 15mth 5 50 Feet her 12 W. Maland Company Understook Park, Brooklyn, New York.

10 cents will better 6 insect. Samply step from The Carcular Portland, Commercial

Be an Expert in Your Line! While most men are working for room bring wages, and busying sales-parameter always hundring enjoyees made who can care \$5,1000 to \$10,000 at year. A PEW PENNIES A DAY He a see day Part presents on the log payers. You can taking 60 H. for a few more a six and a party logic in the a specific of Practical Practical Structures of the second structure of the second st Ausprentile Broke Automorphic Ego, on by Maniy Londbrotte. And a seriody and the section of Pacheropte for the Market I are said Tracket for the section of Lacrison and Rejuti Auto- if the Later team and Reports
March Lear to se
Types as a crusing by Turkinst stath 2
Gar and A Engine Handleigh Contact
Auto-nights I glamp and Later by
March Clark
Morally in Handleigh, by Mandle
Lights

Riscretors South

Practical Applied Electricity Practical Apparent Electricity
All regards between
All regards between
Waving trapparent and testing pages
there is all tables good facts
Annual are such between
According to the content of the content 100

Shap Practice Books

there's Marias Workers Manual at off the P (here is some Weiging and a niting, 1.25.

Sinds Wale and Lagarithmic Tables. 2 00 2 00 2 00 Laction of Hartrigon for highwayship Choth Ass. c. in hosp Post to Unique blocksprocar Departing and Machine

Parent Mehring Choth Buginess Language and Reference Souts

Reference Bounds

Re by Digamena Le cela Leagherman | 160

Re tar Manipe of Paglan (santameta | 160

Re tar Ad amag Controls | 160

Re tar Ad amag Controls | 150

Re tar Ad amag Controls | 150

Re tar Ad amag Controls | 150

Repair of the Ad Tencher (Sala | 150

Restarded by to the Controls | 150

Restarded by the Advantage (Sala | 150 for the Experiment of Horsens, Cheste 1 56

MONEY BACK GLARANTEE

(CZ 000

h₂ 1.10

3 00

2 80

1 50 9.60

Mark on this page the bracks you wan also point on agets he gover bracks with the worst dust pard II ment dut pard II me ment at the sectors in five days not support will be prices prive establed through books will bely pour block them now

BIG CATALOG FREE

Many many House feel their despited to day to the text from SENE TODAY

FREDERICK J. DRAKE & CO., Publishers, 1003 Michigan Avo., Chicago Drake Books are For Sale at all Book Stores

Wanted! Men to Fill These \$5000-a-Year Positions

A Great New Field as Yet Unthought of by Most Men

But Ant PSS oppor the tien who are w hg to quary for 82 500 to \$5 100 a year and more in this new protession. It seems to ther He to the asmr

are man that the plants of a plantilly light are no a disgring to exing for sack of men to fill sem.

Transport into the literary that we may be good and many temporary in the contrary. The plantill the good and many the contrary in the contrary in a plantill to a minimum doubt on an interpretability of the good and many the contrary in a minimum doubt on the plantill to an interpretability of the good and house makes and the plantill interpretabilities of the plantilline inte

an health meet mus building dollage a year. Vel it is bed there that regar and building dollage a year. Vel it is bed there to all regard and health money. There were all anthres are less doubt need to anthres are less doubt less need to anthress are meet and until known the most reproductive meethed on the prince.

The Teather Profession—units about the years and reproductive the prince of the prince of

The Teathe Protession companion are years and expected when the Government painted an amend-ment of he interestate imponent law. This movie is necessary for about 200 railtrands obtain any humans concerns, hearly 450 000 smaller shapeers. to the place of hambers of freshiers and Commer in Table State Radway Commissioned and Commercial Table State Radway Commission to employ even with a ferbased knowledge of Traffic Management

A Need for Trained
Man That Has Moore Right now 100,000 trained
Was Sein Setisfied
Right now 100,000 trained
traffic nice are preparely
needed. Every large con-Right now 100,000 trained rein must maintain a traffic

department -employing scores of men. department —employing scores of men.
A Bistion contern employed a compelent traffic can who saved \$9.731 in the meets. Another information who is even \$7.31 in the meets. Another information and \$122,000 on the Meeter Functionary A New York. Traffic Manager that Strain are glad to pay begin material for while the form are glad to pay begin material for while the form are glad to pay begin manager receives \$19.500 a year. A Cleveland manager \$24,000. Thousands of good traffic jobs pay from \$2.500 or \$3.000 and \$10.000 a year.



The trained arguet in this new profession plays a manual temperature part to his firm a leaderste-

An Americastr 1 ntil a Train for a short lane ago, there Water Bills

simple way for the avetage man to become a Imitte Manager Hut now the American Comthere is Associated in a man had entermined in the part of the par ing prettient as Traffu.

Ma agett. T i ti s training to dur g spare one at better

there a member of this press' come, and you reserve traffic men if paremal regulation.

An Interesting In give the whole story the Ameclation but prepared a retentkable book Opportunities and Require-Free for the Arbitra

the Author book "Opportunities and Requirement of a Taffic Wath. The monetant pole of Taffic Wath. The monetant pole of Taffic Wath the rise monetant pole of Taffic Wath of the Asia with a stress of access to mentions of the Asia with a Area regeling it a could present and why \$1.000 and the case of the part \$1000 and the order of the or

American Commerce Association, Dopt. 1411 4645 December Sanders and Thicago, ID

Please word common free book on Toppertunities and Regularizations of Fuella Work's without obligation to one I have but previous traffic experience

Address

Age Procupation. Quich-Action Advertisements continued on page 12

NERVE EXHAUSTION Shell-Shocked in

Every-Day Lde

By PAUL VON BOECKMANN

Lecture and Author of resources looks and treation on Montel and Physical Energy, Respiration, Psychology, Second Science and Nume Culture

THERE is but one malady more terpolicy than Nerve Exhaustrin, and that is its kin, Insanity. Only those who have possed through a siege of Nerve Exhaustion can understand the true meaning of this statement. It is RELL, no other word can express it. At first, the victim is afraid he will die, and as it grips him deeper be to afraid he will not die; so great is his mental torture. He becomes punic stricken and irresolute. A nettening sensation of weakness and helplessness overcomes him. He becomes obsessed with the thought of self-destruction.

Nerve Exhaustion means Nerve Bankruptcy. The wonderful organ we term the Nervous System consists of countiess millions of ceils. These cells are reservoirs which atom a mysterious energy we term Nerve The amount stored represents our Nerve Capital. Every organ works with all its might to keep the supp y of Nerve horre in these cells at a high level, for Life Buelf depends more upon Nerve Force than on the food we sat or even the air we breathe.

If we unduly tax the nerves through over work, worry excitement, or gold, or if we subject the minestar system to excessive strain, we consume more better Force than the organa produce, and the natural result

must be Nerve Exhaustion,

Nerve Exhaustion is not a malady that comes suddenly. It may be yours in developing and the decline is accompanied by unmutakable symptoms, which, anfortunately, cannot readily be recognized. The average person thinks that when his hands do not tremble and his sauscles do not twitch, he cannot possibly be zervous. This is a dan-grous assumption, for people with hands as some as a rock and who appear to be so perfect health may be dangerously near Nerve

One of the first symptoms of Nerve Exhamition is the derangement of the Sympathesic Nervous System, the nerve branch which governs the vital organs (see diagram). In other words, the vital organs become aluggish because of insufficient supply of Nerve Energy. This is manifested by a cycle of weaknesses and disturbances in digestion, constrpation, poor blood entulation and general muscular lamitude usually being the first to be noticed.


I have for more than thirty years studied the health problem from every angle. My investigations and deductions always brought me back to the immutable truth that Nerve Derangement and Nerve Weakness is the hong cause of nearly every body ailment, pain of disorder. I agree with the noted British authority on the nerves, Alfred T. Schofield, M.D. the author of numerous works on the subject who says. "It is my belief that the greatest single factor in the maintenance of health is that the nerves be

The great war has taught us bow fmil the nervous system is and how sensitive it is to atra is, especially mental and edictional strain She'l Shick, it was proved, does not injure the nerve fibers in thereseives. The effect is entirely mental. Thousands but their reason thereby, over 135 cases from New York alone being in asylums for the issune. Many more thousands became nervous wrecks. The strongest men became paralyzed so that they could not stand, out or even speak. One-third of all the hospital cases were "nerve cases," all due to excessive strain on the Sympathetic Nervous System.

The mile-a-minute life of to-day, with its

worry, burry, grief and mental tension, in exactly the same as Shell Shock, except that the shock as less torrible, but more prolonged, and in the end just as disastrous. Our crowded tosone asylono bear witness to the truth of the statement. Nine people out of ten you meet have "fraziled nerves.

Perhaps you have chased from doctor to doctor seeking relief for a saysterious "some-thing the matter with you," Each doctor tells you that there is nothing the matter with you, that every organ is perfect. But you know there is something the matter. You feel it, and you act it. You are tired, ditty, capnot sleep, cannot digest your food and you have pains here and there. You are told you are "run down," and need a rest Or the doctor may give you a tonic. Leave nerve tonice alone. It is like making a tired horse run by towing him behind an auto-



Progress thousand the incomes of the Salar Planta-france is the aptionistial brain. The givet center of the Nympothetic elisionally Newtone Nymbo. Mental treature is presaile graph four moves and authory parameter the Nagar Planta, who is in their across from blood arrestation whill be breathing, independent on their architecture of the tenters. Their Mental progress sparts a create of costs that tames and on every, after passes of the contraction and contraction on every after passes of the contraction and contracting tower a. to: paper place of renducines and generally lower mental and physical efficiency.

Our Health, Happiness and Success in life demands that we face these facts understandingly. I have written a 64-page book on this publicat which teaches how to protect the nerves from every-day Shell Shock. It teaches how to soothe, calm and care for the nerves, how to noursh them through proper breathing and other means. The cost of the book is only 25 cents. Result in coin or stamps. See address at the buttom of page. If the book does not meet your follest expectations, your money will be The book "Nerve Force" solves the

problem for you and will enable you to diagnose your troubles understandingly. The facts presented will prove a revelation to you, and the advice given will be of

mealculable value to you.

You should send for this book to-day. It is for you, whether you have had trouble with your nerves or not. Your nerves are the most precious pissession you have, Through them you experience all that makes life worth living for to be do nerved means to be duli brained, insensible to the higher phases of life—love, moral courage ambition and temperament. The finer your brain is, the finer and more delicate is your acreous system, and the more imperative it is that you care for your nerves. The book is especially suportant to those who have "high strung" nerves and those who esset tax their nerves to the limit

The following are extracts from letters from people who have read the book and were greatly benefited by the teachings set

forth therein.

"I have gained 12 pounds since reading your book, and I feel so energetic I had about given up hope of ever finding the

"I have been treated by a number of surve specialists, and have traveled from country to country in an endeavor to restore my nerves to normal. Your little book has done more for me than all other methods combined.

"Your book did more for me for indigestion

than two courses in disting "

"My heart is now regular again and my serves are fine. I thought I had heart trouble, but it was simply a case of abused earves. I have reread your book at least

A woman writer: "Your book has helped my nerves wonderfully. I am sleeping so well and in the morning I feel so rested

The advice given in your book on re-leastion and calming of perves has cleared my brain. Before I was half diary all the terme."

A physician says. "Your book shows you have accentific and protound knowledge of the nerves and nervina people. I am recommending your book to palente,

A pronunent lawyer in Alisonia Conn., Your book saved one from a negroup cothepse, such as I had three years ago. I now sleep soundly and ant gaining weight. I can again do a real day's work."

The Prevention of Colds

Of the various books, pamphlets and treatures which I have written on the subject more favorable comment than my matern-page booklet estitled, "The Prevention of Colds." of bealth and efficiency, none has attracted


There is no human being absolutely inmune to Colds. However, people who breathe correctly and deeply are not easily susceptible to Colds. This is clearly expiamed in my book NERVE FORCE, Other important factors, nevertheless, play so mportant part in the prevention of Coldafactors that concern the matter of ventiletion, clothing homidity temperature etc. These factors are to a discussed in the booklet Prevention of Colds.

No ailment is of greater danger than an ordinary cout " as it may lead to Influenza, Grippe, Pneumonis or Tuberculosis. More deaths resulted during the recent "Flu" epidemic than were killed during the entire war, over 6,006,000 people dying in India alone.

A copy of the booklet "Prevention of Colds" will be sent Free upon receipt of 25c, with the hook "Netve Force." You will agree that this alone is worth many times the price asked for both books. Address

PAUL VON BOECKMANN Studio 163, 110 West 49th St., New York

Publisher's Notes Prof. can Bucchmann in the accentist who captained the matern of the enterterions Psychophysic Force involved in the Conton-Abbett Frate; a problem that has haffled the ineding assentiate of America and Europe for more than thirty years, and a full account of which has been published in the March and April Issues of Physical Culture Maguzine.



Put yoursels among roung men. Foter the paying profession of Dra temanship to be read that we controlle best witch are a watch open in resident to the according to the property of an ingential property of a second to the property of the property of

\$60 to \$150 a Week

Mamifacturers, architects, railroads, contractors, electrical works, and other to the second of the second of

Learn the Chicago "Tech" Way (At the College or by Mail)

Total Amendo W11 dath 0.01516 n file me has a who be to a lawr of the law o ate to be for Term commend to a enth with a deal of the desired and the desired and the desired at en I so break Tech Make And the Ing his paid For your man and and the contract of the contr e sy ce nia

Send

Coupon



e e licano en promo forma No mentro en la la entra No mentro en la la entra n or the trade weether

FREE Outfit

necessiane de la mana de la composition della co y if a white is a ready

Mark X of one central formers and one of any or will be the company of the following paying the standard of the company of the following paying the standard of the company of the following paying the standard of the company of the following paying the standard of the company of the following paying the standard of the company of the following paying the standard of the company of the following paying the standard of the company of the co

Chicago Technical College!

1131 Chicago "Tech" Bidg., Chicago, Ill.

Sent free information on subject market L

Machine Drafting
| Classified Drafting | Auto. Engineering | Auro Engineering | Plan Read ng | Drafting | Buildings Drafting . Atractural

Drafting 3hoot Metal Drafting

L Tapographio Drafting □ Sweeping

Lateration
No Id nes Machinery

O Mumbing Benting, Etc. 344mm Engineering

Name

Address

Post Office

State.

ı

College or Home Study state which

Free Trial Leason included when inquiry I is for Drafting or Plan Reading

MUSIC AND SHEET MUSIC

CORNETIFYS, Savolevanta, Trombounta, Claff-ptage read for Free Founters on What lips High Toron, and Tuom, electric, Jessian, Mexicon mathematic trippic School, Suffain, New York.

WRITE he words for a song We review poems with make and expanation of severy public attent opening the action of the process o

WRITE & Pour Poem Love, Mother Home Coult of and subject a company major and guarantee righters on Send Burds to-day Edward Trees 63: Respec Noch.

WRITE the words for a public We will comprove spould. Country says and period Roman posters to any subject for the Minner's Capacity W.F. S. Markette Acceptable in the capacity with the capacity with the capacity with the capacity with the capacity of the capacity with the capacity with

144-96 E. R. FT Just: Learn of the publish demand for brings have been not delicable and 3. a object ancient front in the following front front in the course for free cuttories and ad only the free cuttories and advantage from the free cuttories and advantage from the free published cuttories and advantage from the free cuttories for the free cuttories from the free cuttories from the free cuttories for the free cuttories from the free cuttories for the free cuttories for the free cuttories for the free cuttories from the free cu

SONG WRITERS wood for my bree pamphies. Total William Mericks Exhaust Hanney House \$47 he to Property I broken

#4-WA-WERTER & breaking types a wonderful im-ment on house of The Su & Watter 6 Coulder first absor-hunce brain Martania 3 cop faces one powers. We write factor proof, with necessive con. The Steady-edition Matchine Rames disk roughly to maken a service. Stronger

WRITE the Wards for a france. We with quart rela-for and under of the product popularly the board of the Delta-Sun 1910 beautimay the print New York.

AAAA A dies to twenty per cont on membral teatrament of a high highling is not from the lance Rapple his in well plan to disability and the membrane including with the animal him property to provide a particular and the property of the restruction is not a first of the first range of the first of the first range of

MOTION PICTURE BUSINESS

125 T. P. L. S. S. Greet Dig green part. You can ver a them. We show you have Price particulars. Best Publishers, Supp. 175, Y-43 Chicago.

Will Th Photoplace (Attends Figurescare quarrants) data of the 4-feet of logical and Philipped and the Philipped Control of the Louis

Printerport to write ments the matter the care for recording on the care there details, write breakings a company 2014 M before the face of the care the care the care the care the face of the care the

5 making a hear toward agraphy (*3.6 mileture of Motor of the house of the making Motor of the section of agraphic are not a 4 miletures Habitator of agraphic are not a 4 miletures Habitator of the section of agraphic are not a 4 miletures Habitator of the section of the sect

REAL ESTATE-FARM LANDS

Plan 476 and Phayage Greeks of an the All I are to man the All I are to make the same that I debugben Agree to the same that

of \$10 to \$10 and \$20 to the main test in alcolumn as a substant of the second down as a substant of the second down as a substant of the second down the seco processia (

takes which has he has been been been agricultured brown, for fine and have been been referred to the compact of the compact o

A set of the second of the sec

POR INVESTIGRA

and her house. A few remembers when disaddle were related to the party is an above to describe the party is an above to describe the party is described to the party is descri

Title to de to complete that temporary JITT to have former Associate Page A Tips to the report of the report of the temporary tips at the Page of Tools, blends to ampund the page of the temporary tips at the temporary ti

to go and free parties of minimum engineers, a return that the office of much all the office particularly the office of much and formal or for my which for \$6 of of our of our on the Free former of the parenthese upon I comprise to These to are expected to Tallorer & Tallorer 126 Tal-hert Fight out Walters out II

The party of the factory of the end plant toward to extern writer not come is an end or a made front to both of shellow or graded of plant progresses for reasonable and and active Ash the free board three to became a franchism and active of the relation Write to the Line & Table & State of Calmer-vice with a Write to the Calmer & Cal

PATENTIA serviced Promot service Avide distance of clara force, for our time of an armitime, force and first Block telling. How to the armitime and determine the result of young nations. Further advice without thanks Floriday at Justices & a 125 legist Harting Washington D. F.

PLANT you is prior oil intention to diff entirely or prise on ter try? Bend details in Admin Fisher Afric Co. 1854 St. Logic Africage.

11 (19.1.2 and I are mental Work of every directly I arrent Mortel and Experimental Works, 625 West Jac Boulevard, Cheege.



Ever Get Fired?

\$1600 to \$2300 c a Year Gustantead

Less use une et que plate tree de l'angle plate et le l'angle plate et l'angle et l'angle et l'angle et l'an


GET MY FREE BOOK The state of the s

the boundary of the bar of the part of the bar of the b

derming it, Surrayman, Deliminal, Pasterner Class Services

Its Gause and Gire **





The Butpersity of Chicago gould hear

Learn in Spare Time to be a CIVIL ENGINEER

Earn \$1500 to \$5000 Yearly

the a mental production of the second of the estant d'in tro-opide



Great Books Shipped FREE

Send No Money I have been after the same him ferral bound a change; 1900 cares to a ferral bound a change; 1900 cares to a ferral bound a change; 1900 cares to a ferral bound a same a same a same as a part of a send a same as a part of a send a same as a s

Consulting Service Free SEND NO MONEY JUST THE COUPON!



Name Address

Reference

PATENT ATTORNUTS

PATENTS Reviews Jonney Patent Asterney and Species in Expert Rich & treet & matengana. G — C report if a patent can be had and no mark copy. Supplied our expense.

PATENTE Interprete abusing writer by one book from to initially a Patent which to start variable to whatch which to start variable to whatch which the start is to property the posterable of your in terrail we will produce the patent of the Patent The experts and all or you but the patent of the Patent The experts and all or you but the first of the Patent The experts and all or you but the first of the Patent The first of the Patent The first of the patent of the patent of the patent patent of the first of the first of the patent of the first of the patent of the first of the patent of the patent

PATE N. A. Beautipt from Highest reterance Posts results. Promption astroid. Wasnet F. Cateman, Patent Laws or \$45 b Street, W. absorption.

PART STM With the true tipoeths set of the Bond and Evidence of a competitor Starth. See months or men had be to see two het free options of the policy after the concer. Marked references the true of the Bonds and Part Victor of all the designary of Starth Washington Dec.

R. D.R. Restrip & H. I. offer a series y professional physics to incommunicative and integrity of patent as interested and restrict the first profession. We do first broken and transported to the first broken and transported by the sent about the professional distributions we such according to the first broken delivery solvies with the prefaintness of the sent about the prefaintness of the sent about the sent about the prefaintness of the sent about the prefaintness of the sent about the sent abo

PATENTAL IT you have not invention which put man be patent you our survive falls and freely to vision it to the native to require to the abstract of the continue. Please seem show they are another all your invention. Please seem show they are another all your invention at the continue of the decision entering the operation at the continue of the co

Putent-Aparts The treet the 16 reader torqui-

From the state the Promotily promoted thank disclaration of inthrifting the promotily promoted thank disclaration of inthrifting their promotily promoted thank the first open of the transport of the state of t

PA 5 S Frails Marks empreying Propert pro-definal root like mer tree and S crack notice practice M marks of ma Installation Address E to Magness Box 1. M T Bulleting Wanting on 1 5

No. 14 such free on expects given adjusting Rights was and salette. From Ladorthams, 15 Park Rest. Mem burk.

Now have been a second to the second to the

NA D. N. Let before electroning your sites, to extress own a few out is a large of the matter from Bend sharely or harded in a said to white the few ownsends of the delice. Ask for free best little as follows a following fraction. A said delectronic delication for the control of the few of the fe

FATRATE My here in consultaneous Adviso hand from

PATENCIA THE ONE STREET, PROTECTION FOR HIS PARTY NAME OF STREET, STRE

PART Wife Primple and afficient were personally blockeds I would people expensions. He employed the and beetly margains of Warthamal descripts and Frage Registe as Washing as I a part who

the Washing of P.

Markell Attr 6 H order Racidized Washing on the order in the process of the p

as he will a some of the moral secondarial to the probability of the moral of the some of the solution of the

PR T a sen labels White left Recommend in the same which could be supported by Francis and the same labels and the same labels

NATIONAL OF STATE AND STATE OF SECTION OF STATE OF STATE


a No. 1 No. 1 Met. Record of most distinction most write out.

Change Me Free blank having on the last group up to the graphing properties of the last of the properties of the last of the properties of the prop

CASE: 4 pear a period officery defeates he as A suffery a date as led in all in orders of the in practice Over a pears of a experience had notes to our responds. If P Pentrumes 12 Monthly Manufacture, the automa-tion of

A II & problette II Ank lay-day for a program of the "Liftenin Art lists to are the Rate finding in the following former with many program of the layer to be in the layer to be layer to be in the layer to be in the layer to be in the layer t

the Po Ports. Present personnel off, we see see that It prove actual experience in the set of section of Parent Present in Rend starts, model or photos to descript on Lymenset in James 1923 (1914). Bloke Washington at t



MORE than four billion dollars are to-day invested in the Electrical Industry in this country. Thomas A. Educa estimates that within ten years this amount will be tripled that more than twelve busion dollars will then

by invested in Flectionty What does this mean to you? It means that the greatest opportunity of your ale is staring you square in the face. it means that the great field of I section its which right now in hard y in need of men in going to be short. Tar short of enough trained men - I better a haperta to tune the bug do the most be weathed a most properly and it productly, on more appared of the part of a men who been about the line of the second than the line of the line of the second than the s

in his in a Kupert rendy to take your place in take Bipl'up

EARN \$12 TO \$30 A DAY

That's the fited of pury you want to see that me a or pay envelope A for a see William of the second we to be a my defined to be against the first that the best of the second and the best of the

A fine with moment the mine ender me through my cambi featured. days a discharge as the PTM (I and you too can step into a big-pay job in too minut ag field

I BACK YOU-GUARANTEE YOUR SUCCESS

As all Engineered to must buy nowing the ske fahren egg, you have a place to see the number of the control of t

FREE ELECTRICAL WORKING OUTFIT

To ensite front our consent of the property of the second of the second of the second out of the secon but teal apparatus.

Youth by everyon.

BAYE SUSSE NOW

By etc. In proving our case wave \$4.40 or we also also to see the control of the pay the heroupon NOW

L. L. COOKS. CHIEF ENGINEER.

CHICAGO ENGINEERING WORKS IN OF GATED

Dept. 3X; 1918 SUNNYSIDE AVE., CHICAGO, ILL.

CHIEF ENGINEER

HYDRO-ELECTRIC

SUPERINTENDENT

L. L. COOKE Chief Engineer Chicago Engineering Works Dopt. 37, 1911 Sunnyaldo Ave. Chicago. III

Dear Sir Send ste at oute rour Big Free Books "How to Become An Electrical Expert" and m calific

Addres



\$500.00 for a Single Drawing

Imagine Martin S. De Muth's surprise when the newspapers announced him the third prise winner in the Victory Hall Poster contest held in New York City. Until then he had been an unknown artist. In competi-

tion with artists of international repute this. Federal student won fame overnight. For a drawing which took 12 hours to complete he received a cash prize of \$500.00.

You can turn your liking for drawing into profit and pleasure. Under the guidance of the Federal staff composed of over 60 of America's leading illustrators and cartoonists you can easily and quickly learn the same principles that have brought men like Fox, Smith, King, Briggs and many others fame and fortune.

Get This Free Book

Let Federal training develop your talent and give you the skill to put your ideas on paper. Write for your free copy of the book, "A Road To Bigger Things." It tells of opportunities in the art world and explains the Federal course of instruction. Mention age. and send oc in stamps to cover postage.

FEDERAL SCHOOLS. Inc.

11026 Federal Schools Bldg.,

Minneapolis, Minn.

DO YOU LIKETO DRAW? Carteoniets are well paid

We will not plus you too ground proce of pro-paying lights of "fine will not risken by pro-paying lights of "fine will not risken by paying on the light of you give a deal of the desired and the desired and the desired and the process plus of the second one plus of the plus of the process of the second one plus of the plus of approximate and not process for paying the second one plus of approximate and not properly paid to make in the employer.

THE WILL ET A PRINCE DO LO PER PARTODISME 17 - Looder Pát. Devoluted, Philipson





Register while desirate for trained ones are whereight all desiration that of flutche claims and application between the action of the manufacture of the control of the co stattl. Provide talquing

The wide School guaranteest to give out the valentile knowledge chips in his valent some of for their row well in the valent some of for their row well in the valent in obtain pure who are private that the milest be periodical dark some of little to milest be periodical dark some of little to the milest be periodical dark some of little to the sample begins on both a service of an amount of the sample begins on the sample of a little to the sample begins of his sample of the sample begins of the sample of the sampl Levis Sheet

Chy

Founded (414 Law Mary Training School CLUPPIED LEWIS Pres. Room 2018 Washington D. C.

Washington II E.
Washington II E.
Tap Mg Upperbinus Name Street

Blown

Trusper School

Contain tally above your Course in the testime marked X DRAFTING Control of the control of t

Street didress. Ch.

be "As may may or then door. He hand upper all young Fully contains bear close to navell. Law Walls Millard, Com. The North-Western School, 2005 Count See. Habenston, Wa.

Learn AT HOME

Surveying pays big salaries. And the work is peasant and in the out-of doors, it takes you an over the world. Best of a l you can learn quickly Many International Correspond in a Schools students have accured post-four on a surveying curps or in an engineer's office after studying only three or four months.

Ton can do as we'll. Send in the coupon today, and, without cost or obliga ion, let us tell you how you can prepare for success in the spare time that new goes to wante.

- TEAR OUT BERE - - -INTERNATIONAL CORRESPONDENCE ICHOOLS

	4-4-1		_				_
er en	and a	cont	of the	medi	COL.	2090	15

PATENT applications thed on partial payment plan.
Trade-marks, (hepprights, str. Mills H. Stevens & Com-

PATENTS procured Trade-marks registered Brooms able from Theodore Willia, Recurrend Paula Ablorney Muney Bldg Washington, 19

CET You Own Passac Ska complete Application blanks and full instructions \$1 Copper Cutting, Camp boll, California,

INTERPOSED If you have an devention and don't make to special imprecious? Spanes to according a parent, write to the interest forglesses formulating at 2 C Rain 346, Municipality, 15 C

MR 4 SHTIFER Ask today for a copy of the squark Action Advertage Real Later 11 contains some real, important is an except will read therestone and realizable to you I should like their wines an expect valuable to you I should be thought account to the later to the same which he some District the same and the testing transfer property Monthly 195 heart June 1 here's using transfer property Monthly 195 heart June 1 here's using the property Monthly 195 heart June 1 here's using the property Monthly 195 heart June 1 here's using the property Monthly 195 heart June 1 here's using the property Monthly 195 heart June 1 here's using the property Monthly 195 heart June 1 here's using the property Monthly 195 heart June 1 here's using the property Monthly 195 heart June 1 here's using the property of the propert

AGENTS AND SALESMEN WANTED

AGENTY make 500°, profit handling a ten Menjagrama Sees Profites. Michigan Le et à l'appaier Fonce Nobelly Mana Christian Free Ministry (p. 1841). 5 Mar By.

MAN in each hours o refinish chutch lists bring helds addingulated by new members in the without capital or of lefthfrom Whate (commetted a bullyany Avenue W Pil note

his bile. \$20.4 Monthly selling paraties and parket windshirk consider for in taker the heat popular and right head enterts to be such that the selling the selling of the selling the sel

4 I NTS State is deduct on four field Medicle. a patient panels for annual medicing leads in all attention founds packed for all attention for allerte Saig a conjunity Copt. 487.

His INNs had complete Maderader system. 20 Pos 85 A annic htt New Jones.

At 1 NTs make over and profit I sections a uniformal Charles in maken to be during the figure outsides. Soften the Charles for the section of the Charles for the section of the Charles for the section of the contract for the first formal fo

1914 Le du Art I baldinkferty Northe Heinis II. Weite for apercy Lumme Marquia, \$300 North lengthology Inclanaged a. edileta

It you also now without twisted hits remakes object affecting course or hotterfulld space at the your should recept our state that Ream as feath throughout our top hest results that may polar heap their old profit makets Manifest frames to 2 31 Westman Avenues Manifests

SALPANAST for Patented Client Lighters and Pigar Case Maintenant and the Case Standard where where Thomasha in the Patente Law Brake Mile Co. Sept Law Brake

In 34 were and flash Males. I never segment heigh field spillate for on apply 3 the inarge \$ 50 make \$ 56 Tag or tests also care. Writing the parallelesses and free appoint, annex an 34 waters in Company Supply \$7 (and braings New 2 days).

Part the it is fet from that quest builds block beint about to be possible for the options of a learner the set take according to be seen at the control of the part of the part of the control of the part of the control of the part of the control of the part of the part

At 1 7 7 to the profit from any chapter wholese better made to the option I then by the first and the mapping. The small resident of all of the part o

At a Simple of the base of the limit of the processing the famous to the processing the processing the processing the second by the compact of the processing the processin

his class a minuscum Paris of where one arrate restillation of the history bar to the extremely liquid than I describe the same of the sam

I brane um de en les por galloit de describé apeulles est hal les ses es un maner l'an totre de monde d'adec de les lier de la contra de la contra de la differe varie graphe alorse. Si ducte del contra la principa de adecide de plenego d'acceptant de la contra de la contra de la contra de plenego.

of that, he per control in old with person in the examples the persons with all help brighter the persons the management of the persons th

the second behind the New Amberged elementation of the second sec

The state of the first which representative a state of fractions of the state of th

The plan for measuremental attractionalists, trucks, hand appear one all stellar at the lar supper method, experience uncomment except about craftle. Moscolars A research on process his particle filter.

to 21% of any tent statement to the control of the

et 4 f 4 kill is mande \$550 for one week will be sustain and other on screens used by all business man Bayans fig. 4 5 killemeter 7 c to

The adverted by profess Fabrule FIFE Bookerse from the street of the out of Fire between the street of the stree

William tenso seiller auto arresery (antity dis-britanies wanted write tenday Q L W Spring (bld. Co. Rea Piego, California. SUNLIGHT for Freds Prints light switch and director the op rescribe post 1997, grafts for ments. Bells so make Price \$3.50. Smallshif (by No. 294 (19852)

ACCENTED II you want fast selling profitable articles for anti-owners, caragre, etc. while for hill particulars. By-By Min. Company. Standard, Commotivet.

MICH Agents to represent to its year locally well-mitted field Macapine (see Interstate class Company Dept. A. Michi Morto Holaread Street burning

At The Course Three tights windless reach totality to the equalities or derivative but hand-could Meltinger within 1dy and course there guaranteed by copie for their and theory makes on accounts in pure proposed on approved or it can find the month of the proposed of the month of the course of the month of the month

Bills APVERFORD IT Ask to-day for a copy of the quitte Action are or thing Rule Volley it contains form resily import at forth which will prove interesting and valuable a you it also will prove the form and a large wayling productor. You it at the finance wouldn't piece to be a supplied to your Disputer Taineded Advertision Popular Science Monthly 225 West 1985 ettert. New York.

ARENTH Every agriculturable owner whole gold epiticals on deads of his car consist them without substitutes in a building profit if the about a building profit is quantified, agreesy Transfer Monterand to. Int Cash I 191 Market ettreet Newach Kee issuey

daubenden Farn \$1.500 to \$10.000 a year City or traveling 1.50erlenge quantity Quickey quality through pire monthly system if the coupley much nervice to missible the street steps has administration book Las of these and full paymentals. National releases a Traveling Americality. Dept. 186 6 higgs. fillings.

ACCEPTED HE SHE THE LEGISLES MASS IMPORTED THAT I CO-mich Carter Tests with 1 Ste 4 days profit LSI You can do assite Write for assign offer and million plan ascitation electron classific run by belief mass proposed \$1.30 \$ midden limporter 13 Food direct. Booket, Id associated

Eligistiche Burners for Surnacia, Cont. and finiting (biragh

As ENTER \$60 to \$200 a word. From numbers. Gold files. Letters for store and other Windows. Appending that the store and the classical files of general mesods. Metable batter for 4304 N. José Atrest, Chicago.

Act gatch F. M. David Dept 57 (Banga Christman Act gatch F. M. David Dept 57 (Banga

NEW inventions and Change for Fords delices right his product then the inventment he trained particles of the change of the chan

TABLE W. INTER of Third tollers need perferons patient waters, epirod, and substitutely from the agreeds on our reflect plan. Lacracian to Prot 6'S in Louis Name of

EVERY much conds is a very man you will starte on the pass of the starte of the pass of the starte o

21R Advitition R. Ash product for a supplied the Coulomb Advised taking links Indian to convenient some requiry importants to the which have found to convenient and called the two trees as a could relate the major because biomailey from the flow York to an income and advised to the two trees to the trees to the trees the major your Manager a resulting Advantation Proposite Secretics Manager 1 22 West do by next New York to the

AALLEANS N with Forth care. And Manufacturing Co.

publica, Tierna, Le-Oppure colly the take a they means that per mouth Five collect a filth per mouth har respect mental and the equal that matching manhine that the property of the equals that matching the publication of t

1. Vt submitted for ringin territory to handle nationally advertised household, heread y Every Sector a property bridge of territory bright of ter

KARN \$2.00 as host in your space one to be extended for what had being after. Write make but he approxy in your town. Pupular follows Monthly 225 West 20th hirset New York.

right pleasant work for brechains this part risths. Ouring special index, will said many deligns on being delaries. Also state persons who can give half late this wages among a few laters of box of the plants. Called the property of the plants of the pla

princh table

At \$ N Text light metler. Jobs Stubber Stepair for armounts after employee the light to the students of the parties of very sold per case. But the case the first the state estimates and to students enter the life of the tire or table enter the students before add armounts desired to the state of the st

TARL'S pends on agently a superm Testering by Transfer Memork Auto & unsupram happing to Green provinces.

Extrapt Stating the Cher Papper Riem by progressing and full these groups furthers from a flow Courant or Variations a public format of the Courant of Variations of the Courant of Variation of the Courant of the Cour

(All) The apply for these positions of Plate and Transics makes and samples unless that can command at real to the press of the pressure o

Hollingsmonth 1 is no united to proceed a landbarchick and license to see a state supplier of the landbarchick and license to see a state supplier after to each on the Facility to each of winters by profits, imposed about Wholle is spare time a restliction. Fine proceed with the Facility and the Parocking No. A Nich Sanguples Fromwerkeld line on Earth Red by sellers, steady repeaters 100% profit 160 fiers installed and selling, popular priced necessities. Assembly that selling, popular priced necessities. Assembly the first fact the last of the first popular for the first line to the last of the first popular for the first last selling.

MR Alse ERTISER Ask to-duction a court of the Publish and on Asi or mane Rase Follow th courtains some certiful appropriate that which will come ligarisating god, valuable to the black ells Bow You's a Lee Popular Science Machine Profitaldy Ven'd like to Rober wouldn't pop" Manager (Taulibed Advertises Popular Science Munckly "Wen 19th verset New York



Earn \$1800 to \$10,000 a Year

Wireless is sweeping over the You can world like wild-fire! easily learn at You can qualify for the big opportunities open on land and sea paying \$1800 to \$10,000 a year As you know, wireless is the fastest growing field in the world to-day | Ita wonders are alarthing the whole earth. And it s only just started. Amazing openings are waiting for you. You have but to prepare—and you can easily do that at home in square time through thus new easy way Wareless salaries, with aveng expenses, amount to \$50 a week to start. And you can easily go from there to the ingger jobs paying \$10,000 a year. No knowledge of electricity or wireless peccesary. Anyone can learn quickly our new easy wa)

This New Way **Easy to Learn**

Why stay in a root. Worston to Inicinating, pilots the world wide up at at you want to brough you hig motors and flow oppositualities. The maph an big money and one opposite and equality is burke in space time a choose any pare opposite appropriate. This opens time a choose and place approximate. They were easy gaterialed and one gaterial by the gaterial and inspect to be to a property of six a last to America, gate by a position a paper of the analysis of the angle of the America, gaterialed the Santagement of Instead and make the section of the America of the American and the Santagement of the American and the santagement of the section of the American and the santagement of the santagement of

Thougants have learned this new year Willy the training to dady setting as the trip toler the training to the training training to the training traini maker (hiteragell how they are left-For a Heal od pursual me ate making a companies at other while it we want has a or

you about for us or and have maked one. phop or the month with eury were and gon pay the some work the section over an the like war line nossome and brend or but he not how wiggers y 18 Reb



Mail Coupon for FREE BOOK

In costa in restrict to get our interest in the first of the second of t to contact to evolutions by get our interest ont. many was H a ward that women at shirt Don't me this broklet. But out coupon powered mad it was

National Radio Institute Washington, D. C. Department Ut).

Restanct Radio Dopt. 811. Washinston D. C.

tend now contribute to thook "Wite tens he Chalada and Toda "Felt me allow out to the tens to the Starting Tylegraphy with a data opering Short Time after

Name Williams Place in-Address

bunte

in I am do rected to a Sea production _____

HAWKINS' ELECTRICAL DICTIONARY

A reference cyclopedia of mords and obsume seed lo the electrical field 303 pp. Heribit blading. Prior, \$2.00

225 Watt Mith Street, New York

Earn Big Money

Se ong voir explicit is the American Action in this Diagram to Car the ora, Dea re-Garagemen Re armen, Service Stat on, etc. in vicinity of Et is America a state on, on a part of the america a state of the american contact of the american action contact of the american contact of the america the and there is the street of the quick tales the profits.

A Splendid Opportunity

the establish a permanents and professible dictions.

Work the pre- all or 10400 tens from the start we do: 10400 tens for the start we have seen as the start we have seen as the propositions. Write tooks for full free particularity

Address C. J. WENNE Countries Manager

AMERICAN AUTOMOBILE DIGEST CIBETRNATI, OHIO Stat Burber Biefe ..

Be a Good Dancer

Loose at Home in One Evening

The B is supposed to use how early you can begun the this Step Two-Step For Trot Wat a and all layer due to be Aurt British and any letters make discuss element as ARI. We might recommend to the foreign of the fact and any letters are proposed to the step of the step of



No matter what your aim on hi hi to let may be soon regardly a propert of a commission. The rowers ago regardly a propert of a commission. The rowers ago regardly a creating person for Course in Suppose Power by really in 37 cars experiences to be complied to any between the cars of any open person in roung bousaged a between exercises and finalized incorporations to be tween a commission of any open commission of a suppose to the commission of a suppose that it is not will be the commission of a suppose the commission of a suppose that the commission of a suppose that the commission is not a suppose that the commission is not supposed to the commission of a suppose that the commission is not a suppose the commission in the commission is not a suppose the commission in the commission is not a suppose that the commission is not a suppose the commission in the commission is not a suppose that the commission is not a suppose that the commission is not a suppose the commission in the commission is not a suppose the commission in the commission is not a suppose that the co

Withe for conduct 5-P.

industrial Correspondence University Inc., Parry Building. Shopt C. Phille de Lydein, Pa

Your Choice 75c a Week



No matter what your occupation, one of the home study sets listed below will quirkly fit you for a to ter job and bigger pay. Any set y a select will be sent for even days commantion, and if you dec do to bity you may pay the rock-bottom grace us the rate of welly like a week. But you must act never We aren't gue entre these reduce of any partength dure. These condenges the wish of our grace-lamborities. They are written in up a company and contain him gauge by its affined and active and contain harders of chatters he dies must tables see that make different

photogra he dies not jables etc. that make diffi-cult points as simple as A li-C. Handsomely and datably bound, and stamped in gold.

At Greatly Reduced Pric	00
Assuntance and Sminner Management,	
7 vol. 2700 pages, 1000 persons. Was	
	\$29.00
Committee and Contracting 1 vicunity 18 pages, 000 pictures. Was 837 No. Now	24.00
Civil Engineering, 9 s auces, 1909 pages,	****
KNO partures. Was sa & > w	20.00
Electrical Engineering, 5 volumes, 4 00 pages 1100 platures. Was \$40143 h. m.	
pages 1100 ptctures. Was (44) 40.	36.30
Automobile Engineering, 6 vicemes, 3000 april 400 bits in Was 44 00 bits	24.80
Machine Shap Practice, & vincence. 100	
pages. 400 ph Jures. Was \$4 : 00 Now	14.00
Steam and Gas Engineering, 7 volumes, 3500 pages, 2500 pictures, Was \$1 50.	
None Pages, 2500 pertures. Was \$1 50.	10.00
Late and Practice (with realing course)	29.00
I volumes, 6000 mages, illustrated. Was	
\$67.5D N.149	49.00
Fire Prevention and Insurance, 4 visc	
1 '00 capes, AllO pictuire. Was \$10.00. Now. Telephone and Telegraphy, 4 returned.	19.30
12 lb mages, 7000 photogrees Was \$10.00 N w	27.00
Sanitation, Heating and Vantilating, &	
4 stutten, 1616 pages, 1600 pictures. Was	
District A middle on 1178 and 1000	10.00
C sa blue prints etc. Was \$40 00 From	19.00
Employment Management and Safety,	
7 s d. 1800 pages 540. Huss attempt. Was	
\$32.30 No. 10	29 00

Send No Money Shipped for 7 Days' Trial

You we'll glad y ship may not right to your because at Vot. we'll glad y whip any set eight to your house of affire upon y is who do be need. Pay a y shi ung a argen when set he as are a. Think tends a zeroy unit lafter y is have need them when dark them report only \$1.00 or a remark to ensure them report only \$1.00 or a remark to a remark the remark to the affirm a state to be against at the last of the angular state of the order to the the Adaptal of the to Adaptal of the Ad

American Technical Society, Dept. X 201, Chicago

American Tuchnical Society Toys S 200, Chicago, U. S. A.

Present most and est of

has \$ \$14.78° statement in a despress charges reflect; will see time the bank. Therefore, and of an infection will wright of an expect of the prime of the same is specific, the same is a see that the same is specific to the same in the tree is banks to the prime is see to the same in the tree is banks to the same and the same authority of the same and the same authority and the same is said up and the same and the same is said up and the same and the same is said up and the same is said the same in the same is said up.

District Managers repeated for transcribently mo-creation to a miles something. Then maintee depotential on the state of the controlled report of Lord in the for an Property and Man. 122 for homely, Philosophical Principles.

to f FR VL cluck polythen all novals thampie and one care from blampine april 1940 for Resident feet a Mir Sulah

APP I Novemby and a with \$1.00 lbg species day a mind thempy Aradonad Lab co Philadelphia. Proper Value

A SPITTAL EF YOUR space one can read phrastics of Make 1 of a second part parks 1 in No. of the best against an accordance Mineray built a Patentel Mineral Dealest Terest

AND ALL PORT OF SAN SENSE OF A COUNTY OF THE SAN ASSESSMENT OF THE

T W 2 h r file () trainer a received and performanced and the performance and the performance are not as well as the performance and the performance are not as well as the performance are not as the performance and the performance are not as the performance and the performance are not as the performance and the performance are not as the perfo

At the proof of th

MIN many fine even y first Hydrate lish. Offices buy quarte lish. Demonstrates & Tought to describe the security

CLIMAX Pursues Off Starters. Wonderfully movement of Court and Structs Waley Pilipps. E. L. Miller Mill. Co., Known City Missouri

1) a by the to residence are only the proofs of interests by the little of the Parish Dates to the Company of the Landson

the live and the sport of

the Build's watered to get in ordering aposition that
well the manufact Bretcher man in Country
points in an ed & or the el Jeseph SI again.

PRFI managine Right Miller I any Automotive page opinion of Research of the Contract of Provider page of the Contract of the State of the Contract of the State of the Contract of the Contrac

of N manage article Neverther Missa by Dr. ap Whater ground tips and N. arty W. man Days have an apachet. We govern fortune and sing storic! Lock derivate to by A. S. Per you. Universitying Lampany 413 Local Street. Philosophics.

his is derived from a to the matter or engaged representation and for more stated. They are some greater different to some stated and some stated are not found to the first a state of the sound to the first a state of the sound to the first a state of the sound to the first at some one for the sound to the first at some first the sound to the sound to the first at the first to the first to the sound to th

A post the graphy on marchine to the property with the melling that the state of th

Without the best of the second of the second

ACING A party was a place of the party of th

The second secon

and of his street store 2 52 spects

A P.H. I East of and some product another the special product of the product of t

Still \$2 2.5 pt = 120 half books that a reapy of the tenter of the tente

\$ 1 has an office of Resource Pro-Considerational fills

Co. 4h dos 4 feet blance is a transport to

be an agrantise over a barrier of the Pro-Consideration

promotive manufacture on the state of the pro
promotive frame manufacture on the state of the

promotive frame manufacture on the state of the

At 1 10 PM are reasing Money with my Constanting and Prince Aprilon will be asked \$4 (in these \$40 ft of \$1.00 a cover my to provide all county are it. it ignored as on all Plants and New York

First NY Theremous arrane to sell 2007 people Write for particularly realize Fig. Propose Specialty finder Up. 806 L. Grand Strd. Debreit, Michaella.

Quick-Action Adaretia-ments continued on page 17



WE'LL TRAIN YOU FREE

EARN \$35 TO \$100 A WEEK

After you have completed our Courte in Draft og mechanical drawing we will give you free truning in your choice of one of our courses in a specialized branch of drafting.

WHAT YOU GET FREE

We also furnish you from with complete deswing and dealting agreement when you smrall in one Course from consumation provileges at any time, during your course so after you to taken your posi-tion. We help you to get a position as distingui-and ened you from scharzegenes to Dealtungs a Pul-lication. The Company.

FRSE BOOK: Write to-day for free book. "Your Fate a self-strong piving details of our home study course se dealting and talling him you can qualify for a position paying \$15 to \$100 n week.

ROY C. CLAPLIN, President

COLUMBIA SCHOOL OF DRAFTING Stage, 1986, 14th and T. Streets, N. W., Washington, St. C.



CARPA 12 has haring group blood onto a displace of a class. Photohore a posterior Business short them that at the passed Concessor. It is property at the method of the passed of the property of the passed of the

Columbia Correspondence School Est. 5364 Dept. 27 Direct Blidg. Pricky. Po.









BALERMEN make up to \$30 faily selling Duplord first Fentler Braces. Dealers buy quick. Excellent mice line, Prompt liberal commissions. Exclusive agricultus. Grab years now. Write W.P. Duba Company, Christia.

MANUPACTURER of satomobile specialty fine denomination of micamen, side the satemark and manufacturers' agents Address Re-Ng-R Products to Missespola, Missespola

GENERAL Agents Something New Whiteless
Miles Report Washing Fowder Washes slothes with
Our sub-bins Women throw swap washboards. His
profits Exchalte erritory Write op-day free package
Literadge 1 c., 53 Putnam Street, Tunkhabbook Fg.

ACCENTS, Mail Coder Mep, not this new happer who up like a build uses range blades. Sample, 30c. Cariba Co. Berrien Springs, Mach.

hWI ak EM 1 we se securortable. Therasia absorbation side empendent unity shirt and recomme agents existly ble. Whode, but A North Seventh, 54 Lanta, bit issues.

htR As VickTidell. And co-day for a copy of the Quick Ar has Advantating Take Failure. It converge nome really important facts which will prove interesting and valuable to you. It also elle flow for on the Polisher develore Monthly Profit play Vaged the to know, wouldn't you? Manager Classified Advantating Popular Release Monthly, 222 West 19th Atreet, New York.

HELF WANTED

ii) B generate until whether sign fell out are no executively money-making periods into the basely med. About edge by main, 70th 5t. Ancoine, sevent. Michigan.

AU-N- Age 17 on 45. Experience approximately. Travel make secret investigations, reports. Asiamos expense Apartican Foreign detective Asiamy, JJ, 26. Louis.

eill's Fills No colorure, French place aught heav to fearn immerce brulles Flam from Wear Micher Works, forcelette city organ. Standage:

57 E.N. writted but beforehood Work. Tapotheness unmorency. Write J. Chapter, Pumper Concerningle Linearity 5.2. Austra Win Pla Carulla

W.R. P.F. Photoplays 450 canh. Experience unnecessary datable free to beginners. Producers Learne. 94 et 1 seus

1976) Moone Made Historian Microsop, month placing, religibling Manufactured F Donn Laboratorius, 200, Fafets Avenue, New York

The Pin Piv Rot Rach Sig Money Provides conce-quity Tracil business work Expenses of consumery Particulars free Write American Detective System Will Recorded New York

CONTRACTOR Clerks Sected Section from whereast 16th \$25th Northeast Sequent William Mc Consent former 1. H Consentant Examiner, 255 44 Louis Mc.

Mb.N represent corporation by interviewing interesting men at lease or expelling. Nothing to set, figurational formistical year free. Partitions from \$4000 or \$6000 yearly. Primited \$600 White Philips & beings. New York.

11) a detect by Lareltent appreciately good pay travel Welling T Ludwig, 434 Western Bliff Research (ity Missour)

The a Mirror Report \$3.4 % a day agains those at human first the capt of we train mark and making able affect of marriers. French method Free prospectus W F Door. Free, nys the proof of test New York.

147 a Railway Traffic neglector \$1.000.5550 importate Special leads of the Special special policies of the Special spe

34 - N. W. All M representatives make very acceptive interestant incomes well for Made Turbler Mend in gar acre, auto numeros, householders. Flags on the sales at lete a h interese printes. I interest by a coveragent that I can and Allied stony affects in the money in registrature way. Definitions at its number of the Political Particular and Rubber Company, Philadelphia. Pennet vanis.

Pingle Nill S. Grahemen incompanies () in-Chief (inform)
porters by california convenies. Experience monocoming
ANCHY Starons Fact S. Louis (Blance)

HT IP dally strind. Plant sliver as mirrors and bead-tishes, addresses, etc. Plans from Chronic springle, topic Ph. Marien, Indiana.

averages officiations as

\$25,1900 \$ 0,000 and other lance since make by mit-teribons from exhaust site black etc. furnished manchly yearly petrice \$1.00 three missing, 35c 13cd year. Try in Schemer Albaner, a has

* NO D correspondance rourses soid, report and ex-phanical interes. (Courses bought) Lee Magnain. Piagah Ainbargo

GI 1197'ANTIAL manufacturist corporation wants candle from a catableh branch and manage adjection Light glower processor Will allow expenses to Salvingure as organical Address, Secretary 602 N Enter in Haltimore Marriana

HEART (III Painting Landwage and Pertula Mouths to appare to a present a property of the property of the party of the part

EXTS AT Themset will furnish Fermula and Track-Retries in all lines. Using the D. L. Cummings, Ph. D. Furnish Avenue Synamics Sew York

He a detective I writers acquired blue Kames City

Mileston

NV FRT each more connect into each My distribled the little requiring the interchandles now probling will combin you to increase your increase Propertionally without study Capital, expectency or delay Propert Circham Purkey, that IR Delice Teams

MA F \$25,000 with small Mail Order Bastoom.

Annual article 15c Free populate Planap. And Scott, Science New York.

Anniple article 35c

QUITEALS REST Second a Contractor fears in als

College And Frat Recome a Contractor fears in also bours unlimited indee competing a prospering perfection. American Institute American Indeed in the College Part Bill 1990 to 10,000 yearly in professional feet instant and fitting a first appropriate exerty there with all the rade you can attend to entire learned by any one at hope in a feet works at small experies no fur her capital required no posted to but look in the rade of the small experies and the feet at the small experies and the feet at the same at the small experies and the feet at the same at the small experies and the feet at the same at the same



the Patent Office the to the Congressional Limitary too brough the United States Treasury There are thousands of other eights in Waspington -the most wonder a city in the world. And lead Mot a Mechanics here in this new \$250,000 whose just opened



\$250,000 SC

Learn auton, trucks, tractice and aviation mechanics. Get into this hig pay hig business and get every angle of it. thoroughly I even in growthe in the purpose of of the board which the sailty are except. In our new \$ 50,000 Series, we each this every devant of an exercise constraint and female are not selected. grads baccers building untranseng the real and and welding, New school new r a ment new experiments mading of 1921, design P seeing man tear you and , a cave the converte nondesign. I with men tent you and , a cave the coverage of an advisory board on using the Washington sales agents the principle indices of cars.

Learn AUTOS

Living Conditions Ideal

lassegeonditions in Washinglos are idea; was conducing made necessary housing farms ties which now make postuble comfor a de and attract, ve uvling quarters at moderate cost, Your time spent at fair new behind h Wassingt h smould be mily the most profitable but the first enjoyment the to your

EE New Catalog and Book of Washington Views

Washington is the greatest city in the country, and the instruction we give up to be relieve the most thorough available. This \$250,000 school often you is we believe the most thorough available. ying jo we believe the most thorough acquable. The \$150,000 school of a squared training, in the greatest professions available to you for quit and ingregions. At the training of the training of the profession of the first training of the first training of the first training of the first training of the most throughout the most throughout of remediate and the first of the first of the most throughout the most training and the most throughout the most training to the most training to the first training throughout the most training to the most training to the first training the first training to the first training training through the most training training through the most training training

Ims. Dagt, 21 Washington, O. C.

Without cost or obligation please send distribution to level and Morganishon on course or course on cost sed bed built Dwitters

O General Merhanten

Weiding J Valendard D Battery

Address

City

Apr

High Prequency Apparatus, its Comptruction and Practical Application

He Thomas Stanfor (nets). The most correspondential and theresisch separate on the interess on each set over confected for the extension 5 pp. From 4 00 postspanil Fugure Science Weekle 325 West 20th Street New York.

HIS MARK! The state of the same of the s Be a Finger Print Expert U & SCHOOL OF FINGER PRINTS Recons 1044 7003 No. Clark St. Chicago, III.



earn Piano! This Interesting Free Book

The state of the s

il. 4. gray 2000 MAN Just Paulo 17 33, 197 Crimitis Burl. Burle. 25 Mars.





A \$1000 Raise

"-Williams is making \$1000 a year more than you are but he is leaving the first of the month,

"You may not know it, Carter, but I've had my eye on you for some time-in fact ever since I found out that you were using your spare time to read up on our business. That study has paid you, and us too, mighty well.

"Judging from the way you made good in your other positions I am convinced that you have the training and ability to do Williams' work. Therefore, beginning with the first of the month you will be promoted to Williams' place at a \$1000 a year more than you are now getting."

You Want a \$1000 Raise Yourself

and a position of which you can be proud. Our PROMO-TION PLAN will help you get it. Carter's case is only typical of thousands of others who got big money and real jobs through our PROMOTION PLAN. It will work just happily for you.

If you were to look through our files, you would find case after case of big success. Men and women with no more and probably less ability than you have are making good with astonishing progress. There is no reason why you should lose out in getting more money and substantial promotion. Luck or pull won't give it to you but—the PROMOTION PLAN will.

Address.

Don't Turn This Page

until you have made up your mind to find out how to get a \$1000 raise. Put a mark on the coupon against the line of i work in which you are inter ested and we will send you full Information on our practical PROMOTION PLAN. Mark and mail the coupon today,

AMERICAN SCHOOL

Dept. G-275 Donal Ave., & Sith Street, Chicago, U. S. A.

Market de la company de la com
Dept. G. E. S Drexal Ave. and 58th St., Chicago
Const me full information on how the PROMO-
LION SITTING THE PART DISCOURTED IN COM-
job checked.
Architect
Building Contractor Machine Shop Process Submitted In Contractor Processor P
Automobile Represent Protopley Writer Automobile Represent Mechan-oul Engineer
Coll Facines Special Superinteriors
Structura England Employment Manager
Postures Manager Steam Begroom
Cort. Pable Accountable Forementable
Accept land and America Santtery Erginaur
Book keeping Surveyor (4. Manging)
Dreftman and Dudgett Telephon Engineer Portries Business Triegraph Engineer
Electrical Engineer High School Graduate
General Education. Fire Insurance Expert.
Additional Dept. Co.

WI man you in business, forbielded everything Men and women (200.00 to \$100.00 weekly operating our New Hystem Specially Candy Factories anywhere. Opportu-nias thetime. Booklet from H. Ragodale Company, East Octable New Jersey.

DETPCTIVES. Excellent Opportunity Passingly work Experience unproducery Particulars from Wil Appetent Determ of System, 1988 Broadway New York.

TWENTY ways to varo money. Have extra increase My could be a 100 personal. United Scient Co. 2000 Superior, Chicago

Will and sell its rither space views. We will train you to write show earth for the Thore is no conventing or solicit has we supply you with award truck distance on willow \$15 or \$50 a week. Wilson Methods, Limited Dept 54 East Rechmond, Toronto mands.

PATENTS—Book free Send metch for free Opinion of patentiable to the Talbert & Talbert, 437 Talbert blue Wassington D C

SI V and explore practical inventions. Trade for property. Form companies. Half essency rights. Adam Fisher 14th Co., 1837; St. Louis, 51 beneath

PATENTS Promund, Trade Marks Registered a comprehensive experienced, principl service for the printer-time and development of Year ideas. Preliminary advice goods, furnished without there is supplied Broaklet of Information and form for developing blee free to request Rether it forms to develop the supplied Rether its up report in 12276-5. Wentworm building, New York.

JOHN National Institute Loventon 13 Ful ob. New York Clus advang protect to produce the melecy Will, source develop, manufacture, market parents Elgas \$10. Banklet type

FTAHT a paying bearess of pure outs. Any tocation. Thousands are making \$3000 to \$5000 a year. Mills room for 4000 between the beares to the making their Not to the state of the total part of the total part of the bearest bearing to the total part of the bearest and bare some expital every un. Equipment Co., 151 and Chetman Ohio.

PTART a Magazine, capital St. comple 10s. Cope.

Waterful appetually life profits West Hyron S. It States I, New York

A 35 HW TOW. 30 words to 80 working 65 00 saids additional line of 5 words or law 75c. Late two blokes Major to 1326 Arch Nivert Philadelphia, Pennsylvakia

DARAGE Storage 50 cars new markets, freptonf

ARTIFICAL Marble manionly flooriest instructions, Orbates of realist Controls (instruction fortifies for the little for the production of the property of the forth production of the forth production of the forth production of the forth production of the first production

Still a february inceptions phononyriph and payer over ball his pool business and actions. We durately purpose, to consumer bulb and her above and as necessary parts. Noted for equaling soul free physpithal array increases Phonon-draph to 1423 1200 Mt. Falchart, Indiana.

STAMPS AND COINS

Bl different stamps also parket h unused (Thins ship set a searce ables a samps large \$1 but? A Presmus. perfora but glauge bulliments scale called and price links, also ever W. for resemps Permuit Stamp (A. 1866).

c. A. 11 (N.N. A month quarter size after the whole the Min of each unit on a process, the Northwale Shadin. Too. 148. Columnia Springer Columnia.

1000 different stanops 93 % 60 for \$4 2h 219 2he 100. In Approvide Michaele 8602 (traine blesge

a Africality of A could quarter also and doctors for the billing could use decision the Hopper abuse bishop star bishops.

The Commiss Process Stances States Statements Survey of the Standard States States Statement States States

extends to see the course the second of course 200, 25 forces and the course that type Appendix for enteriors. I want to exact the property Appendix Market No. 2

peper Juneer States to Tolerto Mar

ATANDES DE SELECTION, Africa, Braid Peru. Culton, Africa de Contra de Bo different C et d'activité de l'internation de l'est de l'internation de l'est de l'internation de l'est de l'e

THE STATE CONTRACT 2 different maly see Nichim, 12, benton Avenus Westingson, 13 of State Daylor, 2 to 12 to

the reside same Fall religar established of builts for bree a assent quotient briefs post for coins, sen to William Elembers, 191A Trespent Burget Burger,

T. VAR FEC M. Puliparks, broken 20 rooms. List of 7.000 few spread stately first. Thambers 6 susp Company N. Seets Street. New York Ulty.

The sent of the exercises, \$1 (a) Staubill, 608 West

STANTED SE deferent Jamaica Accountly of their post of the property of the pro

50 Different Francis Colomba, 300, Diwess.) 1 Willow. Wellamon Managerburstin

25 Newloundland, etc. Two could Rariand Raffett. Co. Uma Obio

NY ASSA ATT fractions showalk ships etc. Of Jacob Fischer, 529 North Lawler, Burger

property TLY o represent applicable only Bestelfolded for Lectherstein five cents. Emery 2000aawood Avende Terreste Causas.

PINE stange for serious collection at 1.5 cmt. Last Prointercutions: Of ht Greene there is remaining. New York
MR APPERTISEN. Ash re-tay for a copy of the
"Cock action advertising Rate Folder. It contains
some really instruction farls which will prove therein up
and valuable as you is also cits flow You Can be
substant Serious Mentally Profitably. You'd like to
these, wanted to post Manager (Tapalited Advertising
Popular Serious Mentally 225 West 18th Street, New York,



WARREN BIGELOW, the Pinger Print Detective, wee making his usual review in the morning newspapers. He had just finished reading the press reports of the daring robbery of the offices of the T-O-Company when the telephone on his deak rang. Central Office was calling, asking him to come immediately to the scene of the robbery.

Although he drove his high powered roadster rapidly and atrives shortly at his pentioution, he had plenty of time to consider the main features of the case as reported by the press.

The job had undoubtedly been done by skilled cracksmen and robbers of uncommon nerve. Surty-five hundred dollars in currency—the company pay-roll—were gone. Not a single, apparent clew had been found by the police.

Finger Print Expert Solves Mystery

On his arrival, Rigelow was greeted by Nick Austin, Chief. of Detectives, who had gone over the ground thoroughly "Hello, Warren. Here's a job that has us stumped. I hope you can unravel it for us."

By this time, the district officers and the operatives from Central Offices had almost given up the investigation. After hours of fruitless efforts, their

work was at a standatill. They were completely beffled. With lively interest and a feeling of relief they stepped back to await the result of the Finger Print Detective's find-ings. They were plainly swed.

at his quiet, assured manner

The admit old Chief homself was manifestly impressed at the quick, sure way in which Bigelow made his investigation.

Thief Leaves Indisputable Evidence of His Identity

Almost immediately Rigelow turned his attention to a heavy table which had been topped up on its side. Examination of the glossy mahogany showed an excellent set of finger prints. The third might just so well have left his calling card.

To make a long story short his prints were photographed and taken to Central Office, where they were mutched with those of "Big Joe" Moran, a safe blower well known to the police.

Moran was sobsequently caught and convicted on Bigelow's testimony and finger-print proof. Most of the money was recovered in the meantime the T -O-Company had offered a \$500.00 reward, which was given to Digelow; his pay for two hour's work

Learn at Home in Spare Time

Could you imagine more faccinating work then this? Often His and death depend upon decisions of tages prior evidence—and hig rewards

go to the superts.

Thousands of trained men are now needed in this great field. The finger print work of governments, corporations, police departments, detective agencies and individuals has created a new profession.

Expert's Highly Paid

Many expects regularly earn from \$1,000 to \$10,000 a year in this fascination game. And now you can easily bearn the accretion the new Science in your spare time—at home. Any man with common schooled acation and average obtisty can become a Funger Print Detective in a surprisingly short time.

REE Course in Secret Service and Professional Finger Print Outfit

For a limited time we are making a special offer of a Professional Finest Prins Outfit, absolutely Press, and Fines Course in Secret Service hatelingues. Mastery of these two hardward perfections will upon a brullant career for you.

Write quickly for fully illustrated from book on Finger Prints which explains this wonder in this which explains this wonder in this offer has expired—mail the coupon now. You may never a c a thus announcement again. You manuse no obligation—you have everything to gain and nothing to loos. Address. Why don't You be a write quickly for fully flustry free book on Finger Prints which plants which wonderful training in tail. Don't wish until this offer training to the plants of the parameter again. You manone to obligate you have everything to gain bothing to lose. Address

University of Applied Science 1920 Sunnyside Ave., Chicago, Ill. Dept. 1388

University of Applied Science, Bept, 1988 — [1895empails Ave., Chicago, Dl.

Gratienne: Without my chliquities whatever and me your new fully (historical Filt - book on Finger lyne; a and your offer of a File); contacts a decree for view labelinguage and the Free Profundamed Finger Prior Out 6.

A Advan

Propert Committee

- A NEW TOOL -

The SIMORE AUTOMATIC UNIVERSAL SQUARE



Any Angle Instantly

Lightning Change





AULTE MITTER

Try Miter Octagon Bevel Protractor Square

All in One Handsome Automatic Tool



ACUTE OCTAGOR



ALIGNED FOR CONVENIENCE

Press the button and instantly any angle locked in any posttion desired.

A strong and useful time-saving tool.



ONLY A MATER



BEYEL PROTRACTOR



PRODUCTION SAUTED



RECTION MICHIGATING PROTEACTOR

The obtuse and acute Miters and acute and obtuse Octagons and the Square engage automatically in pre-determined positions and are held rigidly until released by button. Swing blade to other inde and you have a bevel aquare and protractor square, enabling operator to compute and locate

Constructed carefully of finest materials. Tough aluminum alloy handle Blade made of special steel, all parts standardized and interchangeable.

Feels good to the hand, looks good to the eye. Guaranteed accurate, positive, durable and reliable. Built for accuracy and speed. Five tools in one.

Every carpenter, mechanic and amateur will find the Sirmore Universal Square indispensable and no tookit or work bench is complete without the Simore, the New Standard Square.

Price 13.75. Mad amount (your personal check will be accepted) and the Simore Automatic Square will be sent you parcel post (usy guaranteed on a money back basis. We manufacture our own inventions

Dealers are my ted to investigate our New Tools. Junovations and sure sellers. The Simore Automatic Universal Square is the first of a series of new potented Lightning Change Tools.

THE SIMON & SKIDMORE MANUFACTURING 110 EAST SIXTH STREET (Our Modern Factory No. 1)

SANTA ANA, CALIFORNIA

Watch For Our Next New Patented Lightning Change Tool

Popular Science Monthly

November, 1921; Vol. 39, No. 5 25 Cents a Copy; \$3 a Year



Published in New York City at 225 West Thirty-ninth Street

How I Listen In on the World by Radio

New, low-priced receiving-sets now bring amazing wireless adventures to every home

By Armstrong Perry

when I thrust a wire into the air and pulled down some-hody's jams, I thought wireless was something like a fire extinguisher or a lifeboat—an emergency apparatus for a ship to use in case of accident, but of no immediate use to ordinary folks like myself.

My great awakening to the romance of radio came when a friend of mine, who had the wire-less hobby, urged me to purchase a cheap receiving-set at an electric supply store.

"What is the simplest wireless outfit that I can hear comething with?" I naked. He surprised me with his answer.

"The simplest receiving-set consists of an aerial, a detector, a phone shunted around the detector, and a ground-wire."

Except for the meaning of the words "aerial," "detector," and "ground-wire," I understood him perfectly.

Seeing that I was in doubt, he went on to explain that wireless Memales through the air in electrical waves like ripples on a pend. The aerial, he said, was a wire put up in the air. The electrical waves washed against it and some electricity trickled down to the detector. The detector, according to him, was a valve which let electricity go through in one direction but not in the other. The "juice" gathered by the aerial from the passing electrical waves

Wake Up to Wireless!

Do you realize that the use of radio outfits for entertainments in the home is
spreading through America like wildfire?
Do you know that there are nearly half
a million wireless fans in the country
today and that the thing is only started?
If you aren't awake yet to the recreation you
can get from a wireless receiving set—the
concerts, dance music, news, and public
speeches it will bring you—this article by
Armstrong Perry will prove unusually fascinating to you—The Editor.



was alternating current called "a. c." for short. It changed its direction of motion more times a second than the needle on a sewing-machine. But the detector changed the current so that it went into the telephone in spurts, always moving in the same direction, like steam from an engine exhaust-pipe. That was plain enough.

Then he went on to add that all I had to do to abunt the phone around the detector was to hitch one of the two loose ends of the phone cord to one binding-post of the detector and the other loose end to the other binding-post, and that I was then to hitch one binding-post of the detector to any convenient water-pipe by the shortest practicable piece of wire. This was my ground-wire. aerial wire was to be hitched to the other binding-post, and then I should be all set to receive messages. made two wires attached to each binding-post of the detector of the wireless apparatus.

The only adjustment I should have to make was on the detector. In this piece of apparatus the tip of a small wire rested on the polished surface of a piece of galena, or lead ore. The galena, he said, was more agreed in some

spots than in others, just as a person is more ticklish on the bottoms of his feet than elsewhere. If what I heard was not loud enough, he said I should have to move the wire till I found a tickle spot.

Within a few days after this conversation, I took home a complete radio receiver which had cost me only a few dollars. On my way bome I began to feel ridiculous. Why should

I, who knew nothing about such a mysterious and tech nical thing as wireless, expect that I could pick up measages from the air with a cheap outfit not much higger than a basebull? However, that evening I brightened up the water pipe with a file, wrapped several turns of the ground-wire around it, fastened it tight, and dropped on a bit of solder melted from an old tin can. Then I stapled the wire to the mopboard and brought the end up to the table where my detector and phone lay. There I made the connections according to instructions and put the receivers on my head.

With one end of the aerial wire attached to the detector, I stepped out on to my sleeping-porch with the coil. While figuring out where to anchor the outer end, I put up my hands to take hold of the galvanized-iron pipes that supported the canvas roof. When the coil of wire in my hand touched the metal pipe, I nearly jumped out of my shoes, for right at my ears I heard—jama! That radio outfit couldn't wait for me to get the aerial up! It was using the porch frame.


In the days that followed I spent hours listening in. Sometimes I heard



This small receiving set, typical of out fits costing from \$10 to \$15, consists of a tuner, a detector, and one phone. It is said to have a telegraphic code range of neveral hundred miles, depending on local conditions

music, sometimes voices, but more often the dots and dashes of the international Morse code. These, of course, were unintelligible to me, and yet as time went on, certain combinations began to have a familiar sound. At nine-thirty every evening some station sent some sort of a message very slowly and distinctly. It occurred to me that I might copy it down in dots

and dashes and later translate



Laurence M. Cockaday, amateur wireless operator of New York, conducting a concert that reaches an audience estimated at from 100,000 to 150,000 people. His concerts have been heard all over the eastern half of the continent, as far south as Cuba and 800 miles out at eca

it by referring to a copy of the code, which had been given to me when I purchased my outfit.

I tried the stunt one night and managed to translate this message:

"QST QST QST do NAH NAH

"Amateur Broadcast: If you are interested in this broadcast, please



After graduating from the beginners' class, the radio fan may want this nore expensive abort-water representative receiving set, with its wave length of 180 to 700 meters. Sets of this type retail for about 5125

advise by mail, United States Navy, Radio Amateur Bureau, New York."

At once I wrote a letter saying that I was very much interested. In reply I received a request to answer an an enclosed blank certain questions about myself and my station and a promise that on receipt of the information the Navy would send me a copy of certain secret codes used in sending out measures for amateurs.

Promptly complying with the re-

quest, I was given a number as a registered amateur and I soon began to recognize certain letters so readily that I could write them immediately, without going through the slower process of setting down dots and dashes and translating them later. Secret codes are made by substituting certain letters for others. For instance,

where you receive an "a" it may mean "b" and so on. The key

furnished by the Navy enables you to decode messages.

One night, to my astonishment, I found my own name at the beginning of a measage. Imagine the thrill with which I took out of the air a reply by the Navy Radio Amateur Bureau to a letter I had written them the day before! Let me tell you that it's the thrill of a lifetime when your government first communicates with you direct by wireless, and you get the message out of the air yourself.

From then on the Morse code came easily. Listening in on the standard and form of the weather forecast, transmitted from naval stations was availant practice.

I soon found myself able to catch the concentrated digest of the world's news that is transmitted every evening. At first I would wrestle for an hour, trying to piece together disconnected latters that I had grabbed out of the rapidly running procession, but at last I came to a point where I could turn to the family during a three-minute intermission and tell them what was going on in London, Tokio, and Rio de Janeiro at the-moment, and add the day's baseball scores.

In the meantime my station was a growing. The first addition was a (Contract on page 132,



This entirely practical set is one of the latest to be put on the market. It falls in the class costing about \$25. It will receive messages sent out from radio stations having wave lengths up to 500 meters.



Wireless Wonders of Today and Tomorrow

BROADCASTING of news by radiophone, and of lectures, addresses, and concerts, is being curried on from many cities. Farmers in Wisconsin, Masouri, and other states are receiving weather and crop reports, concerts, and news by radio from their state capitals.

The area of 125,000 square miles directly covered by radiophone reports of the Dempsey-Corpentier fight is small compared with the area that will soon be covered by nightly radio broadcasts on every conceivable subject.

Three chief problems still stand in the way

The first is the perfection of an extremely low-priced, wide-range receiving-set that anybody can operate.

The second is the elimination of static disturbances that produce builting confusion in the receiver

The third is a solution of the mystery of "pockets." These are mexplicable spots, such as Saratoga, New York, where messages, audible all ground, cannot be heard

A fortune is waiting for the man who helps solve these problems. Every radiograph expert says that eventually they will be solved.



By using this concrete gun with its capacity of eighteen cubic feet a minute, more than nine thousand feet of tunnel were lined in four months' time

Pneumatic Gun Lines Tunnel with Concrete

A CONCRETE lining nine inches thick was shot into place on the overhead arch of the Caribou (California) hydroelectric tunnel by a pneumatic gun which placed eighteen cubic feet of concrete a minute. The tunnel was ten feet in diameter, and the maximum advance in twenty-four hours was 156 linear feet of arch, while an average of a hundred and five linear feet was maintained over a period of twenty-five days. The rapidity with which this tunnel was completed was largely due to the use of a pneumatic concrete ram.

The new concrete gun differs from other machines previously constructed along the same general design in that the charge is started through the delivery pipe by a piston. Mixed concrete is deposited in the gun chamber. A normal air pressure of from binety to one hundred pounds a square inch is used to deliver the concrete only on the last two hundred

feet of the distance from the mixer to the heading. The gun is mounted on wheels and is moved along the invert as lining progresses. The forms are built while the concrete is being placed.

The construction of the gun is shown by the accompanying sketch. In placing the concrete, two guns were started from the center of the tunnel and worked outwardly toward the adits, so that carpenters could be placing the forms ready for "shooting" over the gun so it moved slowly backward. The discharge pipe was hung to the roof of the tunnel timbers, and the arch forms were then constructed, the key forms at the top being omitted at first, and put in in five-foot sections as the discharge pipe was removed.

All concrete was mixed in a plant on the surface and sent by gravity through a twelve-inch wrought-iron pipe to cars in the tunnel. From here it was brought to the beading in trains of three cars, each of twenty cubic feet capacity. The entire load was dumped into the barrel of the gun from an overhead track.

It was found that the quantity of air required depended on the length of the discharge pipe and the condition of the concrete. A dry mix needed fully twice as much air as a wet mix, but as long as the gun was never more than two hundred feet from the forms, an air compressor capable of handling five hundred cubic feet of free air a minute was large enough,

One of the reasons for the speed with which this concreting job was finished lies in the long bends used in the five-inch discharge line which lifted the concrete from the gun to the arch, and the elimination of horisontal angles. At best, the pipes were rapidly worn through by the abrasive action of the sand. It was found that pipe bent on a ten-foot radius gave the best results with the least wear to the metal, and that scouring action was reduced by using river gravel which would pass a 134-inch acrees.

Wing-Shaped Fuselage Helps to Lift Plane'

fuselage of the Romington-Burnelli biplane, which has been flown at Curtim field, carries thirty-two passengers. The machine was designed for cross-country passenger service. It has a wing spread of seventy feet and is driven by two 385-horsepower Liberty motors, at a maximum speed of 110 miles an hour and with a sustained-flight ability of eight hours. The camber of the fuselage corresponds with that of the wings.

This function of the fuselage to lift as well as to hold is an engineering novelty. When a great part of the bottom wing spread is given up to a



The peruliar wing shape of the funciogadds to the lifting power of this plane

complementary wing-fuselage amidships, it means there are possibilities of "fattening" the lower wing until the whole spread is used for passenger quarters.


A Silent Electric Motor for Phonographs

A NOISELESS electric phonograph motor recently invented by Chester I. Hull, of Fort Wayne, Indiana, promises to solve the long-standing problem of replacing the spring motor with some sort of electrical drive.

Most electric motors produce a certain amount of noise which has been difficult to eliminate, particularly since the motor is usually suspended just above the sound-chamber. In addition to noiseless operation, an electric phonograph motor must have a high



The motor at the left drives the turntable without noise



The electric motor takes up less space than the spring motor found in most phonographs

starting torque to get the record up to speed quickly and a constant speed through a wide variation of load, due to difference in sounds.

The new motor, which is said to meet these exacting requirements, is of the induction type, similar in many ways, to those used in watt-hour

meters. It consists of a rotating alement fastened to the shaft of the turn-table and running between two field coils. The rotor is formed of a ring of copper of about six inches inside diameter and one and a half inches width supported from the main shaft by a cast-aluminum spider

The noise produced by the magnetic hum of the alternating current is deadened by suspending the motor mechanism from the board on special brackets.



Electrically heated strips in a small pipe placed within the section pipe keep the pumping plant going throughout the severest winter weather

Pipes Thawed from the Inside

FOUR times in thirty-six hours the operator was compelled to thaw out the suction end of this isolated pump with a gasoline blowtorch. Variations of river level made it impractical to insulate the pipe on the outside, and as the pump was operated only ten minutes in each hour, the water was continually freezing. If the pumpman had not been a chap of considerable ingenuity, he would have spent most of the winter on the cold, all ppery river-bank warming up the intake.

Instead, he overcame the difficulty with a section of unused pipe and four electric heaters. The heaters were wired together in series and enclosed in a section of galvanized pipe, held in place in the interior with fine sand. This pipe in turn was enclosed in the suction pipe, and wired to the lighting circuit through a conduit, all joints being watertight. Whenever the pump stopped, the operator cut in the electric heaters. There was no further trouble or delay with a frozen suction pipe

Hand Truck also Acts as Elevator


THIS one-man hand truck, for use in ahlpping-offices and freight-

stations, makes possible conveying and loading in one operation.

It tips up like the ordinary hand truck, so that it may be shoved under heavy boxes, bales, or barrels. A hand crank then elevates the load platform to a borizontal position. The truck

is moved on ball-bearing wheels to the vehicle into which the load is to be placed.

Some vehicles are higher than the truck platform when at the horizontal position. To avoid the arduous work of pushing the load uphill, as well as to permit of loading the vehicle in "layers," either on the level or downhill, another hand crank elevates the entire loading platform.



After placing the truck under the load, the platform is raised to a horizontal position and the barrel a rolled

Life lines are usually fired from abore by small cannone. The shoulder rifle makes it possible to throw a line from lifeboats. It already has to its credit a rescue two hundred and forty feet from shore



Drawing by to II Davis

With its front and rear nights, its standard shoulder butt, and the usual trigger action, the rescue line-throwing gun shown · below resembles closely an ordinary rifle. The several parts are so denigned that in case of damage they can be removed instantly and new parts replaced

N the past, during time of storm, when called upon to pass a life-line from the beach to a foundering vessel not far from abore, lifesavers along the English coast have used the conventional life-line martar. In reality this mortar is nothing more than a squat cannon of modified design, and when firing it the men em-

ployed the methods and

usually the discipline of the artillery. An Ingenious light-weight rifle for throwing life-lines has just been adopted by English life-savers to replace the awkward mortar. Equipped with this simplified apparatus, the lifesaver now has the mobility of the sharpshooter. He can fire it from the shore, climb with it to a treetop, or, when necessary, carry it in the bow of the lifebout to within a few yards of the stricken ship. Indeed, originally it was intended that the gun should be used in this last way.

Essentially the gun is similar to the British short service rifle, and like the rifle it is only three feet long over all. Fitting into the barrel is a projectile



Line-Throwing Rifle Adopted for Use on English Lifeboats

rod that enters about as far as to the cartridge chamber of the ordinary rifle. The rod projects slightly beyond the outer end of the barrel, where its "nose" is securely attached to a hollow tube, called the "envelope," that fits over the rifle barrel and extends about halfway back to the butt.

Outside the tube is the canister containing the life-line. The canister conrists of a thin galvanized steel cylinder seven and one-quarter inches in duameter, and seven and one-ball inches long, with closed ends, or lide, stiffened by wooden disks. In the middle is a small longitudinal cylinder of cardboard, called the "becket," forming & core to the life-line, which is wound in

much the same way as a ball of string and is contained between the canister case and the becket. The back end of the caninter in riveted to a shaped bush round the rifle barrel, the bush itself being secured to the rifle by a strong steel tension apring. To the back end of the envelope tube a halyard is secured, which passes forward beyoud the musule, where

it is attached to the end of the life-line. A special eight is provided for high-

angle range, as the average firing angle is about thirty degrees,


When all is ready for firing, the cardboard becket is pulled right out so as to leave the coiled life-line in the canuster perfectly free to uncoil. The gunner then lifts the rifle to his shoulder in the usual manner, takes aim, and fires. The projectile rod is shot out, taking with it, of course, the envelope tube and balyard. The last, in turn, pulls the life-line after it.

In case the operator of the gun misses the wrecked vessel, another becket and ball of life-line can rapidly be inserted in the camster.

Is It Really Safe to Junk Our Battleships?

Expert reveals new problems of naval policy confronting America on eve of disarmament conference

By Graser Schornstheimer




Did these tests actually prove, as we have been repeatedly told ever since, that the battleship's day is over—that we can junk our dread-naughts and protect our shores with fleets of serial bombers?

Unless he realizes the battleship's true role in the next war, no American citizen can follow with understanding or interest the international conference for limiting armaments, which is about to meet in Washington.

Becatus the spectacular highly phases of the airplanes' attacks on former German warships, and because of the confusing newspaper reports at the time, the actual facts and conclusions established by official investigation have been lost night of completely. The public has been inclined to

sny, "Well, it's all over with the battleship," and to fall back into a mood of false security. For example, I have lately been informed with every show of sincerity that the old German dreadnaught Ocstfrictions was sent to the bottom after being bombed for only twenty minutes. The fact is that this weakened, motioniess, undefended hulk withstood the attacks of the bomb-dropping sirplanes for nearly two days.

How accurate have been the current reports concerning other phases of the various tests can be judged by comparison with the following facts, which have now been officially established. The real purpose of the early experiments with the radio-controlled force were, first of all, to make possible the computation of probable hits by aircraft bombs discharged at battle ranges. The force was steered by wireless from the battleship Ohio, and dur-



The large bomb, exploding near the forward turret of the Doctizenland, lasted to perce the deck and did practically no damage to the interior of the turret.

Planes or Battleships-Which?


CAN America take a short cut to naval supremacy? Shall we now stop building \$45,000,000 battleships and build \$20,000 auplanes statead?

Ever since the famous sham battles off the Virginia Capes, between bombing planes and old war-ships, this problem has kept public thought at white heat.

Now that we are on the verge of the Washington Conference on the Limitation of Armaments, the question becomes of even more vital agnificance to every thinking man in America

This article, by a naval expert of high standing, giving one of the most informative analyses yet published of the actual results of the bombing tests, apparently proves that to maintain our position we must keep on building even coeffier battleships—and that a huge aviation bill must be added material of substituted

ing the bombing it signagged with no one shoard in approximately the manner prescribed for submarine attack, although at only four and a half of the available time knots of speed. A total of eighty dummy bombs of various sizes were dropped, but only two hits scored.



Showing how water weeping into bulkheads through seams opened by exploding bombs, as checked by pumps

On the conclusion of this test the signer declared that heavier bomba would have been more accurate than the ones used. But the velocity of the bomba dropped at the Jowa was little more than four hundred feet a second, and at this speed even a slight wind would affect their course. A larger bomb dropped at the same height would be more affeeted by the wind, because a greater surface would be acted

So far us air conditions were concerned. the sirplanes undeniably had the better of it. The weather was ideal. Again, the loses had the disadvantage of steeming at only four and a half knots. And, 6nally, while the airplanes were acting offensively and under perfect conditions, the ship was necessarily without the services. of Its anti-aircraft

Assuredly if these guns had been barking defiance at the bombers, the final score

would have been even less creditable to the airmen, for the two lone hits were made from an altitude of about four thousand feet, and it is the claim of experienced anti-aircraft experts of the United States Ordnance Bureau that they can quite regularly shoot down sirplanes flying into the bombing area. over their ships from any height up to six thousand feet. The airmen deny this, but it is a fact that no hombing attack against a resisting battleship has ever scored a direct hit. On the other hand, British dreadnaughts in the Dardanelles shot down a number of attacking planes,

The second of these more important tests was conducted against the light cruiser Frankfurt. This was a very lightly built ship, and the planes would have sunk it after a few moments of active bombing had they justified the confidence expressed in them in the days before the tests.

(Continued on page 28,

First Picture of Japan's New Super-Dreadnaughts,

The following exclusive description of the Japanese battleships, about which there has been no much noid in news deapatches, has particular interest in connection with the accompanying article on the bombing-tests. It forecasts the type of future dreadnaughts with which bombing-planes would actually have to cope, unstead of with the older type that they eank off the Virginia Capea. The picture, moreover, portraju the enormounty costly naval construction in which the Powers will henceforward be forced to compete, unless the approaching international conference really results in a limitation of genoments.

By Wilfred S. Ogden

POPULAR SCIENCE MONTHLY publishes herewith the first picture of one of the two largest and most powerful war-ships the world has ever known. They are the new Japanese battleships Kaga and Tasa. Built in the private dockyards of the Kawasaki Company at Kobe and of the Mitaubi-

shi Company at Nagasaki, these naval monsters—being launched this fall—are units of Japan's 1918-1919 naval program.

When completed, they will cost well around \$40,000,000 each. In the United States, with higher labor costs, similar ships would be much more expensive. The normal displacements of the Kapa and Tosa are stated to be about 41,800 tons, as against \$2,600 tons for the United States ship Marghood, and 41,200 tons for the British battle cruiser Hood. The length is 700 feet and the beam about 104 feet, normal, and 108 feet outside the "blisters." The full load displacement will be close to 48,000 tons.

Their main batteries fire a broadside of no less than 24,600 pounds a ship, as against 16,784 pounds for the Maryland, and 15,600 pounds for the Hood. During the battle of Jutland the Germans were able to make quirk work of three modern battle cruisers. The guns that did the work fired only a

900-pound shell. In the United States bombing tests this summer, it took two days for bombs weighing from 600 to 2000 pounds to sink a non-resisting, non-maneuvering war-ship. What could the Kaga and Toss do in that time with their great battery power?

Ten 16-inch guim, mounted two in a turret in five turrets mounted on the center of the ship, form the main battery. They are 45 calibers long, of entirely Japanese manufacture, and fire a shell weighing 2460 pounds, Compare this shell with our 16-inch shell weighing 2098 pounds. A platform from which a small, fast airplane can be launched is on the crown of the highest forward turret. The plane is for spotting long-range shellfire. It is estimated that this spotting will give # 26 per cent greater hitting efficiency than was the average in 1914. The fire of these ships can be controlled at six different points.


To get a good idea of the battery power of the Japanese ships, consider



The cross-hatched outline fliustrates the superiority in size of the Tone over the Maryland, indicated by the solid black section.



The length of these drawings indicates the difference in toursage between ships of the Tosa class and the latest United States ships. The normal displacement of the Japanese ships is 41,800 tons compared with the 32,600 tons of the Maryland, one of the latest electrically driven United States fighting ships



(Continued from preceding page)

Bombs weighing up to six hundred pounds were used against this thinly armored craft. During the morning, however, the attacks were with smaller hombs; and it was found that propertiles weighing up to three hundred pounds failed to inflict serious damage, even when striking flat upon the decks. Five of the smaller bombs that struck the Frankfurt were "duds," yet six others did explode, and, though they tore up the superstructure, they failed to pierce the vitals. No less than seventy-eight bombs were dropped, at altitudes under four thousand feet.

In considering the results of this

test, it must be remembered that the Frankfurt, although a thirty-knot cruiser, never moved an inch during the bombing. Had the bunkers at the sides of the ship been filled with coal, it is unlikely that even a six-bundredpound bomb, exploding alongside, would have done material damage. This can be said because one bomb actually burst in the water close to the forecastle, and yet did not blow a hole in the side. As proof it was observed that in sinking the ship did not fill up on one side and capsize, but instead went down on practically even keel. The bomb that broke the ship's back landed close alongside the fo'c'sle,

where the submerged torpedo tubes weaken the back. The structural weakness caused by the submerged tube has led the British to exclude them in their future ships, and similar structural modifications will undoubtedly be made if the bombing plane ever becomes a menace.

Could Have Floated for Days

To repeat: during the entire test the vitals of the ship were not damaged and the decks were not pierced. In actual combat, of course, the engines would have been running, and as fast as bulkbrads were strained, the pumps

Naval Monsters which Surpass America's Mightiest

the performance of the planes in the Josea test two hits out of more than eighty bombs dropped from an altitude of 4000 feet. These bombs had a velocity of from 200 to 400 feet a second, according to the timing done aboard the destroyers, and so failed to plerce the armored deck of the Oratfriendand. The Japanese 16-inch gun fires a 2460-pound shell at a rate of about 2700 feet a second, that will pierce 12 inches of armor at a range of about 12 miles, and at least 10 per cent of the shots fired will be hits. Whereas the planes bombed the force for a whole day, achieving only two hits out of eighty bombs fired, Japan's worldbeating war-ships could fire 900 shots an hour and ninety of them would hit and pierce a 12-inch belt at a range of 12 miles.

The secondary battery of the Kaga and the Tosa, consisting of 22 fiftycaliber 5.5-inch guns, is mounted unusually high on the sides of the ships. This distinctive feature will make them available in almost any kind of weather.


For the defense against aircraft, each ship carries 4 three-inch, fifty-caliber anti-aircraft guns on special high-angle mounts. The torpedo armament consists of four deck and four submerged 21-inch torpedo tubes.

Immense British-built turbines will drive these ships at a normal speed of 23 knots. When these engines are forced, it is said that the ships will be able to make 24.5 knots. Because of the scarcity of oil in Japan, the ships are equipped to burn coal as well as oil.

The Japanese are placing a total of seven inches of deck protection on several levels in these ships. The first deck, three inches thick, would be pierced by a shell, but the second deck, together with the ship's armored bulk-beads, would localize the effect of the explosion. The ships have a 12-inch armored belt, and the turrets are protected with 16-inch armor.

Below the water is the "bluster" protection. This arrangement is a duplicate of that evolved by the British during the war. It was designed to offset the effects of mines and torpedoes. The protective bulkheads, for defense against submarine explosions, can also be used as fuel-oil tanks. This is one of the features that gives these ships their great cruising radius.

When complete, the ships will have a complement of about sixteen hundred officers and men



would have prevented the water rising in the affected compartments. In all probability the ship could have been kept affect for hours, or even days, longer than it was.

When we take up the most spectacular of all the tests, the bombing of the former German dreadnaught Overfriesland, we are apt to forget that it took nearly two days to sink ber, under almost perfect conditions. During the first day fifty-two bombs were dropped at low altitudes, of which thirteen were direct hits, although but four exploded. One of the explosive hits was directly in front of the forward twelve-inch-gun turret. The air-


plane enthusiaste have claimed that even should bombs fail to pierce the decks of a war-ship, the concussion would kill every one in the vicinity. Yet, although one entire aide of this forward turret had been removed for ballistic tests, the interior was in no way damaged. Decided damage was done, however, by bombs that exploded alongside the ship and near the areas where armor had previously been removed for experimental purposes. A number of small leaks, which on a fully manned battleship in action could have been repaired quickly, were visible on investigation after the first day's bombing

The next morning, it was ascertained that the sterp had gone down two feet, and that the engine-rooms and a number of compartments were flooded.

No Direct Hits Made

The bombing recommenced, this time with the heaviest obtainable bombs. By noon the airmen were working at a range of slightly less than three thousand feet. At this beight, utterly unhampered by the anti-aircraft gunners, who in action would put a flerce barrage in the bombing area over the ship, the planes ought to have

(Concluded on page 40)



A diagram showing how modern battleships, such as the Japanese Kaga, are protected against both aircraft bombs and broadside bits. A bomb exploding alongside may strain the plates, but it will not actually blow a hole in the side Sixteen inch shells, with their high trajectory, may practiste one or more decirs, but their force will be localised

been able to make a hit with almost every release. The largest and supposedly most accurate bombs were being used. Nevertheless, not one of the two thousand-pound hombs struck the ship, and the best the airmen could do was to land them in the water alongside. The first bomb dropped was a "dud," but the second exploded in the water, just abait the mainmast. Little or no damage was observed as the result, but it is assumed that the sides must have been strained comewhat by the concussion

At this point, too, it may well be remarked that the Ocsifricaland was known to have been weakened during the latter part of the war. It suffered from a mining experience during the rattle of Jutland, and was badly damaged by the crew prior to its surrender to the British. Parts of her armor and machinery had been removed in the United States also, and as a result of the bombing of the day before the vessel was really in a precamous condition.

Sunk after Two Days

Dangerous as this condition was, the ship could have been kept aftest indefinitely if there had been a crew to work the pumps and patch the wounds in her sides. Remember that in the battle of Jutland the British dread-naught Afariborough, with a huge hole torpedoed in its side, was not only kept in line, but was fought until the end of the action, when it proceeded to port under its own steam. Remember, also, that a bomb exploding alongside a ship does not blow a hole in her side, as does a torpedo, but simply springs her plates.

On the second day of the test, knowing that the Ocst/riciland was leaking badly at the stern, the airmen dropped a bomb only a few yards from the propellers. This was the bomb which General Williams declared was "heard around the world." A veritable mountain of water shot upward and swamped the stern of the vessel. The hull shook with the impact, and when the water receded it was seen that the stern was sinking rapidly.

Thus it was that the Oexifricated resisted for nearly two days the most powerful hombs and most experienced bombers in the American service. The actual results of the test abow, not, as generally reported, that the battleship is useless and ready to be acrapped, but that a ship of its type can withstand a fearful pounding, and in actual

combat may be able to stay affoat just so long as ammunition and fuel last.

Airplane Still Essential

But the tests did not prove that the airplane should be accapped, either. Thus the scouting plane is valuable for short reconnaissance expeditions, and for spotting long-range shellfire. Moreover, it is certain now that the future of warfare between airships and battleships resta, not with the bombing plane, but with the torpedo plane. And the trouble here rests at present with the torpedo and not with the plane. The torpedo is always likely to be erratic. When dropped from any considerable height into the water it is necessarily made more so by the impact of its landing. But let somebody invent a method of guiding torpedoes from the plane that launches them, and we shall see the battleship harder pressed to maintain its supremacy then it has yet been. As an indication that the torpedo plane is soon to displace the bombing plane, it can be noted that the British have already removed all the bombers from their great aircraft carriers and have replaced them with "cuckoo" torpedodropping planes.

Telegraph Cable Laid by Airplane

A SUCCESSFUL attempt was made recently in Sweden to lay telegraph and telephone wires from an airplane. Ten kilometers, or slightly over six miles, of cable was faid between two stations separated by woods and rough country. Telegraph communication was established in the incredible time of eight minutes, six of which were consumed in laying the cable.

This new application of the airplane is of vast civil, military, and naval importance, particularly in districts having little if any means of communication, or over


terrain difficult of access.

The apparatus used in the tests was simple, light in weight, requiring small space, and it could be installed readily in any machine. The wire container was located in the pilot's cockpit. Attached to the wire as it was dropped were small weights with signal flags. A device was provided for cutting the wires after the work was completed.

In tests, it was found possible to lay cable at a flying

rate of over 150 miles an hour,

THERE is little or no oil in oil-shales. The shale must be mined and crushed, then heated in closed retoris. The distillation breaks down the components of the shale into ammonia, gas, and a crude oil. The United States has important oil-shale deposits in the West, but much money and research will be required to develop an oil-shale industry, to the point where it will increase our oil supply.



College Teaches Ideal Farm Layouts with Model Homestead

THE Nebraska College of Agriculture has constructed a model farmatend to teach its students the proper relation and arrangement of farm buildings. The plan has been tried with great success on farms in several counties of Nebraska. In the

model, the various buildings have been laid out so
that the farmer walks
around the circle in doing
his chores, never retracing
his steps. The path he follows is shown by the dotted
line. It is a well-known
fact that the average farmer
thinks of wasted motion
only in relation to his ma-

chinery, never in relation to his own motions.

Many other points were given consideration in planning the farmstead to make it practical and at the same time comfortable and pleasant. For instance, the barns and yards are

barnyard drainage from reaching it.
All of the buildings are tocated to
act as wind-breaks to adjoining yards,
and nearly all the fences serve two

and nearly all the fences serve two yards. The yards are adjacent to the pastures and the garden close to the house. The farm scales are situated so

> as to be handy for weighing grain and stock, and it is possible to drive to nearly all of the buildings without open-


ing gates.

In locating the barn it was considered that buildings situated in the sun but with breezes blowing through them in summer are cooler and more comfortable than those in the shade but with no breezes. Hence the barn has a central alley running through it from north to south, and the building is cool even in very hot weather.

The college works on the theory that every farm is a factory, and that as such it will be improved by applying

the principles of scientific management. The model is to show the coming generation of farmers how to avoid many of the unnecessary nuisances which their fathers had to contend with or which they accepted as part of the drudgery of farm

Such a scientific arrangement of farm buildings as shown here lightens the drudgery of chores and is one means of meouraging boys to stay on the farm



located east of the house so that all unpleasant odors are carried away by the wind which, in the territory for which this farm was designed, usually is south and southwest in summer, and northwest in winter. The house itself, moreover, is located on high, well-drained land, insuring a good view and preventing

Metallic Steam to Increase Central Station Efficiency

Unique boiler, using mercury instead of water, forecasts radical changes in power-house design

A DISTINCT departure from long established power-plant practice has been made by W. R. L. Emmet in his mercury boiler, which generates mercury vapor instead of steam for turbine and steam-engine propulsion.

The efficiency of any heat engine depends upon the range of temperature through which it works-that is, the difference between the temperature of the steam in the boiler and that of the water in the condenser. But power-plant angineers have been hampered by the fact that the normal temperature range of water is very small, extending from 212° P. to 101° F., when a twenty-eight-inch vacuum condenser is used. While this range can be increased somewhat by superheaters, their application is limited by properties of steam, for at high temperatures steam pressure becomes too great for commercial operation. To overcome this difficulty Mr. Emmet evolved a plan which called for the use of mercury instead of water in the hollers.

Mercury bells and condenses exactly like water, except that its density is much greater and its boiling-point higher. At atmospheric pressure it holls at 677° F, and condenses in a twenty-eight-inch vacuum at 455 degrees. This gives a temperature drop of 222 degrees—almost twice that of water, and the high temperature of the condensate permits the use of an independent supplementary steam plant in addition to the mercury system.

Special Boiler Used

In the Emmet engine mercury is heated in a boiler similar in principle to the ordinary steam-boiler, and the vapor produced in used to run a turbine. The exhaust from the turbine is condensed in a surface condenser of special design, which also acts as a boiler. The heat given out by the mercury as it liquefies makes steam of the cooling water, and this steam is used either to drive snother turbine or to operate the heating plant of the factory.

The great cost of mercury and the high temperature of the vapor necessitate many minor changes in the design of the boiler. Flattened boiler tubes are used in order that the maximum heating surface might be obtained for the minimum amount of mercury. The products of combustion from the furnace pass upward through part of the tubes, and then forward among the remainder. The mercury drains to the lower mercury chest,



A mercury boder generates vapor for two engines—the mercury turbine and a steam plant operated by the heat developed in condensing the mercury vapor. Because of the specific heat of mercury as compared with steam, the effective temperature range is doubled

passes through the tubes, and reaches the mercury header, corresponding to the steam drum, at about ten-pound gage pressure. From this point it is led to the turbine.

Owing to the high density and low spouting velocity of the metallic steam, the turbine may be a single stage machine with short buckets, and run at a low speed.

From the turbine the mercuryvapor passes to the combined condenser and water-boiler. This consists of a tank with a steam-dram at the top. A number of straight tubes extend from the steam-drum into the condenser, and the mercury is condensed on the surface of these tubes. As the builing-point of mercury in a twenty-eight-inch vacuum is 485° F., steam is generated inside the tubes, circulates through smaller tubes placed in the interior of the steam-drum, from which it is conducted through pipes to the steam-superheater and finally passes through the steam-main to the engine where the steam is used. From this point it returns to the feed-water beater, which is really an economizer, placed directly below the mercury condenser. From the feed-water heater the water returns to the condenserboiler, and so completes the cycle.

The mercury condensate is drained directly back to the lower mercury chest, since its high density renders a feed-pump unnecessary. By setting the condensar above the boiler, the letter may be fed by gravity.

Leakage Peril Minimized

The chief drawback to the universal use of this machine—and saide from the cost of mercury needed-lies in the danger that some of the mercury vapor may leak out into the boiler room. The vapor is highly polsonous, and a very minute amount in the air might be futal to all the operators. Great care is taken to have every joint and fitting tight, and the peril of leakage is minimized by the low pressure at which the mercury system is operated. Special means are adopted to condense and save any mercury leakage. For example, the safety valve discharges into the mercury condenser instead of into the open air.


It is said that if this invention is installed in a modern power station, an increase of 15 per cent in fuel consumption will generate 66 per cent more power.

Testing the Accuracy of Ammunition with the Mann Rest

target expert, and the outdoor sportsman who appreciate alike any increase in accuracy of firearms, will be interested in the Mann rest, a device recently adopted by the United States government for the testing of ammunition.

The Mann rest does not supersede. but is used with, the machine rest that has long been in use. It consists essentially of a heavy steel block alightly longer than the ride barrel, with a very accurately milled V, about an inch and a half deep, extending its entire length. The sides of the V are made absolutely parallel, as this is the feature on which the accuracy of the tests depend. For convenience, the block is set in the base of the ordinary machine rest, so its elevating and traversing screws can be used for the Mann rest.

The second part of the apparatus is



The barrel rests lightly in the groove to allow free recoil after firing. It can be replaced for repeat tests

THE small boy with his rifle, the a heavy rifle barrel of about one and one quarter inches in diameter from breech to muzzle. On this are placed two very carefully made rings, one near the muzzle, the other near the



The Mann rest consists of a V shaped groove and accurately machined rings around the rifle barrel


breech, about eighteen inches apart. They are most carefully made so that the distance from the center of the bore of the barrel of the gun to the outside of a ring is the same in any direction

It is obvious that if the barrel is laid into the V cut in the block, it can be revolved on its two rings without altering the line of the bore. Like. wise, as the sides of the V are cut absolutely parallel and smooth, the barrel can be pushed back and forth without altering the direction of the

Under such conditions, it is plain that every shot fired will depart in precisely the same line, even if you take out the barrel between shots and wask around the block with it, The barrel as used in the government work is fitted to the receiver of an ordinary service rifle, and the regular bolt is used. A piece of stock is used to belp check the recoil of the barrel in firing.

At recent government ammunition tests using both the Mann rest and the machine rest, the Mann rest shot several ten-shot groups at six hundred yards that could be included in a threeinch square, while dozens of the groups could be included within a six-inch

The most accurate and consistent results ever obtained are to be had with this arrangement. From the balasticlan's standpoint it is good, because the very heavy barrel preventa barrel vibration and the possible delivery of one shot a trifle off the line of a previous one due to some change in barrel "warp" or vibration.



The grooved block is clamped in an ordinary machine rest, so that the rifle may be almed as usual in testing

Continuous Machine Prints, Develops, and Dries Blueprints

"ONTINUOUS printing is the latest improvement in the making of blueprints. A long strip of sensitized paper moves steadily through the machine and is printed, developed, and dried at the uniform rate of five feet a minute.

One operator can handle the apparatus. He places the tracings on the sensitized paper, which is fed from a roll and carried past a bank of are lamps for the exposure. The exposed paper then separates from the tracings and passes through a bath of clear water and afterward through a weak solution of bichromate of potash or soda and again through clear water.

The course of the paper is then upward over the dryer and down to a winding device, which makes a loose



With this continuous blueprint printing, developing, and drying machine the only task of the operator is to feed in the drawings to be repred

print roll free from wrinkles and ready for trimming

The paper is dried uniformly under tension, thus eliminating undua shrinkage and masuring correct measurements on the final prints.

Experience has shown that the rate of three hundred feet an hour is about right for the complete procees of exposing, washing, and drying. This speed in also convenient for the operator in handling the average run of tracings. Either gas or electricity may be used in the drying, only about fifty cubic feet of gas being required an bour. The heat can be regulated in accordance with the speed at which the machine is operated.

ONE cubic foot of ocean approximates sixty-four and three tenths pounds.

Why I Believe You Should Buy a Used Car

It costs less in the long run than a new model and gives greater power and riding comfort


By Harold F. Blanchard

AM in favor of the used car. I can get more for my money by investing it in a used car than I can by investing it in a new one. I have owned seven cars, for which I paid amounts varying from \$300 to \$2000. With two exceptions, I bought used cars and still feel that the used car is the better buy

I shall be in favor of used cars until that fine day when I can dig up enough money to buy a brand new model of the best car built.

There was a day when a shiny, new car, any now car, filled me with envy. I wanted nothing more than to own one of them. Finally the day arrived when I decided that I could afford a modest machine. I decided in favor of a emall, cheap, new mathine partly because tires and gasoline bills would be smaller and partiy because wanted a car that was new. I kept that car for three years, driving (t through all sorts of weather. The first year I liked it very well, except that it rode rather badly and

the engine ran too fast. The second year the upholstery and paint began to show signs of giving out, and many things in the car required mechanical attention. Before the third year was out, it was obviously too badly worn to do another season. The



Shall I Buy a Used Car?

Yes! by Harold F. Blanchard, automobile expert, who has bought five of them.

No i by S. P. McMinn, former editor of Motor World, who has tried both new and old.

YOU have a modest sum to spend and you need an automobile. Which shall it be new car or old?

You can afford either a brand-new machine of one of the lighter makes, or you can buy a heavier, more luxurous, used model. Which shall it be?

Few questions are more frequently discussed by prospective car-owners. But, though the problem is of vital importance to us all, have you ever seen it thoroughly thrashed out in debate by experts?

Popular Science Monthly has retained two automobile experts not interested in promoting either side of the argument—to tell the real facts of their own experience.

Every man who owns or wants to own an automobile will find these articles invaluable because of the concrete facts and figures which they present.

The Used Car is defended this month by Mr. Bianchard. Next month Mr. McMirm will argue the case for the New Car.

in excellent shape, paint and tires included. I looked at the car and found also that the lines were not at all bad. The car appealed atrongly to me because it was rugged, smooth running, and powerful - qualities that my little car had not possessed. Its reputation seemed to be fully merited, because this particular car was in better shape now than my old car had been after little more than a year's service. The one stumbling-block was the fact that the machina required 36 by 414 inch tires and ran only 10 miles to the gallon of gasoline.

On looking over the expense figures for my first car, I remembered that the largest item was depreciation. Clearly this item was almost eliminated on the car that I was considering, for at the low price of \$300, it could depreciate little further. As venr as I could estimate, it was a machine that I could sell a year or two niterward for somewhere around \$200. Repairs were likely to be less on this big marbine than on the

amaller one. These facts would largely compensate for increased cost of tires and gasoline. Also, there was the fact that I should have only \$300 tied up instead of \$500.

The result of all my figuring was that I bought the used car and ran it two

Small New Car



The cost of operation of a new car, graphically shown above, is based on Mr Blanchard's actual experience with a low-priced model

original price had been eight hundred dollars.

To put the car in thorough condition would cost five hundred dollars. Finally I sold it to a man for \$150. Once the car was disposed of, I was able to calculate that much-disputed item—depreciation. It was \$800 less \$150, or

\$650. Other expenses incurred during the three years, in which I had covered some 30 000 miles, were Repute, \$145 tires \$355 gasoline and oil \$500. There was no garage expense. The car had cost me a total of \$1650 or 5½ cents a mile

Shortly after I sold my car a neighbor suggested that I buy an old fourcylinder car that a friend had for sale. The car was Large Used Car



With Mr Etapchert's first used car of beavier construction, gas and oil costs showed a considerable increase, but depreciation was lower

years, or about 20,000 miles. It was a much pleasanter automobile to operate than my first, roomier, more comfortable, faster, more reliable, and it spent less time in the repair-shop.

As to expense, I was not disappointed in my original astimate. At the end of two years I sold it for \$200, or \$100 less than I paid for it. Repairs during the two years were a trifle less

than \$100. Tires were \$350 and gasoline \$550. The total happens to be \$1000, or 6 cents a mile. If proper judgment is used in selecting the right used car, there is no reason why it should cost any more to run than this big car did.

One Example of a Used Car Owned by the Writer

The car I have now cost me a little more than \$1800. Just a trifle more than two years ago it was sold new to its first owner for more than double that sum. When I bought it, it had been run about 15,000 miles. The machine is so well made that the wear and tear of this amount of travel-more than ballway around the earth-has been about negagible. I expect to drive it another 20,000 miles before having it overhauled. After that, I expect that it will be good for another 30,000 or 40,000 males before it requires a second overhauling, and that with good luck it

would travel a lifetime of 200,000 miles. If I should sell the machine at any time during this long life, I should be able to get a proportionate price for the car, since its sturdy qualities are well known.

However, for argument's sake, let us say that I run it 40,000 miles in the next four years, that I spend \$250 in repairs in that time and at the end of the period I sell the car for \$600. The machine runs a trifle more than 10 miles to the gallon, or about 2.5 cents

a mile, oil included. Gasoline and oil, therefore, will cost \$1000. Tires are much better than they used to be and run 15,000 miles at a cost of \$250 a set. Tires during this period may be figured at \$700. Depreclation is \$1200. The total is \$3150, or just a little less than 8 cents a mile. This is more, it is true, than in the two preceding cases, but this car offers much more luxury. If the cost of running this fine car is compared to that of operation a new car costing \$1800 over a like distance, it is found that the new car would cost more a mile. In other words, as I stated at

the outset, whatever the sum invested, I prefer a used car to a new car at the same price because the used car gives me more for my money.


Why do I like this used car better than I would any new \$1800 machine? For one thing, the car that I have is more comfortable. The sushions are deeper and softer, and the backs of the seats are so rounded that they fit the



Shall it be Good Appearance and Expense, or Comfortable Riding and Economy? That is the question to be settled in the problem of New Car versus Used Car.

back better. There is more leg room, too. The machine rides better on rough roads.

My ear possesses many small but important conveniences that the cheaper new machine has not. There are roomy compartments; there is a full set of tools—standard equipment with this car—with a powerful jack and a pump that works like a charm. I can manipulate with unusual case the wind-shield clamps, door-handles, and other fittings. The doors are perfectly



Percentage figures showing the cost of operating & used car centing \$1800 for four years, with a total mileage of 40 000 miles. Although depreciation is greater than with the cheaper used car it is less than with a new \$1800 car.

fitted. In fact, everything about the car betokens the highest grade of work-marship.

The brakes are powerful, long wearing, and exceptionally easy to operate. The steering is surprisingly easy. The wheel may be manipulated with one finger. Electrical connections also are unusually substantial, and the lights are always up working order.

Looking back over all my experiences with two new and five used cars, I am forcibly led to conclude that any man is better off with a used machine at a given price than a new one at the same price—unless he can afford to buy the very best machine on the market. It makes little difference whether he has \$500 or \$5000 to invest There are bargains in used cars at \$5000 just us there are burgains at \$500. It is true that \$500 will buy a new muchine that is well worth the money; but \$500 will also buy one of several used machines priced originally from \$800 to \$1000, and only about a year old.

Also \$500 will buy a twoyear-old car originally listed at about \$1500, and a threeyear car catalogued at \$2000. There is reason for pause here. These older, better machines have points of appeal that the glataning varnish on the new \$500 car cannot gloss over in my mind's eye. The \$2000 car is still a \$2000 car. To be sure, it is a car with a certain definite percentage of

its life already lived, but still a \$2000 car

Additional Advantages—Power and Good Looks

The lines are not quite modern, but they possess an air of refinement that the cheaper car must inevitably lack. But the car's performance interests me most. It runs without effort. It sides along at 50 miles an hour as though that were its customary gait.

It devours the hills in a way that thrills me. On rough roads it possesses a stability that is both satisfying and reassuring. It is a thoroughbred and a bargain at the price.

One final point in the argument is the solution which the used car offers to the man who dearly wants a closed car, but who feels that his pocketbook limits him to the choice of an open model. Let him remember that while \$800 will buy one of several new small open cars of reasonable merit, this sum will also purchase a used sedan or coupé only a year or so old

Odd Items of Science from the News of the Month

Swarms of Migrating Mosquitoes Capture Ocean Liner

OVERWHELMED by vast clouds of victous mosquitoes that drove blinded passengers and crew from the dacks, the steamship Spokans is said to have had one of the oddest maritime adventures in history during a recent trip from Skagway to Seattle.

The wind-blown millions of insects descended upon the ship too suddenly to permit the closing of doors and portholes. The windows of the pilothouse were covered so thickly that it was impossible to see. All the crew and passengers were forced below decks, but even there they had to fight for breath in the midst of a whirling mass of stinging insects. A black bear, tled near the forecastle, was so maddened by the myriads of bites that it jumped overboard, and was hanged by its chain and collar. Within a few minutes the wind subsided, and the clouds of mosquitoes were seen to pass away to leeward



from the decks with a hose save for a bottleful that Captain Wallaby

brought into port to prove this addest of sea yarns.

At the time of the attack the Spokane was a hundred and fifty miles from shore. The mosquitoes were un-

doubtedly sucked up from their breeding-grounds in the Alaska swamps by a small cyclone, and carried out to sea, since mosquitoes seldom fly more than a few hundred yards from their breeding place.



spruce-tree reaches growth in 000 f fore years an oak severity five years. Yet fifty seven million of these slow tree, electral life and industry been destroyed 1916 by forest fires act by careless campers. 7 enormous area is to that of the s of New York and a If this could be prevented it is said that the increase in realty value would amount to nearly a billion dollars

If New York and Pennsylvania Were Burned Flat-

CUCH a calamity would be called the most disastrous conflagration in the history of the United States. Yet this is the area of American forests devastated by fires in the past four years.

The great war deprived Germany of 21,547,520 acres of land. During the same period a total of 56,488,307 acres tion thus accommowere burned in the United States, a dated would be territory equal to New York and Pennsylvania combined.

More than 160,000 forest fires have occurred in the United States during the past five years, 80 per cent of which were due to human agencies and therefore preventable. The 2,000,000 feet of timber burned represents an

economic loss of \$85,700,000, and would have furnished material enough to build a five-room frame bouse every

hundred feet on both sides of a road extending from New York City to Ch. cago. The popula equivalent to a large city the size of Cincianuti, New Orleans, or Kanssa City


It is careless picnickens who cause the greater proportion of these fires.

Shifting Sand Covers Farms and Railroad

A FTER fighting night and day to keep their tracks free from windblown sand, two railroads running along the banks of the Columbia River, near Wallula, Washington, have given up the struggle and are soon to move their roadbeds to the top of the bluffs, out of reach of the sand. For months teams of horses and scrapers have struggled with the mind.

During the flood season the river deposits sand and silt on the Columbia's banks to a depth of from ten to fifteen feet, and as the water recedes, the wind picks up this fine, rounded muterial and carries it over the surrounding country. On the farm of H R. Ostrom a pen and shed filled with four hundred sheep were buried overnight, and a few branches bearing apples protruding from the surface of the sand-dune is all Eric Johnson can show for a forty-acre orchard.






Science Aided by Machinery Makes Pearl Buttons From Mussel Shells

After being harvested, the shells are soaked in water to soften the flinty coating. The first operation is blank cutting, which is carried out by holding the shell in a gloveprotected hand and pressing against the tempered steel cutting tool







Then the blanks are sorted according to thickness. The hoppers discharge them, on to two rollers set slightly out of pocallel and sloping downward with the

slightly out of perallel and sloping downward, with the widest opening at the bettom. As the blanks slide over the widening gap, they tip into the classifying tanks beneath





Dirt and rough odget are removed by planing the blanks in wooden barrels and churning them slowly in a solution of pumice and water.

When cheaper buttons are being made, con upon send is sometimes used instead of pumice. It is courses and quicker in its action


Through the combined action of steam and sulphuric acid the buttons are given their final high polish and luster in these rotating barrels. Then they are shaken in another and washing powder to remove the acids and moisture.



Three machines change the blanks into histons. Automatic machinery there carries out the desired pattern on the face and drilling machines drie the number of holes to quired. Over twenty distinct move ments of the machinery are carried out in these operations.







Formerly buttons were sewed to cerds by hand. Now these automatic machines do the work. They attach each button in place by a separate wire so that during inspection or while in use, one button may be removed without loosusing the others.

How Caribou Meat Obtained by Airplane Would Increase World Food Supply

Three million head of "Arctic cattle" might be annual kill of aerial hunters

SOME twenty-five or thirty milion caribou are roaming the plains beyond the sixtieth parallel of latitude in northern Canada, while a few degrees to the south, milions of people are demanding cheaper meat. What would be more logical than to bring together this seemingly inexhaustible supply and this equally insatisable demand? And what would be more unique than the plan to do it by means of the airplane?

The caribou are there for the taking, but the big obstacle has been the matter of transporting the mest from

the Arrite Circle where there are no ruitroads to the American dinner-table several thousand miles away

It has now been proposed to hunt caribou by airplane and it is declared that the killing of from one to three million caribou buils a year for meat would not endanger the future of the


The habits of the caribou make it comparatively easy to locate large herds from the air. While a few individuals remain throughout the



It was originally suggested that surplanes be used to sound up the cambou herds and then kill them with machine guns insurated on the papers

winter on the islands along the Arctic coast, big berds, ranging from 100,000 to 500,000, begin to move southward in the fall and so great is their number that it often takes them several days to cross a stream. They have even been known to hold up steamers while they crossed the Yukon.

Some difficulties in the way of this airplane hunting are obvious. Driving a big herd with an airplane traveling at a hundred miles an hour would not be the easiest task imaginable, while



The Canadian Caribon Universition has figured that one calling of these animals could be slaughtered unnually without endangering the species, if only the built were sign

to shoot down the animals by machine gun from the air would make it impossible to save the cows.

The Caribou Commission, created by the Canadian Government to study the problem and its possibilities, has decided, however, that the sirplane can be of real service in placing caribou meat on the market. It is

planned to use planes to locate the large herds and to sasist in driving them to some strategic point where slaughter-houses could be established. With proper handling by sirplanes, for instance, and with cooperation by cowboys on the ground, herds could be located and driven to Baker's Lake, whence the dressed meat would be transported to Port Nelson by motoraled, where connections could be made with the northern terminal of the Hudson Bay Railroad.

My Three Years' Struggle to Perfect a Micrometer

FOR the most part I believe that practical inventions rarely result from inspiration. I have been a mechanic all my life, and have always been troubled with the problem of measuring holes by micrometer, and the success that it brought


me came as a result of long experience, hard work, and

deep thought.

When working as a machinist I was often called upon to produce accurate mechanical fits. The machining of the shaft caused me no difficulty, for I could measure it and know with perfect confidence that the shaft was of correct size. But when I came to make the hole, I was always nervous. I never had confidence in my measurements. This feeling was the real reason for my determination to invent an accurate internal micrometer.

My first decision was that a line contact for measuring By John Bath

"Some find bounty in pure musical turns—athers in the cutoful banches of a masterperer of att. To me, the currectly destined and perfectly executed mechanteal achievement is beautiful. JONA BATH



The internal micrometer is shown above being tested for accuracy with the reference standard that always accompanies at

the bole was essential. To this end I constructed numerous designs, Finally I settled on a micrometer of four jaws controlled by a micrometer screw. A period of over three years of concentrated thought and development has been required for

the perfection of the inven-

The idea of the master ring that is used for setting the micrometer to size in distinctly new and a departure from standard practice, but my first conception of it has remained unchanged. The idea of a deep wall ring lightened with a series of holes, was, one might say, an Inspiration. Nevertheless, I would never have had this inspiration if my years of experience-just like any other mechanic's-had not permitted a painstaking study of the requirements to be fulfilled by the perfected device.

Enlargements of Handwriting Sure Way to Expose Forgeries

French police perfect method to detect work of clever "freehand" forgers

Fall methods of forgery those of the "freehand" experts have been the most difficult to detect. But 'a system lately developed by Doctor Locard, Director of the Laboratory of Police Technique at Lyons, France, reveals the work of "freehand" artists conclusively enough to estiafy any jury. His plan is based on accurate measurements of photo-



"Spent" on the tails of written letters are always an undication of their genumeness. Even an expert in handwriting will foil to copy them exactly

sente sente cornerie

The angle formed between a line drawn at the base of a word and a second line through the center of each letter never varies. This fact condemns the example above on the left, much as it looks like the original hand

graphic enlargements of the suspected penmanship.

Lven a agnature is never written twice in precisely the same way, but each individual bandwriting bas certain constants that may be readlly determined and measured and that are not altered even when a man attempts to disguine his own handwriting, For example, the relation that exists between the average beights of the letters never changes. If a man increases the general size of his hand, he will increase the beight of all the letters in the same proportion. If he is in the habit of making an S very large and an i very small, this relation will persist. If



Laboratory of Director Locard of the Laboratory of Police Technique where the sesence of forgery detection is practised. In the center is the enlarging camera used in this work

Bow pour cing cent frans Sysusset pear

A wonderful example of a ineged check. Yet the counterfeiter failed to be careful in noticing the number of times he lifted his pen from the paper is making the words. No two persons agree on this detail



This "e" was formed from right to left and the peculiarity cost the writer has freedom and 95,000 france. But for the photomicrograph the forger would never have been caught

he habitually writes the last letters of a word smaller or larger than the first, this order will never be modified.

When the angle formed by the axis of each letter with the base line is measured, it is found that although this varies for the different letters, nevertheless the mathematical relation between the angles remains the same.

M. Locard has also discovered that it is exceedingly rare for words to be written from beginning to end without raising the pen from the paper. Careful study of the frequency of these interruptions forms another check on the authenticity of a handwriting specimen.

When a suspected document is submitted to a handwriting expert for examination, he first makes an enlarged photographic reproduction and scrutinizes this for marks of alteration or erasure. Sometimes it is possible to demonstrate that it is a tracing, which

is proved by the perfect similarity of the writing with words written by the person whose hand is being forged.

If these methods prove nothing, the document is either genuine or a freehand forgery, and the measurements outlined are undertaken. In exceedingly accurate forgeries, the results obtained are verified by study of greatly enlarged photographs, which show whether the writer forms certain letters from left to right or vice versa,

One forger imitated almost every feature of his copy, except the fact that in the original hand the small o was always formed by a move-

ment of the pen from right to left. The error would never have been discovered if the police had not examined the forgery under a powerful microscope.

The microscope is also used to detect the presence of what is termed "spears," or the individual little curves that are made in the portion of letters like p, g, and y, extending below the line. A mistake in this detail led to the arrest of a man who had forged a check for 95,000 france.

What Puts the "Pop" in Pop-Corn?

Science explores the inside structure of the kernel


Published by courtery of the American Chemical Society

O you marvel at the action of popcom? Have you often wondered what causes the "pop"? In the many years that popcorn has been used as a food and a confection this question has never been answered until a short time ago when science set out to study pop-corn and its inside structure. Dr. R. H. Carr, of Purdue University, was in charge of the experiments.

In the beginning he believed that popping might be due to the

amount of water contained in the corn. He tried heating corn with varying water content and found that this theory was wrong. Next he studied the proteids, thinking that grains containing the highest protein content would pop best; but again be found that he was wrong. His third experiment, and the one that solved the problem, concerned the rate of besting the corn.

Dr. Carr took thirty cubic centimeters of corn and heated it rapidly. The popping commenced in one mitute



Corn will pop heat when heated for three minutes before the popping starts, according to the results of this test. Too rapid or too slow heating destroys the popping qualities of the corn.

and continued until he had obtained one hundred and twenty cubic centimeters of popped corn. Then he tried the same amount and heated it less rapidly. This time he got a yield of two hundred cubic centimeters. He kept on in this way, gradually reducing the rate of heating. With the final results of the various tests before him, he studied the contents of the test-tubes shown in the illustration.

It was a simple matter to see that the largest volume of popped corn was produced when the grains were heated slowly for three minutes before they commenced to pop. Shorter and lopger heating periods reduced the production proportionally.

To complete the tests both chemical and photomicrograph examinations were made to ascertain the reason for this action. It was decided as a result of these tests that when the corn is heated too rapidly the starch in the cells does not have time to become gummy—or as the scientists call it,

destrinized—before the popping takes place. Therefore the starch should be allowed three minutes of gradual heating

The chemical change of the starch to dextrin is accompanied by a considerable dilation of the cells of the corn. These cells are filled with steam, produced not by the water in the kernel but by hydrolis—the forming of water from the constituents of the corn. As the steam increases, there comes a time when the pressure is too great, and the "pop" then takes place.

The Oldest Ship that Sails the Sea

A CURIOUS assemblage of ghosts might walk the decks of the little three-masted vessel, Success, at present making a tour of the world. She was launched in 1790, at Moulmein, British India. Princes, nabobs of the Orient, and rich merchants of India, insecrable convicts doomed to years of torture, and finally the royal personages who have visited the hulk in recent years, would constitute the phantom crowd.

To-day the Success is a museum upon whose decks are exhibited the instruments of torture employed while



An old from these on the Success. It is made of strips of beaten from

the ship was used as a convict transport and prison. Until 1802 it carried rich cargoes of spices, aromatic tess, ivory, and valuable products of the East. Then it was converted by the British Government into a convict ship, on which sentenced prisoners—many convicted for the most trivial offenses—were conveyed to Botany Bay, the convict settlement in Australia.

The vessel has a tonnage of eleven hundred, and is 135 feet long with a thirty-foot beam. The solid sides of Burmese teak are

more than two and one bull feet thick at the bilge. The between decks and the lower deck are fitted with dark, narrow cells, and there are two "black holes" in which the prisoner could neither sit down, stand upright, nor recline. The alanting side is worn smooth where the desperate victim tried to get a foothold as the ship rolled in the sea.

Over fifteen million visitors have inspected the vessel, and many notable



The convict ship Success. The arrowheads mark it as a prison ship

persons, the late King Edward, of English among them. It is now used as a floating museum, circling the world under its own canvas, in the interests of prison reform. The arrows on the side of the bulk indicate to all and sundry that it is a convict ship, the broad arrowhead being an insigma that was also branded on the paim of the convicts' hands and that is still used on the prison ciothes of English convicts.

How Hot Is the Ash of Your Favorite Cigar?

This test of its temperature reveals its quality

F all the quanties that are essential in a good rigar, none is as imporan the "burn." This term includes many points, the most important being evenness of burn, color, firmness, and coherence of ash. and fire-holding capacity.

Chlorides in the tobacco tend to prevent complete combustion and the forming of products injurious to the flavor and aroma. On the other hand, the exchonates of the alkalies, particularly of potessium, ald the combustion and increase the fire-holding capacity.


In order to study carefully the action of the various salts upon the course of combustion of the cigar, a knowledge of the temperature of the burning cigar is necessary

The United States Bureau of Plant Industry has developed a method of determining the maximum temperature within the burning cigar

Thermocouples were composed of the following wire. Platinum 0.01 cm, and 0.015 cm. In diameter, and platinum alloyed with 10 per cent, thodiam of the same diameters. The potentiometric method of measurement was used.

In order to eliminate conduction and leakage, only couples composed of very small wires were used, so the platinum-rhodium couple was chosen.

A small glass capillary tube drawn down to a point was thrust through the eigar at a point about 2.5 cm. from the tip of the cigar. One of the wires of the couple was then passed into this



The quarry of a cigar was be never amon by these sensuive instruments which measure the temperature of the butting tobacco

		TAB	LEI		
	Couple N 1 Degrees	County No. 2 Deginer		Couple S I Degrees	Couple N 2 Degrees
Cigar J Cigar J Cigar K Cigar L	#36 #85 ##6 #23	867 867 87 87	Carar M Cgar N Capir O	601 524 201	#15 #02 #10
		TABI	I.JK 11		
Court Court Logar	711	668 6.79	Cigar II.	47d 80J	706

Table I shows maken our temperature records for seven makes of cigars. Table 11 gives maximum stationary temperatures in the ash between pulls

tube and so through the cigar, the tube withdrawn from the cigar and removed from the wire, and this wire joined to the other wire of the couple by are welding. The point of junetion was then pulled back to the center of the eight and the small holes around the wire plugged with paper pulp. In this way the junction was located in

The apparatus was adjusted and the cigar lighted. As soon as a temperature near 300° C, was indicated. readings were taken of the highest temperature reached during the puff, and of the temperature in the coal of the eight about thirty seconds after the puff. These latter readings were taken to determine whether the point of highest temperature had been reached as Indicated by a rising or felling temperature.

The time Interval between puffs was one and one half minutes and the duration of the puff was from five to sight seconds. An attempt was made to keep the draft and, consequently, the rate combustion. of normal. When the temperature indications began to decrease on successive pulls, the other junction was switched into the circuit and a similar set of readings taken. couples, as taken from the


ash, were usually check-standardized with bolling sulphur as a reference

The platinum-rhodium couples were selected of different sizes of wire in order that any great lowering of temperature due to conduction along the wires might show up a consistently low reading of the larger couple.

Thirty-five Hundred Varieties of Human Hearing

TACK of good hearing is often due to lack of ear Many people education. who do not hear easily may educate their ears.

With the use of the apparatus here shown, it has been found that human hearing is divided into thirtyfive hundred classes. normal ear can hear the sound produced when fingers are stroked across a piece of paper. Ears that cannot bear it may have their degree of hearing determined



After this apparatus determines the exact status of your bearing, a receiver is designed to sid any particular fault

by the apparatus illustrated. Later a receiver is designed that will aid that particular condition. It is possible to correct all defective hearing. with the exception of congenital deafness.

The sound educator acts directly on the basiler membrane, which is that part of the ear where the sound accommodation is effected. It increases the vibration to a point where maximum hearing in brought about for all types of ears.

Inside Workings of the Battleship "New Mexico"



Popular Science Monthly publishes above the first picture to be made public showing the interior construction of America agreatest fighting unit—the all-electric New Mexico

the New Mexico, the United States navy has the honor of possessing the first electrically propelled battleship in the world. Added to this distinction and making it one of the most formidable fighting units in service, are its heavier guns, wider cruising radius, and greater maneuvering ability

The propeding machinery of the

New Alexico consists of two steam turbines of 17,000 horsepower, driving generators to supply power to four 7000 horsepower motors. The

motors are connected direct to the propellers and turn them at the rate of 170 revolutions a minute, equivalent to a speed of twenty-one knots. Three other turbo-generators of small capac-



General arrangement of boilers, turbo-generators, control suritchboard, and propositing motors on the electrically driven New Mexico

ity furnish the necessary current for the multitude of electrically driven machines and accessories.

Steam for the turbines is produced by nine oil-burning boilers. The small

The World's First Electrically Driven Fighting Ship



HOW BY THE PARTY OF THE PARTY O

In the Maryland, now ready for her sen trials, the steam turbines are in the center, with the boilers along the side

drawings show the relative position of the boilers and propulsion machinery in this ship and in the later vessels of the same class. Bunker space is provided for a million gallons of fuel oil,

Photograph of the New Mexico with one side partially cut away to show the relative positions of the new electric drive, the erew's quarters, and the fuel space

which is sufficient to give the ship a cruising radius of 10,000 miles.


The Acr Merico is an electrical ship in every meaning of the word. In

addition to being the direct propelling force of the battleship, electricity is used to operate loud-speaking telephones, gyroscopic compass, steering-gear, anchor windlass and all the

winches, air compressors, ammunition boists, range signaling apparatus, and the movement of guns. Electric heat is used in the kitchen and in the laundry and all the mechanical departments are motor operated.

The New Merico is the first of six battleships of its class. The Maryland is the next to be placed in commission. After her will come the California, West Virginia, Colorado, and Washington.

Picture News of Science Oddities from All Over the World



is a shake without a tail. choice.

play at the London Zoological Gardens and every day a laren growd collecta and waits to see what will sees something good to est in both directions at once and starts a tug of war with itself So far, this

has not taken place, but any one who has trouble making up one mind should pity

this animal

IN 1920, 1,234,222,589 persons traveled by railroad, and 4,932,000,000 by automobile.

Automobile Takes the Sky Line

STRAIGHT and narrow was the path followed by Harry Pist when he drove his ear across two metal bars that counected the roofs of two seven-story buildings. Had be wavered, he and the carwould have crushed to the street.

Keep Small Screwe in a Salt-Shaker

USE a salt-shaker for small screws and tacks. Above, you see an old glass salt-shaker that is partly loaded with amail screws. When the owner wants a few screws he shukes the shaker and out they roll. This is much easier than the mann procees of hunting through a bux of anantied screws.

B. A. Rhodon, of Chiengo, is resounsible for the idea. He builds optical instruments and small elocks, in the assembling of which tlay acrows are

AMERICANI est twoive times as much sait as they need, but the excess does little harm. Scurvy, which was the purgue of salling-ships on long voyages when the diet consisted of sait meat exclusively, is caused by the absence of vitamines and not by the azcess of salt.

песованку

Cheetaha Are Trained to Hunt in India

IN forms and Ceylon the cheetah is used for hunting just as some breeds of dogs are used for the same purpose in the United States and enewhere. In fact, while the cheetab resembles the leopard in many respects, he really belongs to the dog family.

The natives train him to chase an animal and hold it at bay until the hunters arrive. The picture below shows a cheetah

travelleg to the hunting-grounds in an ox-cart.



Matives of India taking the cheetah to the forest to hant game

Lobsters Caught Fresh from the Sea

PICTURED below is a boatlood of lobsters, fresh caught and lively. There are over a thousand in the heap, and if the next lobster-pot is so full as the last, there will be no room aboard for the crew.

Notice the heavy glaves worn to protect the hands in lifting the lobsters out of the pots in which they are caught. This boatload. is an unusually heavy catch even for the Maine coast in the height of the season



A builtiest of lobsters on their way to the fishmonger



Lamp Lights as a Signal to the Waiter

NOTHING more nor less than a life-saver in this attle lighthouse. Every one knows that after the dinner is over, the waiter vanishes, and one waits in vain for the check.

With this lamp you can signal him by pushing a button. There is no need to whintle as loudly as you dare, or accidentally drop a fock, or glare about, until one of the waiters finally notices that something is wrong, and comes to see what it is.

Pushing a button lights an electric lamp in the top of the lighthouse, and when the waster seen it burning, he knows you want him.

If fish are frozen quickly, as by immersion in brine tanks at 10° P., the flavor and physical characteristics of their fiesh are unchanged. After thawing they cannot be distinguished from fresh fish. This method of rapid freezing is being used to improve the flavor and quality of coldatorage food.

Europe Going in for Skyscrapers

BERLIN is the city that will give Europe her first real akysemper. It is to be twenty-two atories high, and, as the illustration shows, will be an impressive building, of typical American construction.

Although this skyseraper's chief reason for existence is to house a railway station, the building will be used also for offices, a moving-picture palace, and restaurants.

Note the suggestion of ornamentation that softens the architecture of a strictly utilitarian building. New York City has several striking examples of such a combination.



She Is Testing the Perfume of Flowers

IN hotony classes where the student is trying to distinguish the perfume of one flower or plant from another it is advisable to eliminate all other odors. It requires intense concentration to do this without the help of the simple device shows in the clustration

The name need fit tightly to the face and is connected with the mouthpless into which the flowers to be tested are inserted. Then, only those perfumes are conveyed to the name that originate in the plant being studied. The device is used in English botany schools to estimate the varying amounts of fragrance emitted by varieties of the same kind of bloom grown under different conditions.

Do you know that, in proportion to its size, Caylon produces a greater quantity of graphits and of purer quality than any other part of the world?



Europe's first shysexmer will have a radiond station a movie, and caffe.

Dwarf Automobile Moves Punch and Judy Show


ONE of the favorite amusements of English children is the Punch and Judy show. A Londoner is the father of the modern Punch and Judy on wheels. He has set up his theater on the bond of a tiny five-horsepower automobile, and tours the country districts of England, giving a performance by the read-aids wherever a growd collects.

The night of this novel vehicle moving slowly through the atreets never fails to gather a large audience of children.

Was This the Start of the Trailer Idea?

THE village bus-draver of Sodus, New 1 ork developed the first trailer to be used in this country, according to the claim of his fellow citizens. He started the idea over twenty years ago and used it successfully to carry baggage. The trailer shown in the picture was used by its originator's successor

At the time the trailer was built there was not a firm in the country making them. All work on it was done in the village blacksmith shop.



Punch and Judy on wheels is a new idea for the theatment world




The hear trader send to this country was fur carrying grundes

74,000 Candlepower Searchlight for Night Surveying

A MODIFICATION of the surveying search ight has been designed by E G Flacher of the United States Count and Geodetic Survey. This instrument is used to mark the triangulation points in surveying triangles the sides of which are from ten to one hundred mues in length it is also used by surveyors at night or when hampered by fog or smoke.

The newest model is light and portable, economical in current consumption, and with highly concentrating reflecting power



Geodetic nurveyors are using this powerful searchlight for night much and in fuggy and similar accomplisives

The source of light is a comparatively small incandescent bulb rated at 3.7 volts, 0.6 amperes, but the filament is highly concentrated. Since the light originates from what is, for practical purposes, almost a mathematical point, the reflection secured is nearly perfect, which makes the searchight extremely powerful for its cise and weight. Bureau of Standards tests give the apparent beam candiepower at 100 feet as 74,000 on a current consumption of 66 amperes at 5.4 volts.

Pocket Extractor Pulls Buried Nails with Ease

No matter how far the head of a nail may have been driven below the surface of the board, this pocket-size nail-puller



The himster drives the claves over the new bond and then furnishes the leverage to withdraw the east.

gets it out without fuss or delay. Set its claws over the nail, and tap the top of the puter with a hammer until the claws take hold. Then use the hammer as shown.

Magnetic Crane Shunts and Unloads Cars



ONE of the problems the plant superintendent had to solve was how to unload cars of sheet bars and steel plates at
scattered points in a large plant. The
magnetic crane was the most efficient
method. But to-day a car must be unloaded at one end of the plant, and tomorrow at another, a rate or more away.
Loading costs are reduced by the use of a
reminestion incumplive and crane pictured
above.

No an telling engine is necessary. The locom tive shunts the care and unloads them rapidly at the point where the material is desired. The engine is far more powerful than its size would indicate. It will exert a drawbar pull of 2600 pounds for an hour, 4200 pounds for thirty infautes, and 5400

pounds for fifteen minutes, within limits specified for traction mutors. Its maximum speed is between six and seven miles an hour.

To enable the engine to unload material from cure behind it or on adjacent tracks and to pile it on either side of the rails, the crane has a radius of twenty-eight feet, and is capable of lifting 8000 pounds at forty feet a minute, and of slewing in a complete circle with this load in thirty seconds. The lifting magnet is tested apart from the crane, and is capable of lifting five tons. To give the engine sufficient weight to keep it on the track when the max mum load is lifted, the framework is entirely constructed of steel one lach thick and is strongly braced with heavy angle-bars.



Portable Wash-Basin Folds into Smal Space


RATHER than take a chance with the cleanliness of the hotel lavatories encountered in his travels about the country, a resident of New Jersey has invented a portable lavatory that can be folded up into a space no larger than a magazine.

The laystory consists of a piece of waterproof material stretched loosely between an oval frame so as to form a shallow basin. The frame is held by supports that are made to rest on the sides of the common laystory bowl. The improvised basin hangs free from all supposindings and the user may splash to his heart's content, knowing that there is no danger whatsoever from contamination.

A new piece of cloth costs but a few cents.

Twin Propeller Permits Larger Engines in Small Ships


THE inventor of the double propeller, P J Griffin, of Boston, Massachusetts, claims he has made a distinct improvement in dreigh, since its diameter is only two thirds that of an ordinary propeller of equal propulative force. It will permit the use of



Twin prometters having appointly designed blades make a past of the entrop boats with bagger power plants

a more powerful engine on small boats without danger of "belling," and may be used on any form of marine craft.

The feature of the design is the skilfully calculated curvature of the blades, which are so designed that the rear blade is not subjected to the back wash from the forward screw.



Magnet Salvages Nails from Ocean Bottom

DICTURE, if you can, the endiess task of picking up a million nails from the hottom of the ocean. There is no way in which it rould be done other than the method used -by electromagnet. Some of the pasks containing the nails to the minken cargo were broken with open and their contents spread over the mud under many feet of water, but the magnet got them ail.

The darrick lowaged a powerful magnet over the spot where the ship eank, then dragged it around slowly over a wide area. At intervals the magnet was raised to the top and the accumulation of whole barrels, broken barrels, and loose nails dropped off into a container, by simply removing the current which had produced the magnetic force. It is probable that many of the loose rails were drawn up through a considerable depth of mud and silt.

New Caterpillar Tractor Travels Thirty Miles an Hour

IF course, we have known that a caterpellar tractor can go anywhere, but we never expected it to go there very fast. We thought a man driving a tractor ran about as much risk of arrest for speeding as his brother in a steam-roller But this fractor will do therty-one miles an hour, in spite of the weight of the gun and its load of pas-Belbige M.

The speed is made possible by the use of rabber treads on the tracks and ranber facings for the truck wheels and the two large sprockets in each track. The rubber absorbs the shocks at high speed, and the machine runs smoothly and very quietly

The mount has recently been waterproofed, and has proven itself able to cross




A new army categories concern reswel-thery mains as how and first streams of committee ship depth.

streams where the depth was sufficient to submerce it entirely except for a tube containing the breather and air intake. This rankes the tractor comparatively independent of bridges

Sand-Slinger Does Work of Eight Men

IN sarge foundries a considerable force of mon is needed to ram the sand into the flacks. But before being rammed, the sand must be riddled and all the pieces of scrap thican out,

An electrically drawn sand-slinger does all this work and does it eight times faster than a man could do it. The sand is dumped in one pile on the floor and the machine travels into it in tractor fashion. The sand is taken up by a conveyor to a screen, where all foreign substances are removed automatically. Then it goes into a hopper



pelling head, which drives it with great farer into the mold. One man controls the operation of the entire machine and varies the density of the ramming according to the demands of the ab-

One man can ram about one cubic foot a minute, but this muching completes too cubic feet in the same time




Plays to Spectators

POOTBALL, the game of many rules and many happenings, is no longer the pustue to the inexpert spectator that it once was. That cover-all acceptoard now comes to his aid in practically all of the large college stadus of the country, reporting the game play by play,

The score, the possessor of the ball at the moment, the line from which the ball is to be played, the number of the "duwn," the yards to gain, who "downed" whom and the minutes to play, all appear in big white figures on the board, while a ministure football follows the pury on the big gridfrom by moving up and down and across the "yardines" on the little seplica so as to show every speciator the exact point at which the pigekin is in play

To operate this board at game-speed two men follow the ball up and down the field. wigwagging every play with arms, head and feet to some twenty men who sland behind the board decoding signals and moving markers at top speed.

The Brief-Case Acquires an Extra Handle



THE handle of a brief-case is the part that wears out first. A manufacturer recognized this fact and has brought out a special handle that makes replacements easy. A simple barmiess book on each and of the grip with a shouth to protect the hands from the metal comprises the new

"Alco bronze" an alloy of aluminum and bronze, is said to be stronger than any other bronze. It has the color and luster of



Wheels Open Garage Doors Automatically without the Driver Leaving the Car

BY setting an fron plate in the driveway leading to his garage door, and connecting it with the latch, an ingenious automobile owner opens the door without leaving his sent.


Nothing could be simpler than the method of operation. The doors are held shut normally by a spring tock, but there is always a tendency for them to swing open, caused by powerful springs on each side. From the spring lock a wire cable

leads outside and underground to the steel plate set in the approach. When one of the wheels is driven over this plate, the latter is depressed and the cable is operated. This unlatches the spring lock and the door aprings complete the work by swinging wide the doors and holding them in that position.

To reset the device it is necessary only to push the doors shut and see that the spring lock catches.

Pavement-Breaker for Starting Pipe-Trenches

ENGINEERS of the Board of Water Communication in Detroit have designed a machine for breaking pavements that will gut trenches for water-pipes



This machine length title a pite-driver and can break through fifteen inches of concerts pavesocial a minute.

through a ten-inch concrete pavement base with a great saving in labor cost.

The machine is practically a small piledriver mounted on two short crawler tracturs. While the hammer is on the up stroke, it is moved across the cut. The extreme width of trench possible without moving the machine is six feet. The hammer has a housing speed of seventysix feet a minute, and can be shifted twenty inches between the blows, which are struck every four seconds. It is raised by three tisting spurs on the hammer

The road speed moving from job to job is about a raile an hour. At work filteen inches of pavement are broken up a minute. One operator and a laborer run the machine, which may a fifteen borsepower gasoline engine.

Drydocking Big Ships by Telephone

A N ocean liner must be held precisely over the center line of the dry dock until the supporting blocks are put in place under the keel. Guiding the ship into position is the duty of the dockmaster, who stands at one end with a sighting vane which he alines on the ship's masts. With large ships and modern docks, however, he is too far away from the men who carry out his orders to reach them by shouting, even through a meguphone

A portable telephone is used by which the dockmaster communicates with the power house operating the dock pumps, and from that point his instructions are relayed to the proper gauga, who may be eight hundred feet or more away from the dockmaster Wellesley Has Formaldehyde Closet for Sneezers

SNEEZING is a warning of a cold. At Wellesley College there is a little white, and-lined room that is guaranteed to make one specialism and adufficient provided one seeks it in time.

When the twitching nose is first felt, a trip to the "coryen closet" is immediately



College girls go on this first aid cleant when a source focusells up included only

made. Here the furnes of formaldehyde and streatyptus oil are inhaled. The tight-fitting door prevents the escape of the furnes and if the patient remains in the place for a few seconds, there need be no fear of the cold getting beyond the first stages.

An Electric Generator for the Motorcycle

A MAKER of motorcycles has appeared on the market with an electric machine that includes in its equipment magneto ignition and a generator furnishing current for headinght and tailinght.

The generator is awang low between the gear-box and the rear wheel and is driven



Who ever he spreed of the moreoveyte has generated will keep the bradlaghes evenly discounted

from the engine by an endless leather belt. A voltage regulator controls the voltage of the generator at varying speeds and is so designed that full illumination is supplied to the lights when the motorcycle is traveling at six miles an hour

Chemicals Render Zoological Specimens Transparent

M EDICAL students would have less difficulty in learning anatomy if it were possible to render an organ, such as the heart, transparent, so that all the vers and muscles in the interior could be seen in their natural position. Now M. Jezequel, for forty years a soologist at the Sorbonne, has perfected a method by which flesh can be made transparent.

The specimen is dehydrated by immersion in alcohol, and is then carefully impregnated with methyl salicy are. After this treatment M. Jezequel clauses that the

C Keyston: 1 ldw Company



M. Japaguel inventor of a chemical process which makes finds transparent

timum become transparent, while the veins and arteries are pininly visible by reason of the congulation of blood within them, which renders them opaque. The degree of transparency is said to depend on the purity of the methyl subcylate employed.

A Three-Horsepower Motor Drives Ferryboat


ON the Peetee River in North Carolina there is an electrically operated ferry-boat that is controlled by a motor on board. The motor, which is of three homepower, two hundred and twenty volta, is con-



A three-horse-gausee master operated from an overhead. In the way offers a best across the Peedee Roses in Morth Corollan.

nected by a series of sprockets with a cable-drive that enables the boat to cover a distance of seven hundred feet in two and a half minutes.

The ferryboat is large enough to carry eight automobiles at a time. It is equipped with a telephone that enables travelers to communicate with people on share in case of trouble



Census Returns Are Sorted with a Magnet

THE first step in tabulating census returns is to sort the muscellaneous information obtained in the field into its main beadings. This would be an almost endless task if done by hand, but a magnetic sorting machine will handle 45,000 cards an hour and never make a mistake.

The information is transferred to specially prepared numbered eards. In classifying men by their occupations, for example, the fact that a man is a printer a indicated by punching a hole at number 4, if he is a tawyer, number 6 is punched, and so on. The cards are then placed in the hopper of the sorting machine and from there pass down between a brush and a roder

When a hole goes under the brush, a contact is made that operates an electromagnet. All the other chutes are held back by a pawl that is part of the armsture of the magnet, and when the opening corresponding to the number punched teaches the eard, it slides through into the proper compartment.

Plumber Turns Surgeon to Save Workman's Life

WHILE repairing an elevator, a workman in England was struck by a steel rod which entered at his shoulder and left by his knee, pinning him to the floor After the man was freed by cutting the bar with a hacksow, it was found that he had three and a half feet of steel taking in his body. The surgeons had no tools for removing a body of this size, so a plumber was called in. He put on an operating gown over his overalls, sterlinged a stillson wrench and a pair of gas pliers in the usual way, except hold of one end of the rod and withdrew it from the wound without mishap. The victim recovered from this strange operation and is expected to live.

Sidecar Takes on Novel Shape to Advertise Shoe-Store




MOST Americans think that the rest of the world follows after them when it comes to advectuage and in the main it is true, but the picture above shows what our British cousins can do in that line

A certain shoe-repair store owner in England utilized his adscar for advertising purposes by having it built in the shape of a huge shoe with his name painted on.

Testing Depth Bombs with a Pile-Driver

EXPLODING depth bombs in the woods is the letest experiment tried by the lined States navy. The homb is placed between two trees to which a pile-driving outfit is attached in the manner shown below. The weight at the top is dropped on the bomb and it has the same effect on the bomb as water of a corresponding



Depth bombs are tested by dropping a beavy weight door them from a great height

depth. The weight is dropped from varying heights and thus the effect of water pressure is found.

From these experiments in a forest near Tacoma, Washington, data are being obtained that will prevent accidents from the premature explosion of bombs.

How Your New Automatic Telephone Will Work

Nearly every home in America is going to be its own exchange

By Raymond Francis Yates

VITHIN a few years telephone operators will be as scarce as horse-car drivers. With automatic telephony, you have only 12 manipulate a dial at the base of the telephone, All kinds of little "jiggers" at the telephone exchange dance around rapidly, going about their task of connecting your line with the number you are calling. The number called is recorded, an idle trunk-line between the exchanges is found, the proper line is picked out at the distant exchange and the bell of the distant telephone is rung.

In place of giving the number to the operator, you will "dish" the number. The dish is located at the base of the telephone and by its use electrical impulses are sent to the telephone exchange which cause the mechanism there to perform certain functions.

To operate the automatic telephone you first lift the receiver from its book and hold it to the ear. A certain tone is then sent through the receiver that will indicate that the instrument is ready for use. After that you start to dial the number.

Assume that Pennsylvania 5280 is the number you want. You place your finger in the hole in the dial marked PRS (the R and S are ignored in this case). The dial is turned in clockwise direction until your finger comes to the stop. At this point you remove your finger, and the dial automatically returns to the normal position. Your finger is next placed in the hole marked E and the dial is again moved around to the stop and allowed to return. The same operation is carried out for the

After the call is dialed the subscriber listens for a ugual. If the line is clear, he hears the bell of the number he is calling. If the line is busy, he receives a "huty" signal.

letter N, and for the number. Only the first three letters of the exchange are "dualed" This makes seven times that the dial must be turned and allowed to return to its normal position.

When you lift the telephone receiver from its hook, a number of little husybodies at the ex-


change get into action, select your line, and automatically connect it with an idle "sender." When this is done, you are notified by a gentle tone in the receiver. As you disk, the signals are received by the sender, which registers them. The sender then directs a 'district selector" to find an idle trunkline between the first exchange (Garfield) and the exchange being called (Pennsylvania).

The district selector, possibly one of the most "intelligent" parts of the whole system, searches busily through hundreds of trunklines until it finds an idle one and instantly connects it with your line. The end of the trunkline it finds is connected automatically with an


"incoming selector" in the Pennsylvania exchange. The sender that first recorded your number and found a trunkline for you, now continues its work and causes your line to be connected at the Pennsylvania office with the "final selector."

The actions of the final selector at the distant office is still controlled by the sender that you leased when you picked up the receiver

At the final selector in the dutant office, the line of whatever subscriber you are calling terminates, and it is the duty of the final selector to search quickly through the multitude of lines and find the one you are calling. At the very instant it is connected with your trunk-



ing the letters GHI. The HI would have nothing to do with the call. The dial would then be turned until the finger came to the stop and then a would be allowed to return. The same operation would be followed out for the AR and the numbers 225



All the subscriber lines of the automatic exchange terminate at what are known as the "final selector" and "line finders," When a call is received, the selector faithfully and rapidly

line, the connection is completed.

When the connection is completed, you can hear your called subscriber being rung. When the bell is rung, a gentle humming noise is heard in your receiver. If your friend is not home, you hang up the receiver. If the line is busy, the final selector soon discovers the fact and a "busy" signal is

sent back to you.

It is interesting to note the method of routeing a call if you happen to call some one in your own exchange. In such a case, the call is routed from the district selector in the office to the "final selector" in which the desired subscriber's line is located. At the instant the conversation is completed and the receivers are hung up, the entire mechanism used in making a call returns to its normal condition and is ready for another call.

Since you are familiar with the present system of telephone operation you will immediately recognize the similarity between it and the new automatic system. The operations are the same. In the one case they are performed by a human being; in the

other by mechanism.

The installation of the automatic telephone system in the United States is a tremendous task. It will be years before the great job can be completed. In New York alone it will require several years to bring the system to a perfectly automatic basis. Several cities in the country now have the automatic system, but none of them approaches New York city with its ninety exchanges. The first office in New York city to be changed

but none of them approaches New York city with its ninety exchanges. The first office in New York city to be changed from the manual to the automatic system will be the Pennsylvania exchange. This work is now in progress and will be completed early in 1922.

Some one will ask: "What would happen if a subscriber in an automatic exchange called a subscriber in a manual exchange? In such a case, the automatic apparatus would act in the same manner described above in finding a trunkline to the distant exchange. At the distant exchange, the number would be flashed on a "call indicator" before the operator, who would then complete the connection with the cord in the usual manner.

In just the opposite case—that of a subscriber in a manual exchange desiring to speak with a party in an automatic exchange—the number would be given to the operator in the usual way. The operator would then cause the automatic apparatus in the distant exchange to function by pressing certain buttons, which would be an operation similar to that of "disling" a call. When the automatic apparatus had established a connec-



The hell of the receiving telephone is rung at intervals. If no answer is fortheoning, the receiver is hung up after a reasomable time has elapsed

tion between the party being called and the operator, the operator would then complete the connection to the calling subscriber in the customary manner.

The world is about to enter upon a new telephone era. The past five years has prepared the ground for a complete revolution in present-day methods of communica-

tion. Within a few years' time we shall be able to pick the telephone receiver from the hook in our homes, and be connected by radio with any point in America or continental Europe.

To-day the telephone subscribers in the city of Los Angeles can talk by telephone to subscribers in the Catalina Islands, although there is no direct wire connection. The gap is covered by radio. The telephone exchange on the Catalina Islands is connected with a small but powerful radio transmitter and receiver, and this outfit is dupli-


in New York would be able to carry on a conversation with a party on the Catalina Islands.


Probably in the future, when

cated at the Los Angeles exchange. In fact, a person

radio really comes into its own in telephonic communication, there will be a button on the dial bearing the word "Radio." When this is pressed, the subscriber will be placed in communication with a powerful radio telephone station, which will be capable of flinging the voice to the far corners of the earth

The automatic telephone is in use in a number of cities in this country at the present time, but New York is faced with a job many times greater than that heretofore attempted in changing a city from the old to the new system of exchanges. There are over one million telephones in the city of New York and ninety exchanges are required to accommodate them. This is the greatest network of communicating wires in the world, and several years will pass before the big job of making a change is completed.





HIPPEL

Famous Character Expert Analyzes Composite Portrait of America's Great Scientists


If your brow is narrow, head broad, eyes blue, and chin long, you have the typical features of the inventor

THE composite photograph of famous American accentists and engineers, shown on the opposite page, has been analyzed for Popular Science Monthly by Kntherine M. H. Blackford, M. D., expert in character reading.

The significant features characterising the inventive genius are the prominent, well modered nose, the strong jaw, and the peculiar shape and breadth of the head (noticeaule in the individual portrait of Thomas Edison). The immediate agn of the man-who-will-succeed lies in the long

chin and square jaw, which indicate unusual resolution and tenacity.

"The general expression of this remarkable face," Dr. Blackford pointed



out, "is that of a likable human personality. The mouth is sensitive as well as firm. This typical inventor is not one to be cranky or sour, or to fly into petty rages over trifles. He has hope, optimam, and faith.

"But one of the most striking things about the face is not evident in the photograph. Practically all of these men are blonds. Some of them have dark hair, to be sure, but nearly all have the blue or gray eyes. I should say that investigation would show 95 percent of successful inventors to be blue-eyed men."

Notice the narrow brows, and that the head broadens above them until its greatest width comes at a point fully an inch above. Note especially the width of the head above the ears.

It is this feature, chiefly, according to Dr. Blackford, which stamps this composite portrait as that of a scientist of the creative type,

Traveling Laboratory Tests Small-Town Water and Milk Supply

MODERN public health service is dependent on laboratory determinations for much of its effectiveness in the control of contagious disease. The testing of water and milk supplies, and the examination of blood, sputum, and throat swabs are outstanding examples.

While this work is performed quickly and accurately in large cities, the work of doctors in small communities is handicapped because of the difficulty

In getting the samples of water and milk to a laboratory without the danger of unreliable results due to changes in the condition of the samples.

The method heretofore in use was to put the samples in tightly nealed bottles, pack them in a box full of ice, and ship them by express to the city bos-This worked all right if distances were short and the box went through without delay. But frequently delays occurred. It is often very important to get results quickly so that the bealth authorities may make the necessary corrections at once. A few days' additional use of a contaminated water supply may turn a few scattered cases of typhoid into an epidemic.

In order to preserve health at the summer resorts of Michigan, it was decided to design and build a laboratory that could be taken to the place where it was needed. The result is the laboratory truck shown below.

This consists of a light truck chands with a special body which is a marvel of ingenuity in the arrangement of the space and in the provisions for taking care of the delicate glassware when traveling over rough roads.

While everything necessary to a first-class bacteriological laboratory is provided, there is plenty of space for the laboratory worker. At the rear is a copper water-tank of twenty gallons capacity, filled through an opening in the roof. The sink is on hinges and folds into the supposed on the right.

Near by is a compartment in which the sternizer and other articles are kept, and three stacks of drawers in which 'glassware, instruments, etc., are packed in cotton or felt-lined racks.

A gasoline-operated Bunsen burner furnishes a satisfactory heating flame for the laboratory. On the left is a folding workbench carrying at the rear a pressure cooker to be used for steam steribization, and underneath is a gasoline stove by which it is heated

The car has seats for four people and room for baggage in the rear. A small tent is carried on the running-board and becomes the living quarters of the crew when a stop is made.



For health and sandation in rural districts—a traveling milk- and water-testing laboratory





This portable ian is an enemy of mine fires. It draws to the vituated sir and drives it under pressure against the blaze. Canvas strops extending from facto mane roof prevent the entrance of fresh sir from the outside

Mine Fires Extinguished with Blast of Dead Air

the aid of a ventilating fan is a hitherto unheard-of procedure, but the method has been adopted by a copper-mine in Arizona to control air currents while fire-fighters are quelling a subterranean blaze. The greatest difficulty and the principal danger in fighting fires in metal-mines has lain in the clouds of dense smoke and polschous gases that prevent firemen from reaching the seat of the blase.

The fan used is a 36-inch disk blower, mounted on a truck and run by a onehorsepower, 220-volt motor with a apeed of 510 revolutions a minute.

The capacity of the fan steelf is 6700 cubic feet of air a minute. The fan and motor occupy a position slightly offside the center of the truck, the

FIGHTING a fire underground with protected abell of the (an being flush the aid of a ventilating for it with the to the shell of the air-circulating medium is a square strip of canvas fitted with automobile-curtain faateners, and lying loosely on the truck are several similar pieces. Having fastened these curtains together, securely staked to the nearest timber set, they constitute an effectual cloth stopping. with the fan in the center. Wire connections are available for linking the fan to a convenient electric circuit.

By suitable location of stoppings, constructed of canvas or similar cloth, the emergency fan can be coaxed to surround the area of the blaze with a blanket of gases, low in oxygen and high in carbon dioxide, which have been generated by the fire itself.

Repairing Chair-Seats while You Wait

PADDED chair-sent that can be A purchased as a complete unit and installed in a minute's time might well be called the upholsterer's enemy. An inventor who lives in New York has succeeded in perfecting a chair of this description.



A strip of wood, two screws, and a screwdriver make this chair as good as new

the seat with its wooden base and its padded cover is accompanied by a crosspiece with screw-holes already provided. The sent is placed on the chair; the proseplece spans the chair sides, and the two screws finish the job.

For the father of a family of growing children, this is a wonderful moneysaver in the never-ending task of renewing broken furniture.

Flies Thirteen Yards in Plane Propelled by His Feet

FTER many attempts. A several of which were almost successful, Gabriel Poulain, a Frenchman, bas finally succeeded in winning the famous Paugeot prize of ten thousand france offered to the first person who could fly a distance of ten yarda in a motorless Poulain's prizeplane. winning "hop" spanned a distance of about thirteen yprds.

The aviette consists of a common bicycle on which two planes are attached. One of the wings is fastened

to the seat and the other to the front frame of the bleycle. The area of the wings is about 175 square feet and the weight of the machine complete is approximately thirty-seven pounds

The operation of the aviette is extremely simple. An unusual leg development is the only motive power re-

the motive power, there

quired. When Poulain made his record flight, he backed off several handred vards as her area nor enlevel and then pedaled furiously to the "take-off" Arriving there and travel-ing at a speed of thirty miles an hour, he slightly altered the angle of the planes. This lifted first the front

and then the year wheel from the ground. The total weight lifted by the aviette was said to be in the neighborhood of two hundred pounds. It has been figured that the muscular energy required for a flight of this nature is close to three horsepower



As he reached the take-off, Poulain had entained a speed of thirty miles an hour

Capillary Oiler Prolongs Life of Bearings

THE increasing use of capillary, or "wick," oiling devices is steadily eliminating lubrication troubles in connection with bearings of all kinds.


In a device of this sort, the oil stays at rest in a comparatively large of reservoir, and is not agitated by the motion of the bearing. The wicks draw the oil only from the surface, so that any moisture or durt that may be in-



In a capturery offer, the wichs draw a constant supply of fresh oil from the reservoir to the bearing

troduced accidentally, settles to the bottom and never comes in contact with the working surfaces.

The capillary pade act like small lamp-wicks, and are held against the surface of the shaft by a spring. The oil is drawn up only as fast as required.



With all facts good and only acid available, a Canadian engineer built this hydrogen gas producing plant to furnish heat and light

Generates Heat and Light from Acid

A FRONTIER post in northern Canada was faced with a shortage of coal, kerosene, and gasoline. There was no chance of getting in new supplies for four months or more, but the owner, Mr. P. d'Aigneaux, remembered that there was a large quantity of acid in store, and after a little thought and experimentation, he improvised the acid power plant shown in the sketch

The source of power consisted of sixteen continuous hydrogen generators of suitable size, each formed of a tight lead tank for the acid. The gas produced was washed, and enough hydrogen was generated for heating and cooking and to run a mis-horsepower stationary gasoline engine, using an explosive mixture of hydrogen and air instead of the gasoline-air mixture. Finally, by treating each generatingtank as an independent electric battery, enough current of low voltage and large amperage was produced to operate the electric lighting.

Later a smaller unit of the same nature was installed on a tugbout. It occupied no more space than the bunkers and boilers.

Camera Photographs Movies on Disk and then Projects Them

WiTH the intention of supplying a motion-picture machine to enable the amateur to take and project his own pictures at a minimum of cost, a firm in Ohio has designed a combination camera and projector, with a

disk similar to a phonograph record taking the place of the usual film.



This combination projector and camera uses a nine-inch duk instead of a film

from the screen, they may be enlarged to life size. In the amateur equipment there is a sufficient number of views to provide a picture of three-minute length. By means of special developing equipment the user may develop his own disks rather than send them to a professional laboratory

For industrial plants or exhibition rooms, where a longer picture might be desirable, the same firm has developed a projecting machine capable of accommodating a disk eighteen inches in diameter. A sufficient number of the minute views may be placed on a disk of this size to equal one thousand feet of film. With this outfit a picture four by six feet in size may be projected a distance of fifteen feet

All the parts are enclosed in a fireproof housing and as only safety film is used, the machine may be operated with perfect security.

The inventors are also working on a synchronizing device to be used in connection with this disk machine that will make it possible to add a phonograph talking feature to the picture disks. In the past, talking pictures have been considered a unique accomplishment, suited only to special


exhibitions, but with this device it is hoped to make them available for the home and school.



For home and school use the righteeninch disk provides an usement for filteen minutes

As a special service to readers, the Editor will be glad to supply the numes and addresses of manufacturers of devices mentioned in Popular Science Monthly

On request, the Editor will be glad to furnish the names and addresses of manufacturers of devices shown in Popular Science Monthly



This Dumb Auctioneer Permits Silent Bidding

KEEN competitive bidding marked the first batter suction to be held in Serin since the war, but you could have beard a pin drop at any time. It was a steat suction, and the suctioneer was not a man, but a machine invented by Harry Vorght.

A huge dral was placed in plain sight of every hidder. The outer circle was divided into a hundred perts, numbered to correspond with the marks bid, and the center of the circle was occupied by a huge electric annunciator. Attached to the desk in front of each buyer was a miniature dial whose figures corresponded to the big one on the wall.

As soon as a buyer wished to bid he turned the pointer of the dial on his desk to the figure be desired to offer. The pointer of the big dial marked the same sum, and a flashing light on the annunclator indicated the seat number of the buyer bidding

New Pestry-Cutter May Be Bent Into Many Shapes

WHETHER It be a convention or a child's birthday party, this initial-cutter does its bit in making of the occasion



With this postsy-cutter an infinite variety of letters and distant may be worked out

or the person something extra special. Besides the actual initials, of course it is simple to work out all manner of designs.

The shape of the cutter is shown in the illustration. There are smaller cutters that are suitable for cutting initial needles.

Moist Drying of Vegetables Retains Their Flavor

BY means of the moist-air process of dehydration recently perfected, you can carry home a bushel of potatoes as easily as the evening paper and eat frosh peach-pic throughout the peachless winter months.

Drying food is probably the oldest method of preserving, but in virtually all



A musther of chaffon traps over a pubusing dry the acceptables without descroping their flavor.

the old processes, the dehydrating factor has been warm dry air. Inseparable from this has been a hardening and supturing of the food cells that permitted the ascape of much of the flavor, color, and aroma. Although the dehydrated foods were very convenient, they fassed to regain the attractiveness of their frosh state when cooked

Extensive tests made with the moist-sir dehydrator are said to demonstrate that food can be preserved so perfectly that connolmeurs cannot tell dehydrated food from tresh.

The apparatus for moist drying is an ovenlike device of sheet aluminum that fits over a stove-hurser. Twelve shallow trays for holding food fit into the device like shelves. Beneath them and directly above the source of beat is a water-pan. The sides are pierced at the bottom with air vents.

As dehydration progresses, air enters the vents, passes over the water-pan for humidifying, rises through a pyramidal-shaped central region, and branches right and left among the food trays. Openings are provided to permit its escape through the top.

Drying by slightly moistened air does not rupture the walls of the food cells, and although the water is clowly withdrawn through their membranous structure, the cell walls retain every quality of nutriment and flavor. Savings in weight and bulk range from 16 to 92 per cent.



Picks Up Thirty Pounds of Apples
a Minute

THE fruit-rancher must have a large orchard for this mechanical apple-picker, or the job of gathering the windfalls will be over before he remizes it has started. On the large ranch, it makes a task that was once a slow, backbreaking job a positive pleasure.

The machine picks up every apple lying on the ground as fast as it can be wheeled along, and if the apples in thick enough it will handle thirty pounds a minute, all without bruising or damaging the fruit.

Artificial Rain Produced by Pump on Truck

HERE is a real rainmaker, concerning whose efficiency there can be no doubt. It provides refreshing showers for the sugar-cane plantations of Portuguese East Africa by carrying water from gigantic tanks to appayers high above the cane.

The tanks supply the artificial rais at the rate of twenty-two hundred gallons an hour, which is fast enough and heavy



Orowers of sugar-case and this track to throw outer high in the pir over the plants

enough to make the planters independent of the weather. Better results have been obtained by having the water full from a beight than by brigation, since it is important to wet the stalks as well as to soply the roots with moisture.



With his grinder set up on the handle-burn thes thousant gets his power from the rate wheel

Workman Drives Scissors-Grinder from Bicycle

This accommender decided that knives get dult in the suburbe just as rapidly as in the city, and mounted his grindstone at his bicycle so that he could cover a large tecritory cheaply and grind by power at the same time. He worked out the attachment homself


When he gets a job, the rear wheel is raised by a folding meter-blue stand. The grindstone is mounted on a stay between the handle-bars and the power is transmitted by a belt from a spindle soldered to the spokes of the rear wheel

RAILWAY-CARS of reenforced concrete in one of the patent applications filed at Washington.

Mechanical "Cop" Flashes Light Eighty Times a Minute

FLASHING eighty times a minute, day and night, this mechanical traffic policeman with its acceptene famp guides the traffic around the husy crossing near the southeast gate of the White House in Washington.

It has been found that drivers are less liable to overlook a flashing light than one that burns steadily. The lamp is similar



An illuminated "when policemen" directs traffic for an months multiple attention

in principle to the flashing acetylene buoys used to mark the limits of shoals in cosports. It will run for six months without attention. The lamp throws a green light.



Cleaning Ice-Covered Windows by Electricity


"WHEN icicies hang by the wall" you can be sure that they are hanging by the window too, and that the outside of the window is most likely covered with ice. How can you remove this ice while the cold weather persists? Use one of the new electric window-cleaners recently invented by A. L. Coukey, of Hartford, Michigan.

It consists of two electrically heated arms that fit against the inside and the outside of the window-pane, and that can be moved up or down. †Rubber wipers follow the arms and gather in the drops that escape them. The heat of the arms will melt the hardest fee and show. Current is supplied through any ordinary socket.


Displacing 150,000 Cubic Feet of Air a Minute

EVEN this twelve-foot fan will hardly produce an artificial typhoon, for in a real tropical hurricans the wind velocities are eighty miles an hour and upward. It does set up a wind that the most hardened sea-dog would admit was a "fresh breeze."

Run at its full speed of 125 revolutions a minute this gigantic fee will move 150,000 cubic feet of air at the rate of a thousand feet a minute, which is just about the speed of the wind that the sulors call "fresh" and the meteorologists designate as "force 5 on the Beaufort scale." The lans are built for the ventilation of theaters and other large public buildings.



This twelve-fact fan will change the nir in theaters every three migute



A Wrist-Clamp Will Prevent Writer's Cramp

THE inventors of this apparatus for writing correctly say that it will also prevent writer's cramp, so that it is as useful for the accomplished writer as for the student.

The largest part of the apparatus is a wristhand threaded through a circular plate, to which is acrowed the adjustable steel strap that has the clip at its extreme end. It is this clip that holds the third and fourth fingers in their correct position, supporting the hand, while leaving the thumb, index, and second fingers free to hold the near

SPUN glass possesses advantages over fine sand in oil-refining filters. It is less liable to destroy barrels by abrasion or clog tubing. Filtering through spun glass at Bayonne, New Jersey, increased the minutest water globules to the size of a pea, making dehydration easier



Water sports from the drill flores as it is pumped onto the air men bate to know the tool good. This forging will be a propeller shaft when completed

Lathe Bores Six-Inch Hole in Propeller-Shaft Forging

Tills lathe is boring a bole ast inches to diameter in the center of a forging that will become a propeller-shaft for one of the newest of the United States navy's torped-boat destroyers.

The shaft is made bollow to save weight without sacrificing strength. A powerful pump is used to throw jets of water on the face of the boring-tool to prevent it from overheating.

Motor-Driven Sandpaper Machine Smooths Hard-Wood Floors

STUDY the picture carefully and note that will polish newly last hard-wood floors better and in less time than could possibly be done by hand

The platform supports a motor, which is attached by a chain to the wheels and by a belt to a suction pump that gathers up the newdust and sandpaper dust. The motor is also attached by chains to the rollers that

carry the anadpaper. As soon as the floor is land a heavy sand-paper is put around the rollers the machine in this manner the floor is very quickly evened up.

Then the machine is run along the grain of the wood with a finer

This machine smooths hard-wood floors with a mutor driven sandparter roll. A vacuum elestier attachment gathers and holds the fine sawdust produced

sandpaper around the rollers and the floor is given a polish that leaves it all ready for waxing

FRESH-CUT tulips were sent by simble from Holland to London and from theore to Manchester, where they were sold the same morning.



The pick and shovel are assuming from the cost partie equipment. Vertical should not the vertical should not the vertical should not be because to the care.

Machine Cuts, Breaks, and Conveys Coal to Car

WHERE the new coal-mining apparatus invented by Nils D. Levin, of Columbus, Ohio, is employed, the miner may keep his kands clean and never has to touch pick or shovel. The machine cuts the seam, breaks down the coal, and delivers it to the cars that carry it to the pit-

Two vertical shear-cutting mechanisms mounted on a carriage are arranged to cut vertical cuttings, while a third drives a horsontal groove. The coal is then broken down by reciprocating pick devices and falls on top of an endless conveyor-helt which carries it back and dumps it into the

All the nuner has to do is to keep the machine against the face of the coal-seam and oil the bearings, thus rendering his once ardnoss job comparatively easy

This New Blueprinting Machine Eliminates Printing-Frame

THE inventor, Edward Hirt, is operating a device by which blueprints may be made without the use of the bulky printing-frame, even without removing the tracing from the drawing-board. Simply slip a piece of blueprint paper under the tracing, place a sheet of glass over the top, and pass the small are over the section of the drawing you wish to reproduce. Develop in the much way.

While working as a draftsman for a small concern. Mr. Hart often found it necessary to take prints in a hurry, or to get small detailed parts from a large tracing for estimating purposes. This necessitated either sending a large print, or cutting out the part which was really needed. The portable blueprint machine was invented to eliminate this delay and waste.




An are held in the hand and paned repully over the drawing does away with the blue printing frame

consumed A small reflector concentrates the light on the print-paper. To operate the machine, plug into the electric-light socket and attach the resistance coil, on the top of which wet blueprints can be dried. Then bring the earbons together, and instantly separate them. The proper are is secured when the points are about three eighths of an inch apart.

Foresters Test Spark-Arresters for Locomotives

IN the past five years engine sparks have round 12 per cent of all forest fires in the woodland reservations of Uncle Sam. The Forest Service is conducting an investigation to determine the most effective type of screen to provent the tramendous loss resulting from six thousand blases annually.

The type shown is chesp, adjustable, and efficient



The spark severter is typped back when the engage is not in the woodlands



This road equipment embodies all the tools seeded for road construction and repair

Road Tool Combines Drag, Planer, and Scarifier

A NEW machine, a combination drag, planer, and scarifler, which is adapted to work on hard-surfaced roads, has recently been pieced on the market.

Constructed entirely of metal, it weighs three and a half tone. It may be drawn by tractor or steam-roller, being mounted on runners equipped with removable contiron shows. Upon these runners is mounted an oscillating iron plate, holding the planer inlives and scartfying chiesla or picks, all adapted for adjustment by hand-operated acrews to meet the varying road conditions.

Floating Cover on Oil-Tank Prevents Fires

IT is claimed that this steel roof, which fits inside an or-tank, supported by the surface of the oil, will prevent evaporation and make the tank absolutely fireproof.




The inventor trated the fireproof qualities of the tank cover by building a fire on is

The roof practically floats on the oil, as the edge is formed of a flexible element filled with gravel that conforms to the irregularities of the tank and makes it impossible for air or gas to enter

F W. Kouffer, of Los Angelm, gives a striking demonstration of the fireproof qualities of a tank protected by his "roof." Rubbish saturated with gasoline is piled both inside and outside the tank. When it is ignited, flames rise to a height of thirty feet, and the heat is so intense that the oil beneath the floating "roof" frequently reaches the boiling-point, but the fact that the air is shut out makes it impossible for the oil to eatch fire.

Inexperienced Workers Can Operate Pneumatic Hoist



Complete course of the physicatic bost is annually by two ropes one in each band of the worker

IT is quicker to turn a valve than to operate a chain-hoist. Moreover, the pneumatic hoist does not waste the time of a skilled and highly paid mechanic in operations that any faborer could perform. This pneumatic hoist is absolutely positive in action and its speed of operation makes it the most economical means of handling light- and medium-weight material in inctory or garage.



At the call of fire, the first automobile banks on to this chemical trailer and hauls it mining

Chemical Fire-Engine Trailer for Small Communities

IN rural communities the wooden buildings and the absence of fire-escapes make the danger of fire serious, but many towns estated afford the expense of an automobile fire-engine. When a fire-breaks out, horses must be driven from their work or from a livery stable to the fire-bouse before the alarm can be answered. While these valuable minutes are being wasted, sighteers have driven their private autos to the fire at thirty miles an hour, and are waifing impatiently when the engines gailed up.


Why not have one of these automobiles pull the fire-engine? The trailer illustrated can be attached instantly to any car. It is equipped with the chemical fire apparatus recommended by Fire-Chief Croker of New York City, and by taking advantage of the ubiquitous automobile, the smallest village can have an efficient fire department bundy putting out the blaze within a few minutes after the alarm has been turned in at the fire-box.

Is you keep your garden tools in a round wire trash-burner, you will know where they are and the yard will always be tidy.

Hog Wire Used to Reenforce Concrete Highway

ON some of the slight grades of California roads or on level stretches where the engineers believe this sort of re-enforcement to be needed, double rolls of extra heavy hog wire, beavily galvanised, are used to strengthen the roadways.

The wire is laid on a special framework of pipes in order to bring it into the correct position for the concrete to be poured under and around it. This framework is drawn forward with the mixer and as it moves the rolls of wire are unrobed with it.



May wire, well galvanised, is now used in tond-building. The rolls are onwound in the work generate, paperspacers halding the strands in the center of the custors.

This Machine Forces Confession from Criminals

PEOPLE may tell a lie and show no outward signs of it; but internally through the heart and lungs -they betray themselves. We now have a machine, invented by William M Marston, of Boston, that finds its principal use in rerording the heart and lung action of suspected criminals as they are cross-examined. There are three separate parts to the machinethe chronoscope, the kimeograph, and the aphygmomanometer,

The chronoscope measures the time that elapses between the examiner a question and the suspect s answer. There is a mouth-piece in front of each man. When the examiner asks

his question, the chronoscope automat easly starts to whir and continues until the suspect answers. The inter-



If the lady teds a lie her breathing will revea, if The tube around her chest is affected by the slightest change in lung action



William M. Marston, the inventor, takes charge of the mechanical cross-examination of a suspect. On the table are the three mechanisms used in the test. The drum in the foreground contains a record of the suspected man's breathloss.

val between question and answer is measured in twelve hundredths of a second. Usually the examiner reads off a prepared that of words, one by one. The suspect is told to reply with the first word that comes into his head Some of the words in the examiner's list have nothing to do with the case. Others refer directly to the crime in question. If the suspect is guilty, he will invariably hesitate-perhaps for only a few hundredths of a secondbefore replying to a "crime" word, because the first word that comes to his mind is usually one that bears on the crime and he must bunt for another one. The innocent man will respond to all words in approximately the same interval of time.

Next there is the kimeograph, which records the suspects breathing. A rubber tube is fastened around the man a chest and is compressed slightly

at each breath. The tube is connected with a revolving drum in such a way that a signag line is drawn on the drum at each breath. When a man lies, be breathes differently. You might not notice it, but the kimeograph does; the zignag lines take a new course when he lies.

The sphygmomanometer registers blood pressure. It is attached to the man's sum and is connected with a stethoscope that is operated by a doctor. He and the examiner have a system of signals that tell him when to record the pressure. First he finds the average pressure of the man when he is being asked inconsequential questions. If his blood

pressure increases whenever he masked questions that refer to the crime, indications point to his guilt.



If guilty the suspect will hesitate an answering questions regarding the crime. The chronoscope records the time required for the reply

Providing a Third Eye for the Airplane Pilot

A NEW type of periscope has been invented to do away with the "blind spot" in airplanes. Without this invention, in the average plane the pilot has a clear view shead and a fair view on both sides, but he cannot gaze directly earthward unless be turns and leans over the side.

He could do this in the older, slow machines: but in the giant planes of today it is difficult, if not impossible

With the intention of correcting this deficiency, engineers have adopted an old wartime instrument, the periscope, and combined it



A periscope placed in the control column and run ing down through the cockpit floor provides the pilot with a view of the ground below

with the control lever or what is known in seronuitical parlance as the 'joy stick'

The "third eye" is made of thin abeet steel in the form of a cone. Near the top, and just beneath the rubber-faced eyepiece, the steering-wheel is mounted. Immediately below the eyepiece is a right-angle prism that reflects the image of the ground over which the plane is passing. auerous and rudder are controlled by moving the entire telescope tube fore and aft, similarly to the manipulation of the "joy stick," or control lever.

Selling Land and Buildings from the Air

Airplane photography opens up a new medium for the real-estate salesman

ESSONS learned in serial photography during the war are showing results in their rapid application to commercial use. are firms that make a specialty of taking airplane views of factories or of com-Manufacturers munities. have discovered that a genuine sir photograph gives a more comprehensive idea of the plant, the location of the buildings, and the general layout than any number of ordinary views taken on the ground or even on a tower.

But the most interesting application of airplans photography is its growing use as a selling force in the real-

estate business.

Real satate is a difficult thing to sell. An automobile,

for instance, may be easily viewed as a whole. The prospective purchaser, if she chooses, may look on three sides of it at once or, by walking around it, obtain an impression of the entire car.

But the real-estate man is up against it. When Mr Smith walks into the office and announces that he is thinking of buying a "home of his own," the salesman starts at a disadvantage. He commences by describing roughly and usually inaccurately the various properties that might interest Mr. Smith. Sometimes he even goes so far as to show Smith some photographs of the houses.

But Smith is a bit wary. He can not



This air photograph gives a customer a better idea of the property than any number of ground views

tell from the photographs whether the property is on a respectable street or whether it is bedged in by factories and small shops. So that, after all the salesman's talk, it is necessary to take Mr. Smith to every one of the properties. Too often, when he gets there, one glance is sufficient to tell him that it is not what he wants. His time and that of the salesman have been wasted. Now, had the real-estate office been a modern one, with an airplane as the salesman's assistant, Mr. Smith could have been greatly assisted in his search. In fact, it is probable that it would have been unnecessary for him to leave the office until his selection had been narrowed down to one

or two available selections.

Harrington Emerson, one of the shrewdest industrial counselors and efficiency engineers in the world, has repentedly stated that visualination is the greatest salesman in the world. Realestate dealers are commencing to realize the truth of this statement, and in serial photographs are finding the means to commercialize the fact. With a series of air photographs showing the properties for sale, the customer la able to visualize for himself the land he is thinking of purchasing. The view can be made more attractive if desired, by tinting the prints in their natural colors, and the mental exhibaration thus caused by sight of the

home and the surrounding terrain in all their natural beauty reacts to the advantage of the real-estate dealer.

Nor does the use of air photographs end there. Real-estate dealers are finding it to their interest to have an annual photographic map made of their city, thus showing graphically its growth from year to year. Such a map would be of great value in bringing to the attention of prospective customers residing at a distance, the railroad, harbor, and docking facilities, and engineering projects under way or already in existence, such as large public buildings, canals, and traction lines. The cost of an annual map would be small compared to the returns.



The air photograph is finding a wide use by trade associations in advertising their commercial and housing facilities. The view on



the left shows a water-and-rail terminal—the one on the right on extensive community settlement, as seen from an airplane



Most Daring Airplane Stunt on Record

MAKING a head stand on top of a six foot pole mounted on an acroline is one of the most daring stunts in the reportoire of George Pluramer, aeronautical engineer and all-around daredevil. He is shown in the picture above doing this aero-acrobatic stunt over his home town, Grover Hill, Ohio

In spite of the terrific wind that is created by an airplane in flight, Mr. Plummer is able to maintain his balance.

Finger-Cuffs the Style for Criminals

THE finger-cuff has been invented to take in the handout. It is the invention of the purement of the purement of Concord, New Hampaury.

Mr Cashing believes that the finger-cuff is more effective than the handruff and we are included to believe him. With one attached, a prisoner could endure very little pulling on one of his lingers, while a handruffed prisoner can pull with all his strength and not injure his arm to any great extent.

New Automatic Mine-Ventilating Door

watch tak spreads through

a piece of blotting-paper

tuct with it.

when it is allowed to come in con-

used with blotting-paper and

symmetrically applied, beautiful

designs are made. The solutions

of the dyes are applied to the

blotting-paper through small glass

tubes as shown above.

When various colored dyes are

IN conlimines trap-doors are a necessity. They direct air currents and prevent the spread of notions gases.

The automatic door in the illustration is opened by the coalcar, which presses down the Iron strip shown on the inside of the raise at either side of the door. The door stays open as long as any weight is on this bar, but as soon so the car has pessed, it is closed by gravity

The automatic feature will work irrespective of the speed at which the cars are operated through the doors.

Rider is Chauffeur and Engine Too


DR. PEASE of Plymouth Fugland visits by patients in a man-power automobile, which he pedals like a bicycle. An ancient motor-car was deprived of its engine and a foot drive substituted by boiling the frame of an equally old bicycle between the cent and dashboard.

The pistol on top of the frame is not intended for protection against highwaymen, but is simply a radiator ornament such as every automobilist feels he must carry newadays.

The strange car was built as a protest against the tax on motors,



These mine-doors open automatically when cars approach and close after



The inventor drives has makeshift automobile by facycle pedale

Why Do We Do These Stupid Things?

Why do we grown about "Blue Monday ?

Will N psychological tests show that, for your being the wirst day in the work for work Monday is aimest the best?

Tuesday is the week's high point of efficiency as we get down to work after the slight lass ude of Monday. This maximum efficiency lasts until Wednesday a territoria. Fatigue begins to show on Thi caday when produc us averages 15 per cent below Tuesday a maximum. Friday is the one day. On Safarday we so are tired out a rually formore work under he st must hig excitement of the approaching week-end and the desire to clean up our work.

Why do we have all the moisture out of the air in our home during the winter?

WHEN we know that this is one of the chief causes of rolds, entured and a common cause of acronomess and anemia?

The air is the average home should about the pillons of mointure every twenty-four hours in cold, dry weather. Only by treping pane of water on your radiators can you be sure the air in heaptst 's most in an average steam-heated apartment the temperature is kept at 72 degrees and the humidity is adoved to fall to 30 per cent. We smarll be received to measurement remediate, and other is have tresher complexions and incidentary save 12 to 25 per cent of our coal, if we kept the temperature

at about 68 degrees and the humidity at 60 per cent.

Why do we eat starchy foods fried in fat)


WHEN we know that the fat surrounds the starch grains and prerents the digestive fluids from maching
them? Starches are curtesbediates. Their
digestion is started by digestive ones in
the mouth. Fats are not digested and
they reach the intestines. Hence the
layer of cit which surrounds the starch
particles in fried foods is not broken
down until it is too late to digest the
starch.

Harrier and olive oil are fits when are emulated in the stame. It and oods fried in them are not conndered indigestible.

Why do we postpone the semi-armoal visit to the dentist until a tooth starts to ache?

WHFN we know that more described by neglected treth than by alcohol? A cavit in a tooth an harone 2 000 000 perms of 50 species, waiting the or posture to afforded by a tip down condition to start some serious sickness.

Perfect eace of the teeth throughout the year increased the average efficiency of a class of 40 clubdren 99 K per cent—if they had been men bett earling power would have been nearly doubled.



Its hope size made a special low-stung cur necessary to transport this generator

Mammoth Generator Requires Special Railway-Car

A SPECIAL freight-car had to be constructed to ship a \$5,000-k-lowatt turbo generator from the Westinghouse plant in East Pittaburgh to its destination in New York. The stator of this dynamo had to be shipped as a unit, and its weight of fifty tons was far too great for the ordinary railroad flatcar.

Even after a special car had been built, the difficulties of shipment were only begun. The stator was sixteen feet high, and the car had to be routed to New York over railroads having no tunnels.

The lighters that carried it across the bay had to be specially reenforced, and when it was installed in its housing, the workmen found that no available crane could handle the weight, and were forced to jack up this huge piece of machinery for twenty feet.

Phone for Firemen Simplifies Fire Fighting

AT large fires there is much unnecessary confusion. This is brought about by the difficulty the firemen have with communication. They must rely mainly upon shouting.

The telephone has been brought into use at free during the past few months. The



Pites may be fought more socrembully if each freman is provided with a phone

chief is now able to talk quietly and more effectively than ever before. A telephone has is attached to each one of the house used and the chief carries on his conversation over these wires. The firemen have a telephone receiver in their helmets and the messages of direction come to them clearly through this medium.




A patricted pixtol grip enables the worken in the inserting perfect cross of over this portable grander

Grinder Uses Any Current

THE use of an aluminum alloy bousing and a patented pistol grip and trigger switch makes this portable grinder easy to handle and gives the operator perfect control. While it is ementially a portable machine designed to operate on either direct or alternating current, an attachment sent with the machine enables it to be converted into a beach-grinder in thirty seconds. This one machine will handle every grinding, cleaning, buffing, or polishing job around the garage or shop

ENOUGH seeds of the tree which yields chaulmoogra oil, used for treating leprosy, have now been sent to the United States to establish a promising plantation.

Gunstock Absorbs Recoil



O State in Herbert

Becauty per coar of the "kick" is absorbed by the oprogn in this guintock

If you say a thing 'kicks like a double-barreled shotgub," it is no longer an effective comparison. This innovation in extending gunutocks is equipped with springs that absorb about 70 per cent of the recoil of the exploding shell

By manipulating the acrews shown in the illustration the shot can be given any length of variety of "drop" the shooter prefers. The anti-recoil springs are offertive even when the stock is closed.



Marks 3600 Tags an Hour by Electricity

MARKING tags to be placed on goods on the shelves is a very easy operation with a new electrically-driven tag-marker which can be set to mark 2400, 2000, or 2600 tags an hour to suit the operator. The tags are fed into the machine by hand and, by means of an endless chain of trays, enried beneath a miniature type-chase which, by downward movements, alternately comes into contact with the cards and an anking pad

The type-chase provides for seven lines of mark ng and has interchangeable slides which print fifteen small or seven large characters to the line. Uniform registering m assured and the markings can be made to line up with characters on the tag such as "Lot" "Size" or Color". The machine is compact, portable, and weight only forty-five pounds. In operation it makes little more noise than a typewriter.

Ties Bags with Wire Loop

BY placing a wire loop around the neck of paper or cloth bags and twisting the wire tightly with specia, tools supplied for that purpose, manufacturers of products



The wire loop is placed around the neck of the bag and twisted tight by a small hand took

that are shipped in such containers are saved a large amount of money in wasted and damaged goods.

As any one who has tried it will know, it is quite a trick to tie the neck of a flour-sack no that the contents will not leak out. But the wire loop makes it possible for any one to do this. Once scaled, the loop may be as easily untwisted without damaging the bag or its contents.

The submarine status today of the larger nations is as follows France 49 built and 5 building Great Britain, 92 built and 8 building; Italy, 51 built; Japan, 24 built and 15 building; Russia, 36 built and 23 building; the United States, 107 built and 41 building.

Wooden Brake Holds Back Ships When Launched

THE first problem of a shipbuilder at the launching of a vessel is to get the ship into the water. The next is to stop it within a remonable distance, especially if



As each in the founded ably is entirely in the water this brake retaids to more out two and brings of form mup.

the waterway is restricted. An effective device, culdum used, consists of a brakeshield made up of wooden boards joined together and braced, as shown in the illustration.


This brake-shield does not commence to function until the water has already begun to retard the movement of the vessel, thus the shock of stoppings is not so great nor so dangerous as when other drags are used

When the Mouretonia, with her length of nearly eight hundred feet, was launched, bugs chains weighing one thousand tons were used to prevent her from traveling too far out into midstream, but this method is too dangerous for general use. The brake-shield accomplishes the same result without the possibility of harm.

Machine Separates Good Beans from Bad



HOWARD FOGELSANGE, of Clarence, New York, is here shown operating his invention for sorting beans. The beans are placed in the hopper and fall on to two moving belts actuated by a foot-treadle. The inclined belt runs backward, toward the hopper, and flat and imperfect beans will not roll down it on to the horizontal belt in front of the sorter



Sun Eclipse Is Measured by Photograph and Micrometer

ASTRONOMERS have determined the diameter of the sun and the planete by mathematical calculations, and where an eclipse gives an opportunity to check these calculations by means of actual measurements every precaution is taken to have these as exact as possible. At the Greenwich Observatory, near London, this important work is in charge of Miss Crommelin, the daughter of the astronomer

Accurate photographs of the eclipse are taken at every stage, and Mus Crommein theseures the negatives with the specially-designed micrometer shown in the picture Thousands of measurements are taken after every eclipse, and in the case of an important one like that of last April, the entries in the measurements book fill hundreds of pages.

Call-Bell Notifies Dealer when Motorist Wants Gas

A GARAGE at East Troy, Wiscomin, has justified an electric call-bell upon both of its gasoline fountains on the curb in front of its door. This has been found to be of great convenience, both to cur-



A push button on the attoline founties calls the proprector when a restorate deven up

The owner is no longer obliged to keep watch for lear some motorist may grow impatient of waiting and go alsowhere for gasoline. As soon as the bell rings in the shop, some one hurries to the curb. There is very little delay and the simple devices has brought much trade from car-owners who appreciate the service.

Science is a first-rate piece of furniture for a man's upper chamber if he has common sense on the ground floor. Oliver Wendell Holmes.



Two-Man Plowing in Perssa

A FERSIAN plaw looks the a rake that has testh projecting from both adea of the backbons. Two men are needed to operate one. One of them pushes on the wooden hundle to which the "plaw" is factured, the other man palm on a rope attached to the end testh

The men work the plaw back a get in theroughly buried as

A Multi-Pocket Overcoat

MODISH and innocent-cooking as is the solution of the solution

The greatest feature is the attachment for an umbreds. Instead of entrying it in the hand, it is slipped through a couple of loops inside the cost. A special pipe



Commuting-ticket holder and umbrella-clasps are only two of the fratures of this prescott

pocket, a pad and pencil-holder, a safety pocket for money, and a ticket-holder in the eleeve are other conveniences of the garment.

Movie Films Developed by Automatic Machine

A DEVELOPING machine for the positive' copies of moving-picture films has been invented by George K. Spoor which will develop, wash, and dry a thousand feet of film in ten minutes, reduce cutting and spitcing to the minimum, and have 70 per cent of the labor charges in the movie dark-room.

This machine runs the entire thousand feet of film through developer, hypo, washer, and dryer in one operation. The procum is continuous. The film is led over a series of rollers that pass it back and forth from top to bottom of a tank seven feet deep. The speed of the film is regulated so that it passes through the tank in the exact time required for perfect development.

The pirtures are hypoed and washed in five changes of water in the same manner, and then pass between channois-covered drying wheels that squeeze off all surplus water before the film enters the dryer

As the film pusses over the wheels, it is dried by a current of but air and polithed between felt-covered wheels. As the last of the film is extering the developer the first lengths are being wound for shapment.

Electrical Power Today

TO DAY in the United States there are 275,891 manufacturing plants that rely wholly upon electricity for power. Thirty years ago there was scarcely one.

Banyan-Tree Spreads 800 Feet

IN the eighteenth century the seed of the bandon-tree shown above started to et a ..., and it has never stopped. To-day its one great trunk, over forty-two feet in garth, in the main support of numberless other serial roots that have grown into the ground from hanging branches

This monster tree with its tentilies top is one of the cabil is of the Royal Butanteal Gardens of Carutta, Inda.

Records Traffic Vibrations


THIS instrument demonstrates that two skywerapers will lean towards, when a louded truck passes in the search occasion them. Only a manuto fraction of an inch, of course, but enough for this machine to measure.

It is designed to record the vibrations caused by modern city traffic. By means of a pencil attached to various wires connected with the different parts of a building, the effects of the shocks and juits in



The man of wires connected with this tostrument record valuations from traffic

the street are recorded. Steam tractors, heavy vehicles drawn by borses, and motor-buses are responsible for the principal jars that actually shake a tall building



A combination of curative hot springs and muscle manipuation is one of the methods employed to heal bodily ills

Hot Baths 2784 Years Old

ABOUT a bundred miles southwest of London, England, are the famous hot springs of Bath. Hot springs in themselves are not new nor unusual, but these are interesting because of their early history,

Many hundred years before Christ, a British king discovered the springs and their healing power. The waters were believed to be particularly useful in the curing of leprosy

Later, when the Romans took over the country, they bunt wonderful structures



For weak patients a swing is used to lower them into the baths

over the springs. At the present time the baths are equipped with all the latest mechano-therapy devices and any,number of special applications of the bot Bath waters. Two of these applications are shown in the illustrations.

A Simple Seed-Tester Made of Two Dinner-Plates

`WO dinnerplates lined with cloth or blottingmake Daber needhomemade tester auggested by the Department of Agriculture for testing clover, alfalfa, and cereal seeds at home. The units comprising the simple outfit are clearly shown in the illustration.

One plate is placed face up and over it is laid a sheet of blottingpaper or a piece of heavy cloth that has been scaked in water. The seeds are

Two dinner-plates and a piece of damp cloth or blotting-paper can be used as a practical seed tester

placed on the covering and then protected from the outside elements by a second plate. If desired, clean sand may be substituted for the cloth or paper.

The percentage of seeds that eventually sprout is the evidence upon which the farmer may select the seed for his next year's crop.

Moisture, warmth, and fresh air are the requisites for seed-sprouting. Moisture should be present at all times, but the seeds should not lie in the water. The usual living-room temperature of from 65 to 70 degrees Fahrenheit is suitable for germination. Fresh air must be permitted access to the tester for the take of the oxygen in it.

Besides watching the number of seeds that sprout, it is advisable to note the rapidity of sprouting. Slow germination is a sign of low vitanty

For those farmers who do not have the facilities for testing seeds, the Department of Agriculture maintains an extensive laboratory at Washington where tests will be carried out on any seed samples submitted. The tests at the laboratory are, of course, much more thorough than would be possible on the farm. To make a complete analysis, the seed experts weigh the seeds on sensitive balances to compare them with normal seed, and in many cases also study the seeds under a microscope.


An Evening's Entertainment with a Piece of String

CAT'S cradle is played by babies all around the world, from London to Korea, and among civilized peoples it is the last vestige of a peatime uni-

versally popular among savages—the string games, in which designs and figures are woven with the fingers in a loop of string about seven feet long.

According to a les


According to a lecture delivered by W. W. Rouse Ball, of Trinity College, Cambridge, England, in a bookiet published by Heffer & Sons, these figures were originated by savages to filte-trate stories told to their children and as an indoor amusement. They form an important branch of last folk-lore of which nothing



was known up to a few years ago.

Sometimes the figures illustrate a place, such as the Batoka Gorge on the Zambesi River in Africa; sometimes an article in daily use, like the tent-flap figure made by the Apacha Indians; sometimes the figures will move, like that depicting a man climbing a tree.

Anthropologists study these apparently trivial matters because they are valuable to explorers traveling among primitive peoples. Although simple to the savage, civilized people often find these figures difficult to make.



An Information Service for Readers Who Want the Facts

Are black clothes actually warmer than whote clothes? G. B.

Yes. A perfectly black surface tends to absorb all of the visible and part of the invisible radiations. A white surface, on the other hand, reflects all of the visible and part of the invisible radiations, including the infra-rad or heat waves. Try this simple experiment to convince yourself of this fact. Lay a piece of white cloth and a piece of black cloth on the surface of the snow while the sun is shining. The anow under the black cloth will meet, but the snow under the white piece will remain frozen.

Why must an electric-light filament be burned in a vacuum? A. O T

When a metal is heated in the presence of oxygen, the oxygen will combine chemically with the metal and an oxide will be formed. The metal fliament has such a small cross-section that the least trace of oxygen will rapidly consume it. Therefore it is necessary to suck every possible bit of air from the hulb. Mitrogen and other chemically inert gases are often introduced into electric-light bulbs.

Where is the despest part of the Atlantic Ocean? F.A.L.

The Titoric sank within a few miles of the deepest part of the Atlantic Ocean A depth of approximately ax miles has been recorded at that point. No greater depth has ever been measured.

A friend told me that it is dangerous to stand in the bethtub and turn on the electric light. In this so!—3. O'T.

Your friend was right. It is best to be cautious. The electric-light system of a residence is usually "grounded" and it is possible to put oneself directly agrees the light is turned on while the bare feet are in contact with the metal bathtab

What makes the electric lights in my house flicker?-- B. 1. M

Your power company is probably using a low-cycle current. With a twenty-five cycle current there are lifty alternations a second. This means that the current passing through your lights falls to zero value fifty times a second. The heated filament responds to these fluctuations. The same thing happens with sixty-cycle current, but the changes take place too rapidly to affect the eye. There is no remedy

What is the highest temperature that has been reached? M. T. C.

Nine thousand degrees Fahrenheit. This was obtained by the explosion of cordite in a steel cylinder. The temperature was only of a moment's duration.

What causes air pockets?- E. W.

Air pockets have long been a menace to aviators. These who are familiar with water eddies and whislpools, can readily visualize air pockets, since they are formed in much the same way. Air pockets are caused by local refraction of the atmosphere. Cyclones are really air pockets on an enormous scale. Small air pockets vary in diameter from a few feet to several hundred feet. Airplanes driving late an air pocket are sucked downward and the aviators lose all control. Unlike the cyclone, small air pockets are absolutely invisible.

Why does burning wood enapt-E. L. G.

Perfectly dry wood will not enap or crackle when it is burning. However, green wood has a large monture contest and when the exterior of this wood is heated to the burning point, the moisture in the interior is volatilized and an interior pressure is created. Continued

Learn here the answers to many interesting questions asked by senders of Popular Science Monthly

And ask questions of your own.

Every reasonable specific query in the field of general science addressed to this department will receive a prompt reply

Readers who understand this service will appreciate, of course, that we cannot accept questions involving extensive research, answers too lengthy for the space of a letter, and sets of questions that min best be handled by individual study of available reference books. Legal and medical queries cannot be answered.

A stamped self-addressed envelope must accompany each question.

Address the Editor Popular Science Monthly, 225 West 39th Street, New York. heating will cause the expansion of the vapor to the point where the fiber of the wood will be ruptured, causing a sharp report.

How is condensed milk made!-W P. I.

Milk has a large percentage of water. In the manufacture of condensed milk, most of the water is evaporated in vacuum pans. A large portion of sugar is added to the resulting product and this acts as a preservative. The resulting this syrupy liquid is placed in hermetically scaled cans

What makes the leaves of some trees turn red in autumn? B | W.

In the summer the leaves of plants acquire their green color because of the peculiar chemical substance called chlorophyll that is formed within their ceils. Chlorophyll has the property of absorbing the red rays from the sun and of reflecting the blue and yellow rays that combine to produce green. In the autumn the chlorophyll decays from lack of tourishment and the leaves assume a brown or reddish color.

What is the best hard coal to use in a small vapor-heat furnace?-R. F. A.

It would be wise to consult your local dealer, but many experts recommend a mixture of nut and stove coal that banks well and holds the fire economically

What is laughing gas made of? Is it injurious to take? M. C.

This gas is made by heating solid ammonium nitrate in a flask. The reaction produces water and nitrous oxide. It is the safest anesthetic known to medical science, but occasional fatalities have resulted from its use. It takes its name from the laughing symptoms that sometimes follow its inhalation in small quantities.

I have noticed that the compression space in marine motors is larger than in automobile motors. What is the reason for this? A. M. O.

Marine engines operate at full lead most of the time, while automobile engines are subjected to full throttle only for comparatively short periods. When an engine is continually operating at full load, there is a greater tendency to pre-ignite unless the compression space is made larger, which is the reason for the larger construction in marine motors.



The First and Last Word in Steam-Locomotives

NINETY years ago the first locomotive actually built in the United States for radroad service made its maiden trip on the Charleston and Hamburg Rallroad. It worked well on the outward journey, but on the way back the weight proved too much for the wheels, which collapsed and ditched the train. But this trouble was soon remedied and the "Best Friend of Charleston," as the locomotive was nicknamed, was soon steaming off its sixteen miles an hour as regularly as requirements demanded of it. Unloaded, it was able to "speed up" to thirty-five miles an hour, although the contract called for only ten miles an hour.

This wonderful locomotive had a vertical boiler similar to those used on hoisting equipments of to-day. The four wheels had iron hubs and tires, but wooden spokes and fellocs. The two cylinders, six inches in diameter,

had a stroke of sixteen inches and were placed in front of the boiler, from whence they worked the cranks inside the frame.

As an indication of the growth of railroads in the last ninety years, it is interesting to compare this chugging ploneer with the latest locomotive built by the same railroad with its length of eighty-six feet, its weight of two hundred and sixty tons, and its possible speed of a mile a minute



The first locomotive had iron rims, wooden spokes, and a speed, when loaded, of sixtom miles as hour



But the latest engine on the same line pulls a heavy train at more than a mile a minute


This Wheelbarrow Folds Up for Carrying

WHEELBARROWS are bulky things to transport. One takes up more space than it is entitled to, considering its weight and construction. It is a wonder that no one has thought previously of making the wheelbarrow so that it can be folded into a compact bundle.

When fully collapsed, the wheel fits into the lower part of the framework and the axle serves as a hundle for the outfit. When it is opened and set up the folding parts are held rigid by atout metal hingea.



This wheelbarrow folds up and saves space in shipping and storage



Grom-section of engine and coul-truck, showing how mechanically operated shovels do away with a fireman a services, keeping the fire up to the pitch desired.

Mechanical Stoker Produces Cleaner Fire

THIS mechanical stoker, perfected for use on locomotives, ran eighteen consecutive trips under test over an eighty-nine-mile division, with the fire-door sealed between terminals. No inspection of the fire was possible en route, yet it was found to be in perfect condition at the end of the run, although the engine was pulling full

After the trip there was from three to six inches of fire on the grates. No difficulty was encountered in cleaning the fire at terminals because of the comparative absence of clinker, and it was found perfectly feasible to make round trips without cleaning the fire other than to shake the grates,

The stoker fires the engine by mechanically operated shovels, which pitch in coal just as a fireman would do.

The complete cycle of operations is as follows: a measured quantity of coal is dropped into a screw-conveyor, which delivers it to the elevators feeding the shovels. The amount of coal used is controlled by an agitator. which drops the necessary quantity into the conveyor.

A Water-Air Propeller for Use in Shallow Waters

COMBINATION propeller, recently patented in France, operating efficiently both in water and nir, permits a flat-bottom cargo-boat carrying several tone of merchandise to be navigated on rivers beretofore considered too shallow to serve as inland waterways.

If all the shallow rivers in the United States could be used for transportation, a great saving in freight charges would be effected and the danger of rall congestion removed; but the ex-

pensa of deepening the waterways has been an insuperable obstacle. Inventors have sought to avoid the cost of digging canna by equipping flatbottomed boats with airplane propelleza. Thin French invention promues success in this field.

The propeller will operate in less than wix inches of water, and from experiments made on small models, its inventor, M. Gambin, claims for it a tractive force comparable to that of the submerged screwpropeller. The driving resistance is obtained partly from the water and partly from the air.

Two wheels are used with blades in the form of a screw, so that the propeller is essentially a acrew of large diameter formed of multiple paddles whose axis is parallel to that of the boat. The blades barely touch the water, and even when the boat is under way, the water level in well below the hub of the wheels.

In going ahead, each blade acts as a

small double scull. As is usual with twin screws, the wheels turn if ward in opposite directions, but since they are high out of the water, a raised wake is formed between them that gives the propeller blades a batter grip,

In addition to this powerful sculling action of the binder in the water, the large diameter of the wheels and the form of the blades, which are similar in principle to those of an airplane, produce an action in the air that adds considerably to their propulsive effect.


> Instead of having air resistance to overcome during the upper portion of their turn, these propellers actually increase their efficiency

From a practical viewpoint it is most advantageous to have the hub of the propellers above the water level, where they are more accessible for repairs.



These twin sevens, shown at the right for driving vessels in shallow streams, react against both air and water. A wave deflector prevents the stern from being drawn down by the action of the acreus





Photographs C Ewing Callower



These huge bats hanging from every branch, and looking somewhat like the fruit stself, are the fruit growers pest in Ceykin

Fruit-Eating Bats of Ceylon

The bleets hanging from the limbs of this tree are neither fruit nor hornets' nests, but flying foxes, or fruitesting bats. These bats measure more than two feet from wing tip to wing tip and are so numerous that if they were unchecked, they would

make it impossible to raise fruit in the neighborhood where they abound

These bats hang from the trees by their feet, with their heads town. Ler tain trees are selected as resting-places, and the whole colony hangs there during the day—which makes it easier for the bat-killers.




The official bet killer of Kandy exhibits a specimen with a wing special of twenty four inches

Printing-Press Is a War Veteran

UNTIL now, Gutenberg's first press was the only one we remembered, but "Tip-Top Kelly" is a printing-press with a history and a service record. It first went into action in the German trenches, where it unsuccessfully preached the doctrine of "Devischland liber alies." It was then shipped to Ireland as part of the equipment of the ill-fated expedition of Sir Roger Casement, and although Casement failed to incite revolution in Ireland, the press

was landed and set up in a secret plant in Cullicurry, County Galway, Ireland, where it was operated by the Sinn Fem. It recently came to the United States and now works (or a prossic commercial printer, but its secret history has leaked out and, as a result, scores of those who favor the Wearing of the Green have made a pilgrimage to the itiky shrine.

It is not only a very interesting relic of the war, but the only press of its kind in the



This prem has been in a war a revolution, and a wreck yet it still operates effectively

United States, and a tribute to German inventive genius, It operates noiselessiy; and incorporates a discretter, an automatic sheet-adjuster, an embosser, creaser, perforator, and color-printer, with automatic guides, and it boasts a producing capacity of four thousand sheets an hour.

To demonstrate what delicate fabrics a washing-machine would handle, a hardware merchant washed some dollar bills in the machine, putting them through the wringer afterward, and drying them with an electric fan.

Mercury Column Protects the Electric Motor

AN electric motor operating in cold weather can withstand a much greater amount of overloading than the same motor on hot summer days. This fact has been taken into consideration in the manufacture of a new protective device for

The new overload relay consists of a glass tube containing a column of mercury. Coiled around the tube are several turns of heavy wire. The latter is part of the same wire that goes to the motor from the lines, while the mercury is part of the same circuit that goes to the relay magnet and the contactors.

electric motors.

When fuses are used for this purpose, the sudden rush of current when the motor is thrown on the line, blows them instantly, causing unnecessary delay and waste. With this new relay such trouble is done away with.

If the motor is overloaded, the excessive current flowing in the coils



The heat of the current acts on the mercury enturns see oval and in this manner controls the motor load

produces an unusual heat, causing the mercury to boil. As it boils and vaporises, the circuit is broken and the magnet allows the contact fingers to drop away

Once the interruption has occurred, the mercury—now polonger beated—cools and reforms the column, thus making the circuit again, permitting the motor to be sta ted, and repeating its warning when necessary.

As the action of the mercury depends on the heat given off by the roots depends among other things on the temperature of the air around it, this circuit-breaker will permit the motor to carry a larger load on cold days. At the same time it affords adequate protection in all weather.


Picture News of Recent Developments in Home and Office Devices




This locked steel file is intended to make the private papers kept at home as convenient for reference and safe against joss as those in the office files



Four slices of toast and four boiled eggs are cooked simul tancously over one burner by this sevention. In addition to the time saved, the steam from the bosing water keeps the toast crisp and soft and the toast automatically times the bosing of the eggs



When this stamp-moistener is left on the desk the shape of the base raises the tip into the sar It cannot leak and spoil office furniture




The time a highly paid mechanic spenda

Stenographers can keep absent of the



A stiff pettieont of cloth penwipers alipped over the draftsman's ink bottle beeps the raing pens clean and prevents the ink from being overturned



This motor driven outfit takes the place of muscle in the kitchen. It must the bread, whips the cream, makes the icecream, cleans and sharpens the knives



fume poured into the hollow top of this shade-holder scents the roun like a rose-garden as soon as the bulb is lighted





Market baskets mounted on wheels for ease in traveling permit housewives to buy groceries at lower rest by clumnating the expenses of delivery

As a special service to readers, the Editor will be glad to supply the names and addresses of manufacturers of devices mentioned in Popular Science Monthly

Science does not know its debt to imagination. Ralph Waldo Emerson.

Wire Mesh Used for Concrete Forms

TIMBER is so much more expensive than concrete in Germany that even temporary houses are being built of the latter material. But the moule which form the walls and floors have to be made of wire mesh and gravel because of the cust of wood for this purpose. The wire frames are filled



Where wood is scarce wire most stud gravel are being used for concrete farms

with gravel and then corered with cement or stucco which joins with the gravel to form a solid crust,



Stacker Piles Wood for News Paper

THESE twin mountains of wooden blacks will be made into newspeint for many of the editions of 1922. Such great piles are possible only by the use of the traveling helt stacker illustrated, which is moved along a temporary track after the piles have reached the height of forty feet. From the sawmills the blocks side down the inclined chute shown in the foreground and drop on the traveling belt of the stacker, which delivers them in totation to the top of the pile.

There is no waste in modern lumbering methods. Nowadays the mill saws the large spruce logs into lumber, and small once into wood pulp blocks.

Film Rewinds Itself in New Magazine

A NEW magazine for motion-picture projectors in which the film commences to unwind from the center instead of the outside has been invented. The film is not wound in the ordinary round form, but is pulled from point to point inside the ten motal fingers in the shape of a decagon.



Revending of movie film is command by rating he film from the raci center

An automatic governor keeps the strip at a slight tension from the start to the family of each reel.

Paint Line on Road for Safety's Sales

MOTORISTS who grow the Canejo Pass near Camarillo. Ca ifornia cannot concea, or deny the fact that they are hogging the road. A twelve-inch black strip has been painted in the center of the road for several rodes, and constantly reminds the driver to get over on his own side. The highway at this point is extremely curved and presents numberies opportunities for the carelons driver to cause a bad accident but it has been found that few tourists are so selfish as to hog the road when they realize that they are courting densiter by doing so


Horse-Driven Scoop Used to Fill Truck

AT lowe State College they have decided that it is easier to drive a horse than to awing a shovel, so they load gravel with a scoop. A team attached to a wheel acraper attrips the gravel and gathers it into piles in front of a chute. When the trucks drive up, a cable is fastened to the scraper and the horse hauls the gravel up the incline into the wagon. Ski ful driving a required to see that the horse does not pull the scraper over the edge of the chute, but compared with the ordinary method of loading a truck the saving in energy makes it worth while,



The black lim in the center of the road to as effective up a Kosp to the right? says.

A long cable hitched to the scoop and hauled by a horse makes truck-loading cases and faster



New Catcher's Mask Gives Better Vision


FRANK SNY DER, catcher of the New York Ganta, is said to be highly pleased with this new mask, designed to give the backstop better vision and lmproved or a large of a state of a ty a good a cora foul tip to games off the purface of the mask with far less danger of injury to the player than was the case with the old bar type

Instead of the familiar forehead and chin straps the new mask is carried on a heavy cushing which reaches completely acound the head

Twin Arc Gives Double Light at Same Current Cost

A N Ohio manufacturer has developed a photographic are lamp for which he claims double llaumanation with no increase in the cost of surrent consumed. The lamp consists of two area of high intensity so placed as to produce a better distribution of light by climinating the harsh shadows that frequently accompany the use of single area. With twin eres it is also easier for the photographer to model the features of the mitter

An adjustable stand holds the lamp in any position without resorting to thumb screws. The arcs may be extended from near the floor level to nine and one half feet above It.



Sixty Feet of Alcohol Propaganda

'HB long white steip, of which only about forty feet shows in the photograph, to a list of medicinus in the preparation of which good grain alcohol is a necessity. There are 3500 of them, and written on a typewriter in single space the list is mixty feet long.

In many cases the final product does not contain a trace of anything disagreeable to Volatend, but alcohol is a necessity as a solvent in some stage of the manufacture. The list was prepared to show that the restrictions on the use of alcohol in the arts should be relaxed, and that it is a mistake to regard it only as a beverage.



These Binoculars Steal Photographs


COMBINATION cornerp-stereo scope, looking like a pair of fieldgiames, le a Frenchman's invention to enable a photographer to suspenhot unsuspecting persons to the right or left of The glames do not 'look' DIES. shoad. The photographer apparently looks straight ahead but a prismatic ar rangement reflects the view to the right or left of b.m. As field-glasses the physicgraph, its name, is a dummy, but it may be used (with side viden, as a aternoscope It was films 41 by 6 centimeters, and its stereoscopic field is 46 by 107 mol meters The parture shows the physicgraph in the

Mail-Bogs Are Cleaned by Means of Tumbling-Barrel

THE Post Office maintains a special department for the cleaning and renovating of mail-bags. In their rapid journey around the country the bags acquire an incredible amount of dust and grime which must be removed before any repairs are made.

When the bags are received at the cleaning-room they are placed on a buge star made of slats. As the star revolves rapidly the bags are thrown from point to point until all the dirt has been beaten out and removed by a suction system.

This star, known by the workers as the "tumbling-barret," may be seen at the left of the open door in the illustration.



A counterbalanced stand allows this are lastly to be adjusted to may have



The steaming-room where med bags are freed of dust and dirt

How Fast Does Your Mind Work? Test It!

Puzzles will do for your brain what sports do for your body

A Mental Athletica course, conducted by Sam Loyd, the lamous puzzle expert

Twenty-Five Dollars in Prizes

EDUCATORS say that purale-solving is the best kind of mind training—best, because it comes as sport instead of drudgery. As proof of this, consider the fact that Sam Loyd a most fauthful puzzle fans have been inventors, engineers, and business men.

A first prize of \$10 will be awarded the reader who sends in the best set of correct answers and analyses covering the three problems on this page is second prize of \$5 for the next best set and ten other prizes of \$1 for the ten next best sets.

Answers must be received not later than December 8, addressed to the Puzzle Editor, Popular Science Monthly, 225 West 19th St., New York, N. Y.

By "best" is meant absolute correctness of solution then, if other points must be considered, clearness of analysis. Mr Loyd's decision must be considered as final. In case of a tie each competitor will be awarded the full amount of the prire tied for

Answers and names of the prize-winners will be published in the March Issue.



Try Your Hand at Surveying and Help These Miners Fence Their Land

A GROUP of miners decided that a pooling of their claims would be advantageous to all concerned. No two of the properties had the same dimensions, but it developed that each man had enclosed his claim with the same amount of fencing.


This fact appeared to the men as a fair reason for equal distribution of stock in the corporation that was formed by the pooling of their interests.

But a surveyor appeared on the scene and pointed out that, contrary to the miners' opinion, the length of feace surrounding each plot gave no indication of the acreage contained in it

To aid in making this clear to the puzaled miners, the surveyor drew a series of diagrams on a near-by signboard, showing examples of five enclosures, each surrounded by twelve rath of similar tength

To better understand his demonstration, let us call each rail one foot long. Then in the first diagram the area is, of course, nine square feet. In the second the twelve rails excluse eight square feet; in the third, seven square feet, in the fourth, six square feet and in the fifth diagram, five square feet. All this is simple enough.

But then comes the puzzling question which furnishes us with a brain-testing problem: How could his illustration of a gradually shrinking area be carried a step further? In other words, how can the twelve rails be arranged so that the area enclosed by the same amount of fencing will be only jour square feet?



How Would You Patch This Roof if You Were Given the Job?

THE two tinamiths pictured above have a problem on their bands. The square patch which they are to place on the roof has an area equal to the three equare pieces of tin which they brought with

Now, four similar squares will combine easily to form one large square, but it is a difficult matter to take three squares and combine them into one large square.

Can you help the tinemithal. Figure out the fewest number of pieces into which the three pieces of tin may be cut in order to produce a large square equal to the sum of their areas.

How Far Did the Car Go?

AT a recent automobile race there was considerable discussion among a group of speciators regarding the distance covered by the winning car


The driver was on the track for exactly one hour. He went one third of the total distance at the rate of sixty miles an hour, he covered the second third at the rate of sixty-five miles an hour; and during the last third he maintained a speed of seventy miles an hour.


This much was agreed upon by the observers. But when it came to computing the distance covered they could not agree. Can you figure it out?



Five "Other Uses" for the Hand Drill

Beginning a series of pictures showing how to






It is easy to solve the problem of winding magnets if a drall is used as shown above



A lathe is readily improvined by placing the band drill in a vise. This is the correct way to reduce the dameter of a rod by filing when a lathe is not at hand.



To wind a spring, place a mandrel in the drift chuck and wind the

Rubber Suit Keeps Jockey Down to Weight

THE man or woman who wants to reduce can borrow many a valuable tip from the racing-track, for in order to keep their weight down to the minimum, the

ment a rubber soit is used to keep them to riding form.

The Illustration shows Albert Johnson, reputed to be the best post-rider in America, wearing a two-piece reducing suit made of this rubber, which is used at the wrist and ankies and tightly laced down the

front so as to be sirtight. After exercising strenuously in such a garment, the perspiration pours off the body, and while it is as uncomfortable a piece of clothing as human ingenuity can devise, it is guaranteed to take off the surplus flesh in an astonishingly short time.



A close-litting rubber stait andores per appearant and reduces bodaly weight


Jockeys undergo a course of training as rigorous as that of the pugilist. Even when they diet and exercise to the point of physical suffering, they frequently find themselves too heavy. In this predica-

Homemade Spraying Outfit Runs on Ranch Railroad

B ECAUSE the spraying outfits supplied him were not big anough to take care of the immense farms under his direction, the foreman of a large Western ranch went ahead and assembled this apraying-train according to his own ideas.


An old motor-truck engine was trans-

ferred to the homemade locomotive, and made to do double duty in driving the outfit and operating the pump. The unit operates over the canch's railroad, and is used for all kinds of spraying—not only for combatting scale and rust, but for whitewashing the ranch buildings and giving the hogs a bath.



Bender operating the spraying-postsy the old truck-engine on this howevenet train furtibles the motive power that drives it over the ranch referred.

As a special service to readers, the Editor will be glad to supply the names and addresses of manufacturers of devices mentioned in Popular Science Monthly



Hy pre-heating the cold gas this fuerties makes easy work of starting the engine in cold weather

Fuelizer Preheats Gas for Easy Starting

NOTHER step forward has been A made in the better combustion of present-day automobile engine fuels by L. M. Woolson, a Detroit engineer, who has perfected a device called the fuelizer, to heat the incoming fuel when the engine is starting and idling, and to automatically become inoperative when the engine is able to supply its own heat. This is a new principle because the hot-spot manifold and the exhaust-heated intake provide the angine with no heat when it is starting, slight heat when idding, and a maximum of heat when running but when the engine needs it least

The fueliser instrument consists of a burning chamber where the gas from a small supplementary carburetor is burned. This chamber is situated in the intake manifold at the top. When the gas enters, it is ignited by a regulation spark-plug. It then passes into the fresh charge, going from the carburetor to the cylinders from the regular carburetor. The heat of the burnt gases changes the wet, poorly carbureted mixture to a dry vapor which explodes efficiently and fully when it is ignited by the spark-plug in

the cylinder.

Water Supply on Auto Heated by Exhaust

UTILIZING the heat of the exhaust gases to supply pure hot water in large quantities is the purpose of the latest necessary to be attached to automobiles and motor-boats. The advantage of the invention is that the water produced is pure—clean enough to use for bathing or even for making test

Those who like to make long trips by road or water, taking their own



Meant. Spates and Rumery demonstrate the operation of their automobile water beater

camping equipment and bivouncking by the roadside, know how keenly the lack of hot water is felt.

The appliance consists of a cantary metal cylinder holding from two to

The water is heated in the muffler and then stored under the sent, from which place it is drawn off for use

twelve quarts of water, which is heated by passing the exhaust of the motor engine through a tube in the center of the container. The gases never some into contact with the water. The exhaust is diverted from the pipe leading to the regular muffler by a cut-out valve, and after the water has been heated, which takes about ten minutes, the valve is closed and the muffler utilized again. The pipe in the inside of the water container is in the form of a muffler, so the action of the heater is noiseless.

A reserve water-tank to supply the heater is carried in a tank under the front seat of the car, and the hot water is drained off through a stopcock at the rear of the chassis.

Oil Shock-Absorber for the Automobile

GREAT wearing qualities are claimed for a new shock-absorber which works in oil on the principle of



This new shock observes works on the principle of the gua-recoil chamber

a big gun-recoil chamber. The action is entirely vertical, for although the

plunger is fastened solidly to the car frame, it is attached to the spring by means of a cable which accommodates stacif to lateral movements. All of the more sensitive parts of the appliance are entirely immersed in oil. This makes their action smooth and easy, prevents wear and lessens noise.

The absorber consists of an elliptical outer cylinder, which is filled with oil to a plug on the top. Inside is a second vertical cylinder having a puton and rod to the top of which is fastened, through a system of small levers, an arm carrying the cable attached to the spring at its midpoint. On the rebound of the automobile spring, the lever arm is pulled down and it exerts pressure on the platon of the inner cylinder. This forces the oil out of a small hole into the cylinder. As soon as a definite maximum pressure has been reached, a second valve at the bottom of the inner cylinder opens automatically. This valve compensates for any changes in the viscosity of the oil due to temperature.

In cold weather, when, of course, the oil is more viscous, the second valve opens earlier and wider, thereby keeping constant the pressure that regulates the spring action. When the automobile spring is again compressed, the piston in the inner cylinder is forced back to its top or normal position by a coil spring below the pistonhead, at the same time drawing oil into the cylinder through a valve at the bottom

Valve Admits Gas, Kerosene, or Air

PRIMING the engine, cleaning the cylinders, and an auxiliary sircontrol are all possible with a new auto accessory attached to the instrument board and connected with the intake manifold by a small copper pipe. A piston consisting of four disks inside the cylinder forms a three-way valve having one, two, and three small outlet holes in the respective compartments. Similar holes are bored in the cylinder itself near the mid-point and at the top of the stroke.

Gasoline, kerosene, or air is drawn from the accessory into the manifold by the suction of the engine. This primes the engine, cleans out carbon, or controls the mixture. The volume supplied depends upon the valve's position. This is adjusted by the hundle, and held in place by the bell and spring.



By pulling out the plunger either air gasoline, or kerosene in any proportion may be attented to the cylinders

Gasoline Flow Meter Records Effect of Road Condition on Car-Operation Cost

FLOW meter which records the Tate of gasoline consumption of an automobile angine at each instant of operation or point of travel has been developed by the Iowa Engineering Experiment Station to determine

the effect of the condition of the surface of a road upon the rost of operation of motor-cars.


The flow meter operates on the principle of the loss of head the liquid when passing through a small orifice. A constant head of gaseline is maintained, and the size of this orifice is such that the rate of flow of gasoline through it is just a little greater than the consumption of the This difference carburetor. causes the gasoline to rise in the float tube, and hence the relative height of the float indicates the rate of consumption of gasoline by the carburetor at that instant.

The recording mechanism consists of a stem attached to a float carrying a small fiber con-

CLAPSED TIME DOTS and a market a clock artistical explosi-SING TEACH ONCE AND DECEMBED OF DISTRICT LABOR TO PERSONAL BRIDGE BLOVE CARCINE 194 (FOCE) THIS EYE, INDICATES INTREA HE IS AN OF CACALINE.


A sample of the paper record. The curved ane indicates the variation in the gasoline flow as the condition of road became better or worse

tact disk at its upper end. This disk, which has a small piece of copper wire would around its edge, moves up and down in a tube over eighty small brass contact points at vertical intervals of one twentieth of an inch.



The complete flow-meter mechanism. As the gasoline flow varies, the plunger moves up or down, causing sparks to burn minute boles through the paper record

Each of the eighty brass contact points is connected with one of a corresponding row of points on a bar of insulating material below which a strip of record paper moves. Underneath the paper and directly apposite this row of points is a small brase but which



As mounted on the cowl the flow meter takes up but little

is connected with a continuous brass strip in the contact tube through a battery and a high-tenaion spark-coil. When the circuit is completed by the contact disk on the float stem, making contact between the brass strip and one of the brass points in the contact tube, a spark jumps from the corresponding point above the record paper to the brass bar below, burn ing a small hole in the paper.

As the float rises and falls with variations in the rate of gasoline consumption, the position of the row of boles on the moving strip of record paper will change corre-

spondingly.

The record paper moves at a rate exactly proportional to the speed of the An ordinary slarm-clock vehicle. movement is arranged to close a hightension electric circuit through the edge of the strip of record paper at regular intervals of twelve seconds.

Needle-Valve Control for Fords Saves Gasoline

"HE operating expenses of the average Ford car could be reduced if

within sight and reach. This is the case with the more expenalve cars, but on the Pord the driver must reach in back of the instrument board before he can adjust the carburetor needle-valve. cause of this difficulty in making adjustments, many Fords are run at less than their highest efficiency and with a much lower gasoline mileage than might easily be obtained

To make this economy possible, George G. Porter, an engineer of Syracuse, New York, has devised a simple gasoline control apparatus which brings the needle-valve regulation to the very fingertips of the driver, and elimitrates all groping behind the instrument board, an awk-

ward practice and a menuce to careful services of a skilled mechanic. First driving. The means of control can be the regulation Ford adjuster is rethe driver had the gasoline control installed in a few minutes without the moved; a hole is bored in the instru-




A simple gesoline control dual on the dash permits mutant adjustment of the Ford carburetor

ment board and the rods and levers connected as shown in the sketch at the left. In the hole in the instrument board is inserted a next dial on which is mounted a pointer, which indicates the exact position of the needlevalve at all times. By reason of this knowledge, the danger of overheating the engine and causing pre-ignition or the excessive deposit of carbon in the cylinders is reduced to a minimum. The control also serves to make it ensier to start the engine in cold weather by indicating the amount of gaseline being fed to the engine. For Fords not fitted with instrument boards a small, sheet-steel apron is made especially to accommodate the dial.



Picture News of Recent Developments in the Motor World

As a open a service to readers the Editor withe glad to supply the name and all dresses or many a retired duries mentioned in two page



7			
		d	n
4, 10			- 4
c . L-			
т 154-1 т	1	r.	11
45 IF 1/4		4	N
45 p. Ories o	-		
1 k '	E:		M H 7
42	4 6		-15
"kr 5]- [1	-1 (11 1 13
THE RESERVE	M IV	V.	19.5%



		12.0	de .				-
			E	4	.,		
						1	rf
1	٠.	d	E 2			1	ıı M
		η	90	- ''	H	7	Ph.
1	F.p.			he			y
1	1		Pat	4"			110
			100	-		1 ,	vil.
			- pla	k 1			








7- pr	de		ı!ı .	Ľ		Ťź	4 (4	j
1 .	-					3	101 % 4	
	10.		Th.			-:		
	h	11			P	line.	- 7	41.0
4	Cja .		her	į.		-W	20-05	Is a



o street and dense for d 14 % 6.28 Whate & g > keep the









At an A hartery ter H C 14 ANT - 17 C 14 sant com the area 105.30



to a maximum per anen and easy short a

Crease mersure adoptions to great the creations of the great transfer of the creations of t a see the fire conserus was as an wante

When You Want Expert Advice About Your Car


In these pages of ideas about automobiles and motor-trucks the Popular Science Monthly endeavors to help its readers solve problems of maintenance and repair. But there must be special cases that are not cov-

ered, and we invite you to write to the Automobile Editor and let him advise you.

If you wish to know more about the devices pictured here, or if you want to ask questions, write. See a few typical answers on page 81.




Intensification of the spark by passing the battery current between a flat surface and a point, and a tester which short circuits the plug by depressing a spring key are the features of this attachment.



Twelve hundred pounds lighter than the usual small car, this model tips the scales completely equipped at 840 pounds, and is operated with a corresponding saving in gas and tires




Hot water about the garage is supplied by slipping this electrical beating strip into the bucket of water, as the heating unit is enclosed in a watertight welded cover. Useful also for keeping the engine warm on frosty mights



By replacing the storage battery vent-cape with automatic filler valves, this system will supply distilled water to the storage batteries whenever needed



Whenever storage batteries are taken apart the lead strip joining one to the next must be cut. Doing this with the carbon tool above instead of a blowforch removes the danger of burning the insulation



The brakes didn't work, but the humper diand there is no garage but as an aftermath this collision. The vertical springs enable this but per to fend off ears of every he at



erted at a character through the spring leaf of a Ford Every movement of the springs submatically brings the offer pages



A long steering wheel permits this tract of drawn reoper to be handled by the operator one has regular position on the rear of the poly-or

This Electric Automobile Has Sixty-Mile Radius with Low Operating Cost

May revolutionize transportation around town for family of moderate means

HE appearance of a small, highquality, economical electric automobile suggests a new chapter in the romance of transportation. Here is a practical car for every man and woman, with price and upkeep well within reach, built by an established company with a reputation based on the manufacture of industrial tractors of about the same size.

Not a Big Car's Competitor

This new electric has capacity for two passengers, and a cruising radius of sixty miles at fifteen miles an hour, with a maximum speed considerably higher. It has a wheelbase of sixty-five inches and a tread of thirty-five inches the tires are twenty-eight by three Inches. The car's smallness, simplicity of control, case of operation, and re-Imbility—the last three qualities being peculiar to the electric in high degree -give promise that it will not compete with its bigger, livelier, more costly gasoline brother, but will build up its own especial field of usefulness. The low-priced electric may even become every family's substitute for the street-car, furnishing more comfortable transportation at the same cost.

The new car comes in three models—a two-passenger runabout for general use, a two-passenger car specifically designed to carry a factory executive from building to building and through the buildings of his plant, and a small delivery-car, particularly for those whose hauling requirements are light but exacting. Among tradesmen and merchants in this class may be mentioned jewslers, tailors, laundrymen, newsdealers, druggists, etc. As


a special delivery vehicle a car of this type may also appeal to butchers, grocers, florists, and the like, and it is not abourd to expect that it will appeal to many private families as a marketing-car and tuggage-carrier.

American manufacturers may find the possibility of popularizing vehicles of this kind for general family use most enticing. It is the nearest thing to a pair of electric legs that can possibly be imagined. It pictures the ultimate in personal transportations, Without pretense or show; just large enough to comfortably carry two people; with a cost of operation that compares favorably with the gus-bill or the laundry-bill; with such simplicity of control that even the most timerous elderly lady or the most nervous child has a complete sense of mastery over it. With all these possibilities, the eventual popularity of vehicles in this class must be considered assured.

Few appreciate the extraordinary simplicity of the electric car. It is steered by one lever and started and stopped by another lever. Forward movement of the latter from neutral starts the car and a backward movement applies the service brake. Unlike the gas-car, it is never necessary to do two things at once. There is just a single lever with a natural motion: forward to start, and backward to stop. A second brake is operated by a pedal. The control lever gives three "speeds:" top speed for running along the level and the other two for hill-climbing.

Another advantage of "electrics" that only those who have ridden in them understand, is the complete absence of noise.

The upkeep is almost negligible. The



Thousands of business houses will find the electric car indispensable for rapid deliveries. Its low uplease commends it

cost of electric current is but a few cents a day. A charging apparatus is furnished with every car so that the owner can take care of this detail in his own home. The battery is connected with the electric supply at night and it is ready again in the morning. Three are a minimum size, the standard size for motorcycles, and consequently are extremely cheap, yet their life must be long because of the gentleness of the service which an electric imposes.


Repair Costs Are Instgnificant

Repair expense should be nearly nil. Virtually the only moving parts are the wheels, driving chains, and the motor armature.

Such a car should be ideal in traffic because of its smallness, and the cost of garaging it should be reasonable for the same reason. Its dimensions over all are less than four by eight feet, whereas the average automobile is six by fifteen feet. Calculating garage costs, therefore, it is logical to expect that if a building were specially designed to house vehicles of the size, the rental would be balf the present rate. From a garage standpoint it is most attractive for the house-owner. Its



One lever gives the driver complete control of starting and stopping the automobile with a three-speed range



Became of its small size and light weight it offers convement transportation for executives on inspection tours

size is such that there are few front porches under which it would not fit with but slight modification. If there is room for a separate garage at the rear of the house, and room for a narrow drive at the side of the house, the size of building required would be about six by ten feet by seven feet high—420 cubic feet—as compared with the average small garage, which is eight by fif teen feet by eight feet high, or a total of 960 feet

The factory car fills a longfelt want in industrial plants and is of special interest to factory managers, executives, plant owners, etc., since it provides quick, convenient intershop transportation and saves the time and energy of the busy executive in making inspection and keeping in touch with the various departments. In other words, as a

\$50 for the Best Stories of Auto-Camping Experiences

ARE you one of the thousands who went camping by automobile this year? If you took a motor vacation, if you made your car your home while you camped, or traveled or lived in the open, tell Popular Science Monthly all about your experiences.

A First Prize of \$35 and a Second Prize of \$15 will be awarded for what, in the opinion of the Editor, are the two most interesting and informative letters. Letters must not be more than five hundred words long. The contest closes January 10, 1922.

Tell all about your trip, where you went, how much it cost, and what automobile-camping acressories you used or devised.

factory passenger-carrying vehicle it is no much needed as the industrial tractors used to-day are needed for carrying material. A certain production manager once stated that in busy seasons he walked twenty miles a day, and considering that the main plant under his supervision is nine hundred by fifteen hundred feet, it is easy to realize the truth of his claim and also to appreciate the field there in for transportation as supplied by this small electric.

Although this car is small and reasonable in price, there is nothing cheap about its construction. Axles, frame, springs, and other parts are of the best quality steel, the body is of aluminum and is applicated with genuine leather. The equipment includes an ampere-hour meter, born, and electric lights.

Write to Us About Your Motor Troubles

If you have a motor-truck or automobile problem, let the Automobile Editor solve it

Do Tires Require Exercise?

Q.—is there enything to the claim that three require hard exercise to keep them in the best of condition !—H. W. C., Ameria, Team.

A.—Some experienced motorists and some tire men claim that then stand up best when subjected to hard and frequent service, lasting rauch longer under this treatment than they do when used gently. There is no authentic proof that this view is either right or wrong. The besief seems to be based on the fact that men classed as hard drivers often obtain extraordinary service from their tires. For example, there is the case of a man owning a high-powered car that weighs 5000 pounds and is equipped with 15 by 5 cord tires. Most of his driving is done at high speed, yet he never obtains less than 15,000 miles and 20 000 is far from unusual for the life of a tire. It is instances of this sort that have led some to claim that hard and frequent exercise help to prolong tire life.

Causes of Engine Heating

O. What are the most common causes of automobile-engine overheating?— A. X. Peterson N. J.

A .- The most common causes of engine overheating in the thursh order of their importance are a loose fan-helt inadequate water supply in the cooling system, or a leaky radiator, clogged water-jackets or hose connections, insufficient oil or old oil; incorrect spark advance and carbon in the cylinders.

Horsepower-Weight Ratios

Q.—is there a fixed parts between angine homepower and weight of the passwater automobile and motor truck and if so, what are the most seval ratios for the two types of vehicles—J. S. Los Angeles, Col.

A .- There are no definite fixed ration

between horsepower and weight, these varying according to the design of the car and the purposes for which it is intended. Some speedy passenger-cars have I hp. each 50 or 100 lbs of weight. Others have I hp. each 150 lbs. weight, and the ratio increases up to I hp. each 300 or 400 lbs. of weight in slower-speed trucks of large capacity.

Heavy Oil for Old Engine

O.—I have an old one that have high all renewrention. No doubt rebering the cylinders and fitting new phroms and rings would cure the trouble but I do not wish to go to this supering. What can you suggest? J. W. P., Topeka. Esmana.

A.—Try using beavy off. Drain the present off out of the grankease, put in a gallon of kerosens, and run the engine for a minute or so. Then drain out the kerosene and fill reservoir with heavy oil. The reason for recommending heavy oil should be obvious. It is thicker and flows less readily, therefore less of it will make its way up into the combustion chambers. At the same time, the parts of the engine are so well worn that there is space for this thick lubricant to flow to all points requiring it,

Tire Size vs. Differential

Questly cur is equipped with \$2 by \$40 inch. tires, Will it do not become to put a 33 by 4 fach tire on one may whoping. If, Id. G., Springhold. Mass.

A.—The practical answer to this question in that it is being done every day, and owners report so had results. But difference in the diameters wears the differential gears and the speed with which these gears give out in some cases is only explainable by unequal tire sizes. The gears referred to are the small.

pinions—not the ring gear or ring-gear pinion. If rear tires are invariably of the same diameter, these gears are only in action when the ear is traveling a curved path; but if these tires are not of the same diameter, they are in action continuously to an extent proportional to the ratio of the tire diameters. In considering this problem, actual tire diameters must be thought of, taking into account whether three are pumped hard or not, whether their treads are worn or new, whether the tires are large or small, according to their nominal size and, finally, whether they are the same nominal size or one is an oversize. In view of all these factors, it is not difficult to imagine a car with one rear tire of two or three inches greater diameter than the other rear tire,

What Produces a Backfire?

O : What produces a backfire and how does it differ from a muffler explosion? id. L. R. Pueblo (.els.

A.—A backfire is due to the burning mature in the cylinder setting the gas in the intake manifold on fire. A muffler explosion is caused by unburned charges of vaporised mixture being delivered from a musing cylinder to the muffler to be set on fire by hot exhaust gases from the succeeding cylinders that are firing

The backfire is usually caused by a weak mature or cold engine. The condition may be aggravated by a retarded spark. The weak mature may be caused by improper carburetor setting or dirt in carburetor or pipe line. If hot-air connection ceases to work, backfiring may result. Other causes of this trouble include intake valves that stick intake valves that leak or have weak springs. Incorrect valve-timing might also cause the difficulty

Why Some Tires Wear Out So Rapidly

FARMER JONES found his young neighbor Brown closely examining the right front tire on his light truck. Noting his perplexed look, he asked, "What's the trouble bere?"

This tire peems to be wearing faster than it ought and I'm wondering if the wheal can be out of alinement," replied Brown.


"Don't you know how to find out?"

"Yes, I tried measuring, but it mems to

be all right."

Jones examined both tires carefully, then observed, "That tread does appear to be wearing unevenly. Well, we will make sure. Get me a clean piece of papersheet of noft white, not tough paper

Brown complied. Jones took a sheet, wet it, and then laid it on the smooth floor directly in front of the offending tire. He made sure it adhered tightly to the floor, and then wiped off the surplus moisture with a dry cloth. He took another sheet, and after treating it exactly like the first,



If your tires were out too feet, yest the wheels of your car so imagested by Farmer Jones

placed it on the floor in front of the other

He then saked Brown to start the engine and after cautioning him to hold the eteer-

ing-wheel so as to drive straight ahead, had him drive only the two front wheels over the moistened sheets of paper. Brown stopped the truck before the rear wheels reached the paper. Then both men examined the two sheets of paper. The left one showed the clear impression of the tread and was untota. The right appeared to have been pushed inward and the tread had ruffled and toru through the paper in spots.

Something wrong here," superted Jones. "You my you measured between the wheels and found nothing wrong? Well, let me have your jack."


He lacked up the right front wheal, shook it, and it wobbled on its bearings.

"Looks so though we have found the

trouble." he remarked.

They took the wheel off and found the bearings loose, allowing the wheel to stand straight at rest, but esusing it to wobble when the truck was in motion. They remedied this and the wheel ran true again.

Ball-Bearing Stationary Jacks for the Garage



Buttonary jecto are a volumbie equipment for the gazage and sofer than moveble jects

ONE of the most desirable features of gerage equipment is a means of housting either the forward or rear ends of the car enough to bring the wheels 2 ft. above the floor. This permits of the periodical repair of the chassis and makes it possible to get underneath readily for cleaning, greating, and inspection, which work is neglected where the owner is obliged to get down on the cold dirty garage floor

If two 8-ft, lengths of 3-in, from pape are embedded in the concrete floor at the time the floor is placed, leaving the ends protruding about 4 in, above the floor level, two removable acrew-jacks with forked apper rests can be used to elevate the carto the desired position. These inck-screws are made from bor stock 134 in in diameter. and the forked rest is forced out of the end of the bar. It is desirable to have the thread laths-turned on the bar, making a equare thread with a screw lead of about in. The lifting-nut should be made of corresponding thread, and for convenience in turning a rim about 10 in. in diameter should be wested to the nut.

Two ball thrust bearings (for ease in turning the nut on the screw) are placed between the pipe and the nut. While the threads can be put on the bar with a dia, the pitch is usually low and more time is required to raise the car. The space between the elevating jacks should be made the same as the distance between the outer frame members of the car's chasses. The cost of these fixtures will be low, as the threading can be done in any machine-shop. The ball thrust bearings need not be new; suitable parts can be purchased from dealers in second-hand material.

Keep the threaded bars well olied and the device will work smoothly and fast. In lowering the car, a steep pitch thread will practically lower itself; the nut is given a quick turn, and the weight above tends to keep it spinning uptil the car wheels are on the garage floor.—G. A. LUERS.

Several Different Ways of Cleaning Ink-Bottles

NK BOTTLES invariably become coated on the inside with dried ink, which adheres firmly to the glass and does not yield to water. There are several methods of eleaning such bottles and they depend for their success on the nature of the ink

The best method is to put a handful of small bird-shot in the bottle, fill it about half full with water and shake the buttle and contents vigorously to remove the conting of dried ink by the friction of the lead abot against the sides of the bottle. This will remove the greater part of the coating. What is still left may be removed by emptying the shot and water out of the bottle and putting about a thimbleful of hydrochloric acid in the bottle and rinsing every part of the inside of the bottle with the acid until the ink is dissolved.

Ozalic neid or one of its salts may also be used for this purpose, but it is a violent poison and must be handled with great caution. The hydrochloric acid also is poisonous and highly currosive and should not be permitted to come in contact with the skin or any fabrics. When the coating of ink is very beavy, it is sometimes found necessary to repeat the cleansing process.

Aniline inks do not resist cleansing as the fron-gallate inks do. One ounce of denatured alcohol used for tinning the bottle thoroughly will usually remove all the remaining ink. It is advisable, however, to repeat the rinning at least once more before giving the buttle its final ablution with water. HERMAN NEUHAUS.


Improve the Screwdriver with a Valve-Wheel

BY adding a valve-wheel, as shown in the illustration, to the blade of the scrowdriver, the work of twisting the screw is less tiring and the work progresses more rapidly

A wire-rim wheel is preferable, as this affords a good gripping surface for the

hand; however, a past-from or wooden rim will improve the acrew drivet if either of these is available

The wheel is added by squaring out the center enough to permit it to be driven solidly over the buide. After adding the wheel, the blade should be ground as shown to put it to good condition for the screw




The hand wheel shows. power for lurning the screwdrayer

slots. This makes a dependable tool, serviceable for the hardest screws.

MAKE an Indus-rubber printing-block, either by cutting or from a zinc or az electro cut, mouten it with fluorhydrate of arnmonus and hydrofluoric acid, and apply it to the glass for a few moments. It will etch it, but so slightly, that the picture can only be seen when breathed upon. This might be put to commercial uses, such as on store windows, or for novelthes.

Saving the Body Finish of the Automobile

In spite of a good paint job and exceptional care, a car dose sometimes undergo a little rough treatment and the result is a chapped-off place or two on the lustrous finish of the body. Once a chap



When one example chaps, arous the spot with somey and cover with shellar.

has been loosened, water soon forms rust between the paint coats and the metal of the base. As this rust spreads, the paint around the bare spot becomes loosened and in time more paint comes off

If this happens with your car, carefully pry off the loose paint about the hare spot with a penknife blade, until clean metal is exposed. This increases the size of the blemish, but this is better than having it gradually grow larger.

With a small pleas of emery-cloth, secur the metal surface until it is bright, and then coat with a little shellar so that all of the metal is covered. By carefully working the shellar into the corners of the blemish, and sealing the whole against the air, the spot is effectively protected from rain and other damage.

By mixing a little ismpblack or other color into the shellac, the coating may be made the same color as the rest of the automobile body.—Data R. Van Horn.

Blinker Signaling with the Car's Lamps

MEMBERS of automobile parties are sometimes asperated by lakes or streams too wide for the human voice to cross, and without telephone service. With automobile lamps and a card showing the international Morse code, convenation can be carried on without difficulty

A hat can be used as a shutter. First cover the light. Remove the bat for half a second and quickly replace it. A Murae



When you are expensively from your fellow tourists at hight, signal them with your being


"dot" has been transmitted. A "dash" is three times as long as a dot.

It is not necessary to learn the code. Just hold a copy in the hand and the letters can be found rapidly enough for practical purposes. In receiving a memage, the dots and dashes may be put down as they come and translated later. He sum to put in the intervals correctly. The space between dots and dashes in a letter is the length of the dot, while the space between letters should be three times as long. Hetween words still more space about be given.

By throwing the light up in the alc algnals can be transmitted over a hill of considerable height. The use of field-glasses for receiving may make it possible to receive messages from a point twenty miles away or even farther.—A. Peany

Horn Motor Converted into a Grinder

THE motor part of an automobile horn can be converted to a small high-speed grinder for use in the private garage in sharpening small tools, drills, knives, chisels, grinding coil contact points and similar work. The funnel of the horn or bell is removed and is place of the ratchet



The horo-motor of your netomobile may be used to drive a small emery wheel

disk a alcove is driven over the armsture shaft and riveted on.

This sleeve is threaded and fitted with two nuts and washers for holding the emery-wheel. The usual bracket that clamps the horn to the car is used for securing the improvised grinder to the edge of the workbench. With an extension lamp-cord the motor can be run by the storage battery in the car

In view of the exceptionally high speed at which them motors run, only a small emery-wheel in required. This is a very compact tool and if desired can readily be carried in the tool-box of the car while touring.

Danger Due to Loss of Ford Front-Spring Center Bolt

SHOULD the ellps of the Ford front spring get loose enough for the center bolt to be pulled apart of sheared, it is dangerous to drive the car. The only connection between the front anle and frame when spring clips are loose is the center boit. Without this the frame can shift sidewise, and in doing this the steering-arm will look and possibly ditch the car. Inspection of these clips before undertaking an extended drive is a wise precaution to take.—G. A. LURAS.

How to Make a Rain-Visor for Your Car

HERE is a rain-visor that is made of galvanused from, can be flattened and stowed away when not in use, and can be placed in position quickly when a sudden shower comes up.

Secure a sheet of galvanized iron 2 ft long and about 16 in. wide. With a pair of



If you have an rais-view on your automobile, you can easily make our by following the directions given here

charp tin snips cut out a section similar to that shown in the picture below.

Two bends are then made that form a three-sided box, not too bulky, yet large enough to give ample vision when in place

Four holes are punched through the corners of this visor and short lengths of wire inserted end best to form hooks. These hooks alip over the top and bottom rims of the upper half of the wind-shield to hold the visor in place.

To prevent glare, the from sheeting may be covered with asbestos or cotton by costing the visor with sheller and laying the material on before the sheller has become hard. Another way to prevent



This shows the sussess of cutting the shoet metal before it is leaded to form the vista

glaring is to give the iron a cost of lacquer. When not in use, the bends are flattened out and the visor, now a flat sheet, is stared under the rear seat, or any other convenient place.



How to Run the Furnace Economically

THE relation between chemistry and the economical burning of fuel has been discussed often, but little, if any, attention has been given to the chemistry of the elimination of dust and smoke as applied to hot-air furnaces.

A definite quantity of air is necessary to properly and economically burn the perticular amount of fuel needed under certain weather conditions. Referring to the Illustration, this air is drawn in through the ashpit door A, which peases upward through the grate G and bed of burning fuel F, and, after having heated the fresh air to be delivered to the various rooms, leaves through a pipe P containing dampers, and passes out into the chimney. The various parts of the furnace through which the flame, gases, and dust from the fire pass, are supposed to be completely separated from the circulatory system through which the fresh air is passing while being heated for the rooms of the house. It is difficult to meure this condition continubusiy, especially in older furnaces, and, due to leaks between the two systems, dust and gases pass up into the rooms, unless certain pregautions are observed. These can be carried out without a weate of fuel.

By O. E. Ruhoff

On a cold day much more air is necessary than on a mild day, when but little coal needs to be hurned. When it is desired to hurn less coal, the amount of air passing through the firebed is decreased by either (1) opening check C, and closing damper D, or (2) by closing the subpit door or the damper in it, or (3) by opening the damper in the fire-door, or 4) by opening the dust-damper D. In those different methods of regulation, the only one that is likely to waste fuel in that of keeping the damper in

In a general way all furnaces are built like their shown here

the fire-door open too much, since this may draw in unnecessary cold air.


The proper procedure for checking the rets of burning is not by greatly reducing the suction exerted by the chimney, but rather by reducing the amount of air that peachs through the fire, by keeping the ashnit door and its damper closed, or by temporarily opening the damper in the firedoor, or by leaving dust-damper D open. Do not forget, however, to close dust-damper D when the weather is cold, otherwise much air will go through the dustdamper D, instead of the drebed. It is not intended to imply that damper E and check C should not be used at all, but they should be used rather sparingly. However, when the furnace is being worked on, either to break up clinkers, remove ashes, and ap on, It is important to keep check C closed, and have damper & wide open so that dust and polsonous gases may be drawn out of the chimney instead of backing up and leaking to the fresh-air pipes, or coming out into the furbace-room.

Hot-air furnaces differ in details of construction, and the illustration and above descriptive matter may not apply completely to them all.

To Etch and Frost Electric-Light Bulbs

ETCHING or frosting giase is by no means difficult to do if proper care is taken. Even an electric-light bulb can be frosted.

The materials recessary for etching on glass consist of a lead disk, powdered cal-



Pouring the sold down the glass red held against the mouth of the bottle will prevent apilling the dangerous liquid

rium fluoride, concentrated sulphurie seid, a glass red, and some paraffin.

Before generating the fluorine gas, the object to be stubed is entirely covered with wax. Then with a sharp knife all that part of the wax is removed from the glass to be etched. This must be done very carefully so that none will adhere to the glass, since the part to be etched must be absolutely clean.

Then the object is placed in a small cardboard hox or a hole is cut into the lid of the box and only that part of the glass to be etched or frosted in placed through it. The space between the glass and the cardboard is closed with parama.

Before scaling the box the powdered calcium fluoride, which is absolutely harmless, is placed in the lead dish (4 on, will be sufficient). Then concentrated sulphuric seid in added to the powder with extreme care and stirred with the glass rod so that it mixes thoroughly. Enough acid is added to form a thin paste. Caution must be used since the escaping gas is very poleonous and must not be inhaled. A lead

dish is absolutely essential. Glass dishes can not be used, as they are quickly destroyed by the acid

As soon as the paste has been made, the lead dish is placed in the cardboard box, and the cover placed over it. Of course,



The etching-but, its cover and an incondencent bulb that has been etched are shown in this illustration

Timely Hints for Aiding Santa Claus

CHRISTMAS is approaching and the problem of providing presents is foremost in every one's thoughts. In the December usine of Popular Science Monthly you will find a number of suggestions for making Christmas presents. Full directions will be given, and only tools included in the home tool-chest will be required.

the object to be etched must be in the box with the lead dish. Leave the tightly scaled box undisturbed out of doors and covered with a wooden box so that it is protected from the dew. After the second day, take off the lid, remove the etched glass, risse it in water, remove the paraffin, and the glass will be found to be atched on all those places where the glass had been exposed to the acid furnes. Do not lorget to clean the lead dish by playing a stream of water on it until all of the paste has been removed, then dry it.—E. Bang.

Methods for Removing Various Stains from Cotton, Wool, and Silk



Every homebold about be supplied with such an equipment as a here illustrated for removing all lands of states

MOST stains can be removed if they are given the proper treatment as soon as they occur. However, different stains demand different treatment. If, for example, you apply hot water to milk, egg, meat, or other abuminous stains, it will do more barm than good; yet this same bot water will easily remove fresh fruit stains. Similarly, soop that will remove grease spots to a certain extent, will set a fruit stain in the same material so that it cannot be removed

In regard to the cloth itself, its nature, color, weave, finish, and weight must be taken into consideration before anything is done.

Cotton and linen are stronger than either woot or allk and can be given rougher treatment, however, if and is used on cotton and wool, it must be immediately followed by an alkali or a thorough rinning to prevent destruction of the fiber Alkalis do not affect cotton and linen so much as acids, and the opposite is true for wool and silk.

Before applying acids or alkalic to a stain, try hot or cold water, according to the nature of the stain. When the stain is on lines or cotton fabrics, the material should be soaked in water; if on silk or wood, it should be sponged. If water does not wash away the spot, then a chemical should be applied. The work abould be done rapidly to prevent possible destruction of the fabric.

Fruit or berry stains should be attacked immediately with hot water. If the cloth in question is white or is made of strong fast-colored material, boiling water may be posed.

Silk and wook however, are too delicate for such treatment; they should be sponged with warm water. If some of the stain remains after water treatment,



Fruit states may be removed by posting boding water from a ten kettle on them in a small stream.



Shore to one method of removing tak spots or other states from fabric accountically

try moistening the material with lemonjuice and hanging it in the sun. If the stain in question is grayish-blue—a buckleberry stain, for instance—a 10 per cent solution of acetic acid should be used, rinsing well afterward.

If plain writing-ink is spilled, soak the stain in a dish of milk. This should remove the stain almost entirely. If not, try a saturated solution of oxalic acid, javelle water, or potamium acid exalate. Printing-ink stains are loosened by the application of lard and should then be washed out with soap and water


At every meal you are in danger of gream stains. The first thing to do to a gream stain is to acrape it. Then wash it in scap and warm water. It is often effective to place the material containing stain between absets of blotting-paper and from it out.

Mest-julce and blood steins should be soaked in cold water; the coloring matter will dissolve quickly, spreading into the water. After this has happened, the stain may be weahed in hot water or in ammonia or peroxide of hydrogen solution, and the stain will disappear.

Invisible Lines Etched on Blackboards in Classrooms

INVISIBLE lines atched on the blackboard horizontally and grown sectionally will guide the pupil to keeping on line and aid both pupil and teacher is next spacing and drawing of curves. The lines are stated by means of acid and are almost entirely bavisible from the pupils' seats, but are easily seen by a person standing close to the blackboard

The most satisfactory way of stehing the lines on a slate blackboard is to cost the entire surface with hot paraffin applied with a brush. The lines are then scratched



Lines etched on the blackboard with acid are visible only to the teacher or pupil standing close to the board

in the paraffin and muriatic acid or other suitable acid is applied over the entire surface. The paraffin will prevent the contact of the acid with the slate except where scratched. The protective costing can then be acraped off.

Lines scratched in with a hard steel point are not as antisfactory as the above, for the white chalk dust fills up the scratches.


No Slipping on This Kind of Walk

ABOUT to build a concrete walk around my home, it occurred to me that I

could use up my old tires. With a sharp knife I cut them up so that the pieces were about 1/4 in. square. Instead of laying the concrete in the usual manner, I constructed a wooden mold into which I could pour my concrete and formed a sinb 3 ft. square and 3 in. thick. Before filling the mold with the concrete mixture, I covered the bottom of the mold with the please of old tire so that the rubber plugs would be imbedded in the surface of the concrete when hard. After pouring the concrete on top of the rubber plugs, I allowed it to set for a week, after which I took the slab out and put it in place on my walk, the side is which the rubber plays were embedded being the opper

By the above method my old tires were rendered useful and I had made a walk that was absolutely non-slippery in wet weather—RAYMOND Fracutz.

To Light a Safety Match without a Box



Safety entropes can be ignited by friction on glam, but medicas to any the glam is not improved by it

TO light a safety match without its hor, it should be rubbed with a long quick sweep on a smooth window-glass. To do this successfully the movement must be a long and rapid one and the match so held between the thumb and fingers that the head will not break off


The smoothness of the glass prevents the head of the match from rubbing off, as is the case when it is rubbed on a rough surface. The friction of the rapid motion generates enough heat to ignite it

It is not advisable to light matches by rubbing them against mirrors or other highly polished plate-glass; naturally it many them.

Electric Heaters and Furnaces Built at Home

SEVERAL ways of constructing a small electric heater or lurnace for the house, laboratory, or home workshop are described herewith. The best way to obtain a heater roll is to purchase one of those sold as spares for the parabolic copper reflector heaters, or a discarded one may be easily rewound if the care is not broken. Another way is to wind from or special resistance wire upon a silica tobe, which may be bought at a chemical supply home. This is a semi-transparent tube capable of withstanding high temperature.

Lacking this, sheet asbestos may be wrapped into a cylinder and pasted to-




Mars is a stock type of resister and method of mounting and wiring it

gether with sodium silicate (waterglass), the liquid often used for preserving eggs.

When dry, this tube may be wound, but it is rather poor material for the purpose and probably would not stand up long. After winding any sort of a heating-coil it is a good plan to paint it with sodium silecate, which forms a sort of heat-resistant coating and helps hold the wire turns together

For general heating purposes, one of these heating colls may be mounted on a




Bimple occurgement of a small are furnace

block of heatproof material and supported by four porcessin knob insulators secured to the block with stovebolts. Two copper clips from an

old kulfe-switch, drilled for small brass clasp-bolts and acrewed to the block, form convenient supports for the coll. Sometimes an electric heater is to be used in a drying or baking cabinet and one picture shows how a coll may be clamped in an appright position in such a cabinet so that all the air entering must pass through the red-hot core.


A heating tall of the type described

By H. H. Parker



Details of a more complicated are l'armore and of a resistance l'armore

above, if surrounded by heat-insulating material, can serve as a small furnace to harden and temper light tools, heat chemicals in the laboratory, and for variour amiler purposes. One way is to cut an ordinary firebrick in half, hollow out the pieces to take the coil, wrap this in asbestos souked in waterglass and clamp the bricks around it by means of iron straps and tisbults, something after the manner in which n large furnace is built. Cavities may be chicolod in the brick to make room for the coil terminals and grooves to lead the wires out to a connection board, then all remaining spaces or cracks are caulked with asbestos. As there will be little heat



This is a diagram of a recestor-brecost relater.


radiation through such a furnace, the coll might overheat and burn out and it would be well to try it out in series with a small resistance coil, made of a few feet of iron or resistance wire, until it is determined how much current the coil will stand.

Furnaces of this character, but vertical, with the upper end open, are widely used in laboratory work to take the place of the Hunsen burner. The firebrick furnace, stood on end, could be used in this way, but one of a slightly different construction is shown. This is made by surrounding the coil with fire clay or special fire coment,

various makes of which are on the market, tamped into a sheet asbestos cylinder. Then a sheet-iron case is made, about an inch larger in dismeter than the asbestos cylinder, and the space filled with shredded asbestos made into a paste. Such a construction adds considerably to the efficiency of a small furnace. Before applying the current, the whole assembly must be carefully dried out in an oven.

A small horizontal furnace may be built in this way also. In this type, both center openings, if not in two, are closed by built-up asbestos plugs. In the vertical furnace, a top and bottom circular cover of transits, with anchor bolts and sheet-iron legs, are shown.

Are (urnered have been ton often described to require repetition have, though




Sharring details of a volution consistence formed texts from and olds viewerous

two of these are shown. One is built of two pieces of firebrick, grooved for the insertion of the carbone, with an outer best insulating layer of asbestus and sheet-from cover, similar to the construction described above.

Due to the much higher temperature of the arc, careful heat insulation is of considerably greater importance than in the case of the resistor furnace

Another simpler are furnace is shown, built up of firebrick blocks, one each for top and bottom and four forming the heating compartment of the furnace. Two of these are drilled to allow insertion of the carbons. Such a furnace is of low efficiency

hat quickly and entily built. Unless a transformer of the magnetic leakage type is used, resistance must always be used in series



Resister and in arrive

with an are when run off a regular lighting circuit, this may be a water rhecetat or a few feet of iron wire of about No. 24 gage, wound into a roll

Improvise a Hydrostatic Level for Rough Work

If you have to level the ground in your garden or on your farm, or lay out ditches for drainage, you need a leveling instrument of some kind. Such instruments, even of the simplest type, are costly, far too much so for the average gardener or farmer who was them only on rare occasions.

By following with care the directions here given, a level may be improvised that will give satisfactory service in all cases in which extreme correctness is not essential. The device consists of a square-cut piece of board, I hs. thick, 8 or 10 in. long, and about 8 is, wide, to the ends of which narrow strips of wood, about 3 or 4 in. long are nailed at right angles.

The side strips should be of the same

length and each should have a notch for orthing, as shown in the illustration.

If the board is placed in a bucket of water and is allowed to float on the sur-




For eauth work this level is sufficiently accurate

face without touching the niden of the bucket, a line drawn through the two upright nights will be horizontal provided the work bas been done with proper care. To make sure that the level is accurate, it should be tested before it is put to practical use -RUSSELL CRING.

Do You Number Your Motor-Driven Machines?

NUMBER stencils and a pot of white paint will save a lot of confusion in a shop operating motor-driven machines. A large white number painted on the machine and the same number on the switchbox on the wall of the shop will tell the workmen what is what without there being need for guessing.

Often the starting-boxes of several machines are placed close together on the wall with nothing to indicate which machine each box controls. If the driving motor is not direct-connected, but operates through a countershaft, the machine number painted on the motor as well as on the starting-box is helpful for avoiding confusion.—F. M. Weston, Jr.



ABOUT 1800, Professor Volta, of Paris, experimented with a substance known as the "vital fluid," a name given to sleetricity by Galvani, professor of anatomy, at Bologus, Italy, in 1790, who found to his surprise, while accidentally touching the hind legs of some from that hung on a copper hook with an fron pail, that they were drawn up with a singular convulsive movement. But Volta soon laid aside Galvani's theory, for he found that the contact of two dissimilar metals caused the effect in question. For example, if a piece of sinc is placed under the tongue and a silver coin is placed on the tongue at the tip a thrilling sensation in felt; but if the two metals above and below the tougue do not touch such other, nothing is perceived. This is the principle of Volta's pile, which consists of a number of circular plates of copper and sine arranged in pairs and between each pair a piece of cloth moistened with a weak acid or a maine solution is piaced. The whole is insulated with glass and the top sine plate and the bottom copper plate are connected with wires. This arrangement gives small sparks, the

intensity varying with the number of pairs of metal used.

Voltale electricity and that developed by friction are of the same kind, but are characterized by certain points of differences. First, the electricity developed by friction in far more Intense; and that produced by chemical action is far greater in quantity. Second, voltaic electricky will not pass through an insulating material, as the electrie spark does. If the circuit is broken, all action ceases at once. It will pass through thousands of miles of conducting wire, but will not leap n break 1/50 in. in length. Third, the chemical effects of



voltaic electricity are incomparably greater

than those of frictional electricity. The

galvanic battery produces the most in-

tense heat, and readily decomposes sub-

stances. No such effects belong to the

static machine. As ordinary buttery will

decompose a grain of water into oxygen

and hydrogen. To do this with frictional

Putting together the curcular comba with their thumbtack routh

electricity would require the power of an electrical plate baving a surface of 82 acres -this would be equivalent to a flash of lightning

A static machine capable of producing a 3-in, spark can easily be made. It constate of a circular plate 12 in. in diamster, an amalgam covered "rubber," a apherical conductor, and a hardwood base. The exactness with which the various parts are made and put together greatly laffoences the espacity of the machine. If the parts are carelessly made, very little electricity will be generated, but a machine carefully made will give sparks of much greater intensity than was expected. On very dry weather such a static machine will give a spark from 5 to 6 in. in length. But sparks of such length will be attained only by machines of perfect workmanship made with suitable muterial,

The beavy base and the two supporting arms are made from hard wood, preferably mahogany. The base is 20 in long by 12 in wide, and the two arms are 16 in, long. The latter carry the axle of the revolving plate. Two t, shaped pieces of wood. 4 by 2 by 19 in., are also made. These are later acrewed to the base with winged boits.


Next the glass plate with its glass axie is procured. This is the most expensive part of the entire machine, for it is best to huy one direct from an electrical supply boune

instead of going to some glass-cutter, where one is apt to get a plate unsuited for electrical purposes.

The "rubber" consists of two thick pieces of felt covered with an amalgam of two parts of mercury, one part of tin, and one part of sine. This is evenly distributed in a thin layer with the aid of a little lard or other fat which helps to hold thus motal to the felt. These two rubbers are placed in a frame supported by a grass rod 4 in. in length and held in place by one of the U-shaped pieces of wood.

The conductor consists of a large hollow bram ball attached to a glass rod which is

beld erect by the other U-shaped piece of wood. A brass har is passed horizonta ly through the sphere, one end receives a small bram ball and the other a circular metal curab of ten The teeth. which can be made of thumbtacks, must not touch the plate, but they should be about in to I Id of an meh from the plate.





armed of the com-

prevente a loss of electricity. capacity of the conductor can be beightened by placing an iron ring, whose ends must not touch, on the hollow sphere. This from ring should be well insulated with a wooden jacket (a heavy coaling of paper stripe can be substituted).


If the handle of the machine is now turned toward the combs, statle electricity

will be developed.

This Ford Starting Motor Pumpe Water

HAVE made use of an old Ford starting motor by attaching it to a \$2-volt lightling plant and I use it for pumping water at the well in place of a gasoline engine. I use it for pumping water for about 100 head of stock and it proves to be very effective.

The motor is builted to a plank 2 ft. long and fustened to the well platform. This



How a Ford starting motor gumped water for a big berd of carrie on a stock-form

forms a firm foundation for the motor. The switch I have placed about 3 ft. from the ground, on a 4 by 4 in, post to which the wires are attached. The best is made of an old harness tug. - MARION O. SWENSON.



Placing the ampl gran pada



pinte glass disk is per on



Useful Things to Do at Home

Hints that will help you in doing odd jobs around the house, saving time, temper, and money



Don't Throw Away Any Screen-Wire Scraps

AROUND the home or workshop one present of the bottom of a bott, which from wear or other cause has become too loose in the nut. One or two layers of small wire—wrapped tightly in the bottom of the thread groovs—are sufficient, in most cases, to tighten the nut and prevent its working loose.

For such a small job one does not eare to buy a whole spool of thin wire, nor is it pecessary if a scrap of wire screen is available. By starting at the edge, where the screen wire has been cut, it is an easy matter to pull out as many lengths as deaired. Being a tough stool wire, it is not only adapted for the purpose mentioned, but it will also be found useful for many other small jobs, such as holding small pleass to be soldered, mending toys, etc.

Since these pieces of screen wire soon become misplaced, or rusty, several strands should be pulled from the mask and wrapped on an empty thread-spool and the whole wrapped in an oiled paper or cloth. This will serve the double purpose of preventing the wire from rusting and from getting tangled

Preserving Varnish Brushes for Future Use

THE man who regularly variables his floors will not want to invest in new brushes each season when the time comes to touch up his floors. Variable brushes should never be put into water. They should be suspended in corked jars of lineared oil. The method of suspenden is to bore a small hole in the center of the cork and wedge the end of the brush into this hole.

Warped Stove-Plates Are Easily Straightened

WHEN the cross members between stove lids are bent downward from long use, they may be straightened in the following manner. Turn all the round lide and the cross members over; putting them back in their accustomed places bottom upward. Place some heavy from weights on the beat pieces—so that the weight comes on the highest part of the bend. Next, build a hot fire in the stove. The fire must be hot enough to bring the gross members to a warm red heat. If the warped pieces do not begin to straighten, f. r to bend downward, within ten or fifteen minutes, add more weights. But be careful! Remember that you can not bend hot easting by blown; it will break Therefore, do not allow a weight to fall either on the cross members or on the weights that have previously been placed on them. If the weights are still insufficient, sprinkle a little water on the highest parts of the bent pieces. Use very little water, it is better not to use any. Get more weights if possible.

As soon as the best pieces are almost straight, either was the fire as smother it. Do not throw water into the stove. Allow the stove to cool, remove the weights, and turn over the lide and cross members: you will be agreeably surprised to find that the top of the stove is almost as level as when

Disinfecting Books without Injuring Them

DURING the prevalence of spidemics it is a wise precaution to disinfect all books obtained from a public library before using them.

According to the advice of an Italian arientist, books may be completely sterilized by a simple method without being injured. Dissolve one part, by weight, of calcium chloride crystals in two parts, by weight, of a \$6 to 40 per cent solution of formaldehyde. The syruptike liquid obtained will keep its effectiveness several months.

Place the books on a grating of galvanized from in an airtight box and underseath the grating stretch a cloth previously dipped in the solution and well wrung out Close the box and leave the books in it for twenty-four hours.

Use Copper Were when You Hang Pictures

EXPERTS have made many tests recently to determine which kind of wire will give the sufest and most lasting support for the suspension of paintings in art galleries or homes

It was found that copper wire, plain, and in a single strand, is far superior to twisted or braided cords of thin iron or brain wires, and has the additional advantage of being runt-proof

Kerosene Has Many Uses in the Household

KEROSENE is one of the most useful terms on the list of indispensible household articles. A bottle or can of it should be in every home. Its usefulness as a fuel is well known to every owner of an oilstove. Housewives may know that kerosene has valuable cleaning properties and that one or two teaspoonfuls of it in the water in which the soiled clothes are snaked before washing, will materially aid in the cleaning. But there are also many other nacful purposes for which becomes enay be employed by the handy man.

If your bathtub, your wash-bowl, the tiles on the walls of the bathroom, or any other chanceled surface requires a thorough cleansing, dip a rag or a sponge in kerceens and wash the soiled surfaces liberally with the oil, using a moderate pressure in rubbing. Allow the perseene to remain five or ten minutes and then wash the surface with a soft rag and plenty of hot water.

Kerosene, applied with a soft chamela skin or a pad of absorbent sotton, will cleanse and restore the luster of polished piane panels that have become "blind." The oder of kerosene may be objectionable, but the oil evaporates rapidly and with it the oder vanishes. Polishing the restored surfaces with a soft slik rag after the oil has been wiped off, will increase the luster-Hard rubbing should be carefully avoided, because it invariably leaves streaks.


Por removing greeny or olly dirt and fingermarks from pottery, glass, or the painted and varnished surfaces of doors, furniture, etc., there is nothing better than kerosena, applied with a soft chamois skin and then wiped dry and polished with a silken rag.

How to Foretell the Weather without a Barometer

FROM this white blotting-paper or any bother white and absorbent tissue a reliable bygrometer may be made which will indicate the amount of mulature in the atmosphere and enable you to forecast the weather in a limited measure. Dimolve 1 part of chloride of cobalt and 10 parts of gelatine in 100 parts of water and soak the paper or other tissue in that solution. The paper will be pale rose red while it is wet When dried by artificial heat it will gradually turn red, then bluish red, then lavender blue and finally a beautiful sky blue. According to the amount of mosture in the air the color of the paper or other tissue will vary between rose and blue.

Always Keep Charcoal In Your Medicine-Chast

THE medicine closet of every household should contain a well stoppered bottle with finely pulverised fresh charcoal. Dr. Sechevron, one of the professors of the university of Toulouse, France, has ascertained by a series of tests that charcoal is one of the most efficacious antidotes against nearly all kinds of poison. Even in cases of poisoning by quickly acting poisons, such as strychnine and toudstook, serious consequences were averted by giving to the patient at intervals of ten minutes liberal doses of chargoal suspended in water. Water and finely pulverized charcoal are placed in a bottle and violently shaken before a dose of the minture is given to the patient.







"What y' Doin' Now, Bill?"

You don't have to ask that question of a trained man, because you know has position to a permanent one—that he is not at the mercy of conditions that affect the untrained man.

You can always be sure of a good position and a good salary if you have the aposing training that puts and keeps you in demand. The International Correspondence Schools will bring special training to you, no matter where you live, or how little spare time or spare true or spare true you have.

To learn how the L. C. L. can help you, and how you can easily qualify for success in your chosen occupation, mark and mail the attached coupon today. Doing so costs you only the postage. You assume no obligation. If you think you're ambitious, marking the coupon will proce it. Do it NOW.

INTERNATIONAL CORRESPONDENCE SCHOOLS BOX 7643-8 BCRANTON, FA.

Biblish, without shipping me, how I can qualify for the position, or in the miningly before which I mark 2.

Bullian, Williams shipping position, or in the emission, it is the emission, it is the emission, it is a market in the emission of the emissio

consumer of the control of the contr

Present Septemb Print
Kinger Address

Charles was send this remains in fateractional Coresconductor Schools (Specific, London, Sandron, Consess.)



New Prize Contest

"How I Made Money with My Tools"

HAVE you ever made extra money with your tools? If you have, we want to know just how you did the trick. If you constructed something, describe it. If there is a particular job that you do, let us know what it is. For instance, we have heard of a chap who mends furniture in his neighborhood during his spare time. Others have established small spare-time businesses with tools as their only investment

Sit down now and describe your own experience for the readers of Popular Science Monthly. If you have photographs or drawings of the things you have made or the job you do, send them along

Tell your story as humanly and interestingly as possible.

\$90 in Prizes

Popular Science Monthly intends to make this worth your time. If you do not win one of the three hig prizes it is possible that your article will be bought at space rates. First Prize will be \$50; Second Prize, \$25; and Third Prize \$15.

Conditions of the Contest

- (I) Contestants are not limited in the number of ideas. The contest is open to everybody
- (2) If a drawing is sent in, it need not be made by a skilled draftsman. The contestant's name and address should appear on each sheet of drawings.
- (3) Drawings and photographs must be accompanied by a description, preferably typewritten, in which the subject is clearly explained. The MSS, must be written on one side of the paper only, and should not be more than 400 words in length.
- (4) Drawings and descriptions entered by contestants must be received by Popular Science Monthly not later than 5 p. m., on January 20, 1922.
- (5) The judges of the contest will be the editors of Popular Science Monthly
- (6) The first prize of \$50 will be awarded to the contestant who, in the opinion of the judges, has suggested the best idea.


The second prime of \$25 will be paid to the contestant who submits an idea next in merit

The third prize of \$15 will be paid to the contestant who submits an idea third in merit

- 7) The winners of the contest will be announced in the earliest possible usur of Popular Science Monthly, and their articles will appear inter
- (8) The editure of Popular Science Monthly shall have the right to publish meritarious manuscripts that do not win a prise. The regular space rates will be paid to the contestants who submit the manuscripts thus rejected.
- (9 Manuscripts or drawings will be returned to contestants if stamps are enclosed.
- (10) Send drawings and specifieations to the Editor of the Making Maney with Tools Contest, Popular Science Monthly, 225 West 39th Street, New York City

This Rabbet-Plane May Be Improvised

To make an unpromptu rabbetplane, cut a block of hard wood to the sine of about 9 in by 3 '2 in, by 1 la in., and with a brace and bit bure a hole 4, in. in dameter, not more than I in. deep through it. as shown in the illustration. Then, with a tenog-saw, cut a wedge shaped slot of the same depth. The depth will de-



From a chiral and a black of wood this subbet-plane can easily and quickly be improvised

pend upon the width
of the chisel you are
going to use, as will
the thickness of the
slot on the thickness
of the chisel

Make a bard wood wedge place the chine) in the slot and wedge at tight. A slip of wood may be glued on the face of the plane for a guide so that it may be used as a fill-ster — E. A. McCann

THE HOME WORKSHOP

Keep the Rooster's Comb in Prize Condition

ROOSTERS with abnormally large combs are sometimes very valuable But this value is considerably diminished when the combs lead to one side or bang



Herr a price receiver's comb in trained.

downward, giving even the best-uppearing fowl a forlors appearance

Such roosters cannot be placed on exhibition with any degran of success union this drooping comb in talsed. In order to do thu, some kind of a holder must be ettached to the comb that will keep it in un


upright position. The essiest way to overcome the difficulty is to make a light but strong wire support. This is bent as near as possible to the shape of the comb, and when two such wires have been bent, they are placed on each side of the comb and fastened together with strong thread or thin cord

A comb treated in this way for a short time will often be permanently straightaned.—E. BADS.

Get Your Skates Ready for the Winter

THE little device for sharpening skates shown in the illustration is made from a block of wood about 1 ½ in. square by 3 ½ in. long. The oblong hole in the side is cut with a ½-in, bit by boring four holes close together and then cutting them through with a knile or chiral and filing smooth with a rasp.

The rut in the bottom can be made with a saw and should be a trifle wider than the



By following the directions given below, you may sharpen the cuspers of your skatts at home

runner of the skate and also reach the bottom of the oblong hole.

Bore a 1/2-in, hole in the center of the top for a thumbscrew, which will keep the file in place. The thumbscrew should fit anughy in the hole so it can be tightened and loosened by turning it.

Slip a file through the oblong hole, tighten the thumbscrew and it is ready for

It is used by slipping the runner of the skale into the groove and drawing it back and forth until the desired edge is obtained. WALTER S. J. THOMPSON



Try This Way

See how your teeth look then

Here is a new way of teeth eleating a modern, scientific way. Authorities approve it. Leading dentists everywhere advise it.

Ask for this ten-day test. Watch the results of it. See for yourself what it means to your teeth—what it means in your home.

The film problem

Film has been the great tooth problem. A viscous film clings to your teeth, enters crevices and stays. Old ways of brushing do not effectively sumbst it. So millions of teeth are dimmed and rained by it.

Film shooth stains, making the teeth look dingy. It is the basis of terter. It holds food substance which ferments and forms acid. It holds the acid in contact with the teeth to cause decay

Germa breed in it. They, with tartar, me the chief cause of pyorrhea. Thus most tooth troubles are now traced to film.

Combat it daily

Dental science has now found ways to daily cumbet that film. Caveful tests have amply proved them. They are now embodied, with other most important factors, in a destifrice called Pepsodent. Millions of people now use this tooth pasto, largely by dental advice. A 10-Day Tube is now sent free to everyone who sake.

Its five effects

Persondent combats the firm in two effective ways. It highly polishes the teeth, so film item easily adheren,

It stimulates the salivary flow—Nature's great tooth-protecting agent. It multiplies the starch deposits that cling. It multiplies the alkalimity of the saliva, to neutralize the scids which cause tooth decay.

Modern authorities doesn these effects meential. Every use of Pepeodent brings them all.

See the results

Send the coupon for a 16 Day Tube. Note how clean the teeth feel after using. Mark the absence of the viscous film. See how teeth whiten as the film-coats disappear. Watch the other good effects.

This test, we believe, will bring to your home a new era in teeth cleaning. And benefits you never had before Mail coupon now

Pepsadent

The New-Day Dentifrice

A scientific film combatant, whose every application brings five desired effects. Approved by highest authorities, and now advised by leading dentists everywhere. All druggists supply the large tubes.

Ten-Day Tube Free *15

THE PEPSODENT COMPANY
Dept. 163, 1104 S. Wabash Ave.,
Chicago, Ill.

Meil 10 Day Tube of Pepsodent to

Outr one tube to a family



Every Boy Loves Trains and Boats

I van Toys look just like original models. They are perfect even in little details. These sturdy American Toys will last for years.

There are fine big Ives Locometiven that run by electricity or springs, stations, switches, sidings, tunnels, bridges, crossing gates and signal lights, and a wonderful assortment of passenger cars, freight cars, flat cars, lumber cars, oil cars and cabooses. A boy can have a complete railroad system that will be the best fun in the world.

Ives Boats like Ives Trains are miniature copies of original models. They are built of steel, handsomely painted and are operated by longrunning spring mechanisms. There are wonderful submarines that dive, ncean liners, freighters, motor boats and destroyers.

A fleet of Ives Ships or an Ives railroad system will make all other toys neglected. They are just what every boy wants.

> Send 10c, for Ives Booklet of Trains and Boats

THE IVES MANUFACTURING CORPORATION

191 Holland Ave , Bridgeport, Conn-





The Home Workshop Department Offers \$75 in Prizes Each Month for the Best New Ideas

A FIRST prize of \$50 and a second prize of \$25 will be awarded every month to the authors of the two best articles appearing in this department. Every article submitted will be considered as a possible prize-winner. Those which do not win prizes may be purchased at space rates. The prizes will be awarded upon publication and checks will be mailed to the winners during the same month.

Prise-winning articles may be long—but not over 1000 words—or they may be very short. The idea, device, or machine described must be practical and ingenious; it must fill an actual need in the home, office, or shop.

This contest must not be confused with other contests which Popular Science Monthly is conducting at the same time.

Prize-Winners for November

The two prizes of \$50 and \$25 for the "Best Ideas" appearing in the November issue of Popular Science Monthly have been awarded respectively to F E. Brimmer, of Casesovia, New York, and E. G. Gettins, of Los Anjaces. These two ideas were considered by the judges to possess the highest all-round merit of those submitted.

It should be remembered that this "Best Idea" content is a monthly feature. You may have an idea that will win the prize peat month. Read the rules above.

One Way to Help Relieve the Paper Famine

By F. E. Brimmer

(Awarded Pires Prize in "Boot Idea" Contest for Horsenbert

I P all the available pulp lumber in the United States were cut to-morrow, it would supply our demand for white paper just about one year. So estimates the New York State Porestry College.

If everybody would save his waste paper, it would save one billion feet of this lumber each year. A paper famine confronts us. The way to help is to save your paper scraps. Books, magazines, accespances, waste-paper debris, cardboard, everything

made from paper should be as ved and sold

where it will go into the raw paper market.

) out waste paper will be used to make roofing and building paper, packing-boxes, and shipping contain-

Magazines and books that are past theirday of unefulness may be tied in bundles. Your waste paper, newspapers, etc., should be baled and this waste paper will bring from half a cent to a cent a pound

and most likely more as the paper shortage increases

One does not need to buy a pressing machine to bale his waste paper. Such a machine may be made in a short time from a well-built wooden box. The one illustrated was made from a box that was 15 in square at the ends on made measurements by 2 ft. long. The side and end were re-

moved and secured back in piece by means of hinges.

It is necessary to have the side and end moveble so that the well-compressed bale may be readily removed. The three unfastened corners of the box were secured by means of three catches or old hinges when the paper was being pressed down

To use this press more conveniently, it was found best to nail several upright boards about the sides that would steer the

borse paper into the box so it was dumped from the waste-baskets. The cover was made from 1-in boards 6 in, wide, held together by three cleats, and the top was of the same dimensions as the inside of the hox into which it fits.

Three medium heavy cords are placed in the empty box in the position for tying, one lengthwise and the two others cross-

wise of the bale. Then the paper is dumped in and pressed down by a beam resting on the cover

A few bricks is all you will need as a fulcrum for the lever, which should be 2 by 4 in, and 8 ft. long. A bale of paper that weighs 50 lbs, may be pressed in this box without any difficulty whatever to the operator



Oxid a paper press like this and do your share to-mid margating the existing paper fathing

THE BOME WORKSHOP


How to Fix the Broken Rung of a Chair

By E. G. Gettins

Awarded Becond Prim in "Best Islam" Contest for Hovember

FIXING a broken rung in a chair, or putting in a new one without taking the whole chair apart, is not such an easy, oh as it appears. The accompanying sketch shows how it can be done with very little trouble.

Sometimes the ring will break off even with the chair leg on one side; in that case saw it off close to the leg at the unbroken end. Then drill a hole into both ends of the ring large enough to hold a lq-in. down, about 1½ in. deep, and then drill into the legs a hole of the same diameter, about ½ in. deep. This hole is drilled right




This shows how you may mend a broken rung without taking the chair to pieces

Into the broken dowel or tenon of the original joint. Cut two pieces of hear, dowel, I by in long: smear them well with glue and push them into the holes in the end of the rung. This will make them projecting about 1/2 in at each end. Spread the legs a bit and abow them to close up on the rung. The dowels will then just be entering the holes in the legs.

Now take a thin flat kulfe, and spreading the legs slightly, press the kulfe into the dowel, close to the shoulder of the rung and riove the dowel by means of the kulfe into the leg as far as the space will permit. Repeat this until the dowel will not move any farther, and do likewise with the other side. The dowels will now be in the right position as shown in the picture. The up the legs tightly with a rope while the glue it drying

Make a Door-Bumper from an Auto Spring

To prevent doors from striking the wall, breaking the glass, or doing damage to stucco, brick, or woodwork, make a bumper from an old auto spring, heated



Prevent doors from striking the wall by an automobile spring bumper

and out in the center. Punch two 1/2-is holes near the heavy end while hot, and bend to form as shown

Fasten the spring near the bottom of the door with 2 ag screws so that the door will come in contact with the spring before hitting the wall.—R W Jameson



Vigilance

THE VALUE TO THE PUBLIC of the Bell System service is based on the reliability, promptness and accuracy of that service.

As quality of service depends upon the economic operation of all telephone activities, vigilance begins where work begins. Science and engineering skill enter into the selection of all raw materials; and into the adapting and combining of these materials to the end that the finished product may be most efficient in operation and endurance, and produced at the least cost.

A series of progressive tests are made at every step during the transformation of these materials into telephone plant and equipment. And when all these complicated devices, with their tens of thousands of delicately constructed parts, are set in operation they are still subjected to continuous, exhaustive tests,

As the best of materials and the most complete machinery is of little value without correct operation, the same ceaseless vigilance is given to the character of service rendered in providing telephone communication for the public.

Such constant vigilance in regard to every detail of telephone activity was instrumental in upholding standards during the trials of reconstruction. And this same vigilance has had much to do with returning the telephone to the high standard of service it is now offering the public.



"BELL SYSTEM"

AMERICAN TELEPHONE AND TELEGRAPH COMPANY AND ASSOCIATED COMPANIES

One Policy, One System, Universal Service, and all directed toward Better Service

Handicraft for Handy Girls

With suggestions for the gul who have to make things. After for it a sup fire gal and the one who likes under and unth out of doors. Proce, postpand \$2.55 Papeler Science Monthly, 225 West 20th Street, New York City

O Gallons Gasoline Free


The Paker Sales Co., 117 Paker Bide. Karsas Cr. M. whise place is the true of the mean as the are made we assert that the true of the art. The tot, and are the are tree and recommend it is \$1.00 and N. Cathen Of the aght to maker 40 Gal. 4 gammed the place of the place of the first place of pair of the first place o

THE NEW METAL WORKER PATTERN BOOK By C. W. Mittakers were Associated as the series are building to restain the series of the control of the series are building to the series of the ser

BE A FIRE PROTECTION EXPERT

No experience necessary—we teach you free and help you in waithinh a big matness or your own in your own seighborhood that makes you from \$10.00 to \$100.00 darly. Write today

THE FTE-FYTER CO., 114 Fys-Fyter Bidg. DAYTON, O.



THE HOME WORKSHOP

Do You Admire Strength, Vitality, Beauty and Success?

Learn the Secret!

Free

Book on Perfect Health Sent on Your Request



Learn of the tremendous curative power the manifold uses of VIREX Violet Rays in treating almost every known human admost—Nikola Testa's great discovery! This book also contains charts and diagrams of the nervous system and organic locations and for a describes just how the ViRex Violet Ray works its many miracles. Written in a simple style—devoid of all technical language.

Vi-Rex Rays

Enjoy Wonderful
Sparkling Health!
Increase your store
of energy, revitaline
your worn-not cells
make every fibre of
your hooy tingle with a
new vini and vigor! All the
you can have through the
magic of Vi-Rea Violet
Rays right in your own
home

Violet Rays penetrate to every ce' in the body imparting that minulating vigor which brings the glow of bealth, tones up the entire system, parting life into over-taxed and sloggish tunues. As a quick rear from pain Vi-Rex has no equal. Headaches, nervousness, skin blemeshes, and many other complaints vanish as if by maga through the marvelous treatment.

Try the Wonders of Vi-Rex Violet Rays

10 Days FREE

Find out here Visite Mark will help yout (broofmetage for purel). Regal what hand tells of query ear about her bit REX and the automobility evolutionship to be successful to the mark title of his hand available. There we not into the benefit of his hand title of his hand available. There we no limit to its benefit of powers. Just mail the currence of wend a questal. Do its NOW.

VI-REX	ELECTRIC	CD., Dest	1000
79.70	- 100 2 100 2		a series and a

324 West Madison Street, Chicago Pirace send per without any cost or chitarries your free back siew ribing your Violet. Ray Machant, and details of such free trial offer.

œ	_	-	
	_	_	_

Address


Chà

Marin.

Safety-Razor Sharpener Run by Foot-Power

FROM a small piece of broom-handle with the ends of a regular sawing-machine bobbin driven into its ends and some polt leather (such as tops of old





The lists that drives your writing eaching will operate this sofety recor therepear

shots) wrapped spirally around it, a good stropper for infety-taxor blades may be made. It is placed in the bobbin winding stachment, and the sewing-machine operated just as though you were winding bobbins. A little rasor-strop dressing should be put on the leather and worked in well.

Before putting the leather on the wood, put the cylinder in the attachment and run it at top speed, while holding sandpaper against it, so as to get it to run true.

Portable Crane for Use in Yard or Shop

PRACTICALLY one of the simplest types of portable cranes that can be rigged up for use about the shop or shopyard consists of a tripod support

The material used in this construction consists only of three lengths of wrought-



Portable trigod ceitals are mitable for a small aloop became they was he fulded up

from pipe threaded at one end and screwed into a pipe T. The pipe is bent after being screwed soldly into place to bring the prope about 4 or 5 ft. apart at the base.

With a block and tackle or small chain hoist tasked to the pipe T, this portable crane is readily lifted about from place to place.—G A. Lucra.


An Efficient Shop Stove of Pipe and Fitting

This space-saving stove will give enough heat to warm a fairly large shop, and the only tools needed are such as are found around any machine-shop.

Most of the work is done with the welding-torch and a drill. The materials necemary are one piece of 12 in. or 14 in, from pipe 5 ft, long, one coupling to fit, one reducing bushing to reduce to 5 in,; enough 5-in iron pipe to reach beyond the roof; 2 ft. of 1-in, pipe for legs, small pipe for grates, and a pair of 3-in butt-hinges

The legs are 6 in long and are flattened at one end and welded in place. The door is cut with the torch, and the hinges welded in place. After the holes are drilled for the grate-bars, the hars are also welded to keep them from supping out.

When the stove is in operation the top



This store encupies a very small space but will supply a remaiderable account of best

becomes red hot and gives out plenty of heat. The combustion of the fuel is so nearly perfect that very little smoke comes from the chimney.—Charles N. Shaw, Jr.

Making Blotter-Pade from Old Magazines

OLD magazines, newspapers, and books of all kinds are readily transformed into blotting pads by boiling them in water with a handful of sods

Any old tin of suitable size may be used for the purpose. Begin by putting in the magazines as they are—binding and all-and cover them well with water before throwing in the sods. Let them bell until about half the water avaporates.


It is best to lay the old magazines upright in the tin so that the sods more easily removes the "size" and renders each page absorbent. Allow the paper to dry thuroughly, and you have a blotter-pad that will last indefinitely

THE BOME WORKSHOP

To Make an Adjustable Pipe Railing

WHENEVER a ditch in dug in the streets, the contractor usually builds a temporary wooden railing to prevent any one from falling in

One contractor improvised from pipes and standard fittings a barrier that was more easily set up and moved than the old wooden fence. The adjustable railing shows in the illustration is made from two



Pipes, fittings, and a few weights for bases are the material from which this rading is made

different sises of pipe and standard pipe fittings. The small pipe alides into the larger pape. Both are fastened with bolts and nuts to the fittings. The lower ends of the upright pipes are weighted to form a strong structure. By moving these weights closer or farther apart, the railing can be made longer or aborter, wider or narrower. as needed. The length can also be changed by using more or fewer extensions.

When the railing is not in use, it can be easily dismantled and shipped in compact form to another job .-- FRANK HARASTEE.


How Sewer-Gas May Get into Your House

SEWER-GAS cometimes ascapes into dwellings through well constructed traps which, normally offer complete protection from that danger. In nearly every case it was found that the trupe did not function because they did not contain enough water to seal the pipe connecting the trap with

the newer against the invasion of the poisonous

This was caused by accumulations

ofthreads, strings. and stripe of coth



This shows how twise or cloth The strings and will make a trop small.

all waste with a flexible wire

to the trap in the position shown an the illustration. meets of cloth absorbed the water in the bowl by capillary action and, acting as a siphon, soon re-

duced the level of the water below the lower edge of the gas-curtain of the trap. In view of the danger which may result from such accumulations, it is well to exarmine each trap frequently and to remove



UNDERWEAR

Hanes 5 Big Peatures

- Hones Stanuch Elastic Shoulders made with ser-rice-leading up seam. They give for every motion.
- 2 Manes Tadored Collaratte stugit siways.
- 3 Floore Biartle Cuffe are made far stronger and bet-ter than the usual culf. They woult flare or rip.
- Hanes Goved Crotch is cut and all hed a special way that really keeps it closed.
- Hones Elastic Ankles will their shape through repraind washing. They don't hunch



You'll Get Top Comfort and Bottom Prices in Hanes Winter Underwear

You'll be mighty thankful for Hancs Winter Underwear when you have to shiver out of the sheets, those nippy mornings this winter. But when you pull that warm, cottony fabric up around your legs, it will thaw the chills right out of you.

And right now you can get Hancs Winter Underwear at a tremendous reduction in price. There's a big drop in the Hanes prices this year. Hancs is so full of comfort, durability and service that it stands head and shoulders above any underwear at anywhere near its price.

Look at those wear-giving features listed in the illustration. Bealize that the fine quality buttons are put on to stay, and that the buttonholes hold their shape and won't break. Hanes value is in a class by itself.

See Hanes Winter Underwear at your dealer's. It includes warm, stordy, heavyweight union suits, and shirts and drawers so well so a medium-weight, allk-trimmed union suit.

Hones for Boys-If you're the parent of a healthy, lively boy, you'll give him the cold weather protection he needs by fitting him out with Hanes Boys' Umon Suits. Made in sizes from 2 to 16 years. Two to four year mass have drop seat.

If your dealer con't supply you with Hanes, write us immediately

P. H. HANES KNITTING CO., Winston-Salem, N. C.

Nect Summer-You'll want to wear Hance Nacastok Union Swite!

WIRELESS FOR EVERYBODY





on name in the on the dauly ris bample to moreover the designation of the complete to the best part of the best part perite a m a ary ar med and gualibries in gl e complete cutto

Just contines.

Just contines.

Invited ground and

phonon and year of the

real's to receive many

Table to 900

and receive and

contines.

and wireless tel sphere mercans within 10 mile value From St. or (Particular), prim Type StA complete find, phrop, optical, inspiriors and authorizen bank \$22.9E

Radio Server Apparetta may be obtained at all reliable dashes in and direct to got an except of prior

RADIO SERVICE & MFG. CO. Sales Dille

110 W. Oth Sr. Saile 2002 New York City Lymbrock L.L. Manufacturer of Complete Line of Hadin Apparatus.



Relieves Your Rhoumatism

Stoun's has been the old standby for all corts of external sches and pains resulting from weather exposure cheumstian, neuralgia, sprains and strains, lame back and over worked muscles. Penetrates without rubbing.

At all druggiots, 35c, 70c, \$1.40



Burglars Don't Seek 'The Limelight

4

DARKNESS is their stock in trade. They work by stealth tunheard and unseen—their movements cloaked in secrecy. It's honest folks that seek the light. They are the only ones who can risk it.

It's the same way in business. The manufacturer who is not sure of his goods does not dare to advertise. Advertising would hasten the end of his business career—put him to a test he could not meet.

The manufacturer who advertises, deliberately invites your inspection. He tells you about his product and then lets it stand on its own merits. You can depend on him. He knows his product is good.

That's one reason why it pays you to read the advertisements. It is through advertising that you are able to keep in touch with the good things that progressive business men are spending their money to introduce and to keep before you.

Advertisements are interesting, instructive and profitable. They throw a powerful light on the very things that concern you most. Read them. THE HOME WORKSHOP

Device for Locating Splinters in the Hand

THE bex shown will make a good addition to any safety-first equipment A strong electric light is placed inside a box after the lande has been painted white to obtain maximum reflection. A hole is critical in the box into which an electric-

fight modet in forced. A number of holes are also placed around the box to prevent the interior from getting too hot.




Splinters are quickly accused with plus depute

If a hand with a spinter in it is placed

on the top of the ground glass that is fastened to the top with brade, the splinter will be noticed at once, as the hand will be semi-transparent under the action of the powerful light.—J. B. MORAN

Save Time by Drying Dishes with Heat

AFTER the dishes are washed, place them on a tray and put it into the oven. Use a small flame to give a moderate heat. In a few minutes the dishes will be



lieve none by drying polic if sheet in the

dried by the heat Extinguish the flame and phow the dishes to cool This saves the trouble of wiping the dishes and is more sanltary and effective. The cost of the gamin far year. than for laundering dishtowels -B Fox.

Straighten Bent Umbrella Ribs without Breaking Them,


WHEN a rib of an umbrella is bent, any attempt to straighten it usually complete in a broken rib and a ruined umbrella.

I fixed one some time ago and it seems stronger thus when new.

Straighten the kink with the hands as much as possible, using pliers lightly so as not to dent it at another place. Take a four-penny nail, cut the head off, and with the hammer lightly tap it into the groove of

the rib. This will straighten out the sides of the rib.

Now bend the sides over just enough to scep the nail from shipping out. This can best be done with the phers, but light taps with



How best knobeds tilbrort straightened


the haramer will also do it. The sides need not be bent over the full length of the null, just in the middle, and the ends of the null keep the rib straight. THE HOME WORKSHOP

An Efficient Homemade Bunsen Burner

Y⁰¹⁷ may make a nest and practical Bunsen burner for home use or the laboratory in the manner here described.

Heat a glass tube about 3,16 m. in diameter, draw it to shape, as shown in the picture, and cut off with the edge of a file at the two points indicated

Through a cark or rubber stopper bore or burn a hole so it will fit tight around the tube. Then cut a hole through the side to the center of cork to meet the tubing. Thus is the air-vent. Bend the lower end of the tube at a right angle, place it in a small



From a foot of glass-rubing, a corb and a pound of pleaser of Paris this Business business god packly by stade


pan or box, and fill it with planter of Paris. When dry, this can be filed and finished to form a base

The flame can be adjusted by pushing the upper tube closer or farther away from the lower tube.—H E. MENDE.

Lifting Wagon Bodies without Special Tackle

SHOWN in the illustration is a simple method of handling a wagon body or a truck body where no special tackle is gyat able.

This consists of running the wagon or truck underneath some overhead support,



The method suggested here is primitive, but will serve its purpose of no lifting-crane at avenable

such as a ceiling beam in the barn. Two down loops are secured at the forward and rear ends of the body. From these two loops are run over the beam. With two short hars the ropes are twisted, which shortens them and raises the body. After the wagon or truck is removed from under the body, this is lowered by unwinding these ropes. The body is retained in an elevated position until it is desired to re-

Practically any size of body can be removed by this method, particularly the heavy bodies used for appearing manure.

Grow Up To Your Bigger Self

Don't be a mental midget or just the "general run" of man. Scientists declare that the mind of the "general run" of man grows very little after he is eighteen or twenty years

But mind, like muscle, will grow if you feed and exercase it properly—will keep on growing after you are twenty, thirty, or forty or older,

The world is demanding, as never before, men of good character with welldeveloped minds—minds ready for specialized work, for bigger jobs, for positions as leaders.

The United Y. M. C. A. Schools exist for young men ambitious to realize their Bigger Selves, who are willing to use their spare hours to that end. During the last twelve months 140,000 such young men have enrolled in the resident classes of the United Y. M. C. A Schools or for the correspondence courses offered by the Extension Division.

Spare-hour education is offered by the United Y M C A. Schools on the platform of: (1) the most service for the least money: (2) careful grandance in the choice of a course for every applicant; (3) the personal interest of a competent and sympathetic teacher; (4) as much encouragement to complete a course as to begin one

Mark and mail the coupon today for free information as to how we can help YOU to realize your cherished A copy of "Head and ambition. Shoulders Above the Crowd-How to Get There" and other valuable information will be sent

UNITED Y. M. C. A. SCHOOLS Dept. 8-N, 375 Lexington Ave., New York

Self-Taught Mechanical Drawing and

Elementary Machine Design
by F. States an M. E. A practical elementary they be encurious the first principles of anometric and nectanical drawing witholds matternature werknown elements if materials and the entrapping and device of materials and the entrapping and device if materials and the entrapping and device if materials and the entrapping and device if materials are principled. Paunton Science Monthly 🕒 225 Wast 18th Street, New York

Burn Kerosene m in Your Cook Stove

Agents Wanted West for special # S. Chier St. Chie

United Y. M. C. A. Schools Dept. \$-N₁

UNITED

M C

2CHOOT2

New York City 376 Lanington Ave.,

I am interested in the position or house-study custon I have marked. Picase give full infest the Livet.

Business Regists Factory Municipal

Factory Municipe Factory analysis in Property of the busical English Distriction Advertising Man Actoublest Auto Mechanic Ratio Operator Contrate Engineer Factory

- Clash kerpat - Clash Rasinson

Civil Engineer
Recouper
Recording
Recording
Rectime their Practics
Paren Money Mechanic
Archive their Practics
Paren Money Mechanic
Archives
Rything Conventor
Again plure Course
Paulicy I withing Confed
English Course
Practics
Rectimental Confed
English Course
Parents

Name and Occupation

Complete address Write Plainty

THE BOY ELECTRICIAN

Practical Plans of Electrical Apparatus for Work and Play with an Explanation of the Principles of Every-day Electricity \$2.60

POPELAR SCHOOL MOSTELLY, 225 W. 38th Street, New York

THE RESIDENCE OF THE PARTY OF T New Life for Motors



No-Life" Pieton Ring Expandent are placed under piston rings to re-store their life. They has lately stop all

pitmpins, cure pisture stage, increase compression, reduce to the to the motion, without installing over-star riggs or pisture. Made for all types of motors. To obtain hear results install one under each platan ring. Price 200 costs.

Ford Owners Sand \$3:00 for a Complete Set

American Auto Products Co. WASHINGTON, D. C. 1919 L. Street, N. W.,



Earn up to \$250 per month

Position GUARANTEED or Money Refunded

THERE are hundreds of openings for trained Railway Traffic Inspectors. The work is fascinating and easy to master. Any average man can quality. Steady employment with many opportunities to travel and see the country.

Start at \$110 per Month

expenses paid-after 3 months' spare time study at home. Advancement rapid with experience. Ears up to \$250 per month. Your work brings

you in contact with big railway officials and opens up aplendid opportunities.



Road what Mr. James M. Huet, Jr says about the works

After Building your course three most in any 1 was placed in a retipace of position at 11.000 per special feeting and special may retipace to any many was reported to \$134.00 per man h, and I have reserve traced to believe R. will go higher soon if my work is strostectory.

Have come to the conclusion that here are very lew classes of work in which the original angles are no unitaritied and at the same me the work as pleasant as Traffic Inspection

Also read what Mr. W. J. Sugg myst



S age complessing the enterting in participating to perform the contribution of the contribution of the performance of the contribution of the contr the planted in I received a race to the planter beginning with this Concerns. We discuss this Concerns. We discuss this could never have been noughly to the Sanshard Business Training Institute and the good neutrology.

Drodbotess

You Take No Rick

Our Guarantee is that if after completing the course (in your spare-time) we is not provide you with a posi-tion paying at least \$110.00 a month and expenses, we will refund your corol ment fee in full. You have nothing to lose!

Write today for full particulars and iree Booklet No. D401, Don t delay!

> Standard Business Training Institute




THE HOME WORKSHOP

One Method of Making a Quick Belt Repair

IF a small driving-belt, or a leather strap of the harness should break or become unfastened, an emergency repair can easily be made by using an old harness-

buckle and two or three wire brads of adequate length.

Punch small holes through the leather near the ends of the strap or belt and push the beads through these holes no shown in the accompanying illustration buckle should be



Remember this hine; you may need it


piaced on the outside of the belt, where it will not interfere with the efficiency of the pulley,-C. A. BLACE, Ja.

You Can Prevent Faucets from Splashing

Solid faucets will splash very badly and supercially so when the water pressure is excessive. A simple and effective means of preventing this spleaking is as follows

Bend a piece of thin spring brass or phosphor bronze, 1/2 in. in width and thin enough to be easily bent into position to the shape shown in the picture. Its diameter should be larger than the mouth of the fau-

> cet. Insert it and the mouth of the fauret and it will be held firmly in place by the spring action. This



PAUCEY

shape breaks up the whirling rotary effect of the stream and causes it to flow in a smooth unbroken stream without any spleaking. - B. F DARHIBLL.

To Prolong the Life and Efficiency of a Broom

WHEN using a new broom, the straw in easily broken because of its length, strewing the floor with the broken pieces as well as abortening the life of the

broom. A piece of string tied around a new broom about 6 in from the bottom will hold the strawn together and prevent them from breaking, thereby increasing the life of the broom Bendes, sweeping will be much easter, as this will cause the broom to have more stiffnem. -B. Fox.




The method with personn the heroma's.



Music Lessons Complete Compressiony Course by Mail

2 AT FRUITE Wooderful have study special according to the property of the prop






THE HOME WORKSHOP

To Determine Clearance for New Piston-Rings

N placing new rings on the piatons of the automobile or tractor, care must be taken to allow sufficient clearance at the lap of the ring to account for the expansion when in operation. Otherwise the ring will scrape the cylinder walls and possibly score the surface and soon stop the motor

The amount to leave for this is usually guessed at when repairs are made outside of the factory. All new rings are made large to allow for close fitting, and the ends of the lapped joints have to be filed to the

To determine how much space to leave, place the ring in the cylinder edgewise wa



Try this way of moneprint new person-repr charance

shown in the cut and then attempt to turn it in the position that it will occupy when on the piston. Fire the ends uptil it will thus turn and the proper clearance in allowed for. It will be noted that the ring, in being turned, will be compressed more ga the edges of it come in contact with the walls than when it is in proper running

position. If the ring is of the beveled-endlap type, the thickness of a postal-card must be left between the ends on the 8- to ö-in, diameter pistone.

Illuminated Window-Sign Is a Good Advertisement

HERE is an Muminated window-sign that advertises at night at no cost for upkeep and small in this cost

Remove the window-shades and unroll them on a piece of cardboard. Draw the desired name or design on the shades so that they will read correctly from the



Plain shades may be transformed into attractive tiluminated window signs

street. Now gut out the letters or design with a sharp knife and paste a sheet of tissue or tracing cloth over the whole and the sign is finished.

Replace the shade and roller on the window-brackets and your sign is ready to unroll and to be Illuminated by the artificial light within the room.

BENEFITS

in More Than 50 Ailments

Are you suffering from aches, pains or lack of energy and strength? Have you any weakness or painful disorder. that does not respond to ordinary treatment? Then you should know how quickly and permanently you can be benefited by Violet Ray trentment—how the body-building forces of electricity will speedily restore your health. Our free book, "Health for All," tells the whole wonderful story. It tells how to "take your electricity sugar-conted" by using the



Simple meaner of applying RENULIFE Violet Ray for Neuritie, pains, etc.,

Renulife VIOLET RAY



de secretarisme and pro-

You opray thousands of wolts of vitalizing electricity into any weak organ, timue or muscle. It stimulates and sovigorates without shock, jolt or jar. It immediately draws to the westened part a vigorous surge of warm, fresh blood that relieves congestion and pain and permanently rebuilds broken-down or sluggesh organs.

Violet Ray treatment as fundamental-not merely local It fills the blood with germ-fighting white corpuscles and norman its oxygen content. It tones up the nerves and muscles as well as the weakened tusues and organs. It promises the el mination of waste products. It penetrates and saturates the entire body, and tends to normalize and strongthen every nerve, muscle and organ.

Treat Yourself At Home



Why they handsted of delibre for electrical or Violet Ray treatments in house able to be ited who much you in any those great which in your even before a martinally no cost! The Republic Violet Ray there are a within peach of receivingly and insold on the RENULLIFE to a Total Plant girthag among deportunity for you to learn just what

Send for Our FREE Book Now

Giving described treatment of more then fifty disorders and calling of the resorts abtained. Get the equations based in services experience, if so were of MENATTEE users, touchy of whom report benefits for beyond any classes made by us.



disease and pay the chi personaling pays frogish and greatly.

RENULIFE ELECTRIC CO.

1811 Marquetta Ship. Datroit, Mich.

In Canada: etting Bldg. Windsor, Ont.

WANTED

Distributors for exchange sales prizact on very attractive back.

Firem send without ultips interpret book
"Flesh for All, replating Valet flay treatments
with Remains Sensitive also give full particulars
as to be emplored for all month they believe.

Fairing Inity February Fairing Inity February Controls Competition Controls Control Co Significand Juneto I ne Britos Idion Incoloros Hay Fever Intant lie Pa-ralysis Itsoriada econolor Abush ambaga Tellplaken Safe Paledrall Lambage Netroid Albertions Neutricia Neutricia Obert y Pap to Abrideo and Chest Destroyment
Ray Dissesses
Expenses
Fritaryon
Protection

Bruni Briskleg Threat.

Piles 27m piles

Prorrhea Ellevous-

Address ...



Do You Own a Car?

DELT XE states weight cost that photons will increase the people against and delibility of add maker against all the people and of There also bestern totals in the distribution of posteriors in posteriors in contrast to every pers of the works are precise the 医中毒性 可用的

princy reliable that on he pad franchis THAN STOCK PACTORS BAST 1800 PISTING

The entitle is sever and elements defined by their patempted activation of resistance of resistances in the state of the form of the mindre size before the desire in the entitle state of the plates on the plates of the plates

Patroted and Reputatored by

CLARK-TURNER PISTON CO. Blatten C

Los Angelos, Calif. Par Sale by All Good Dealers and Report Men.





Incompress.


THE HOME WORKSHOP

Improvising a Watch-Chain from Safety-Pins

SAFETY-PINS have been used in cases of emergency for so many different purposes that they may be considered a dangerous rival of the obsquitous hairpin.

The accompanying illustration shows how a fairly safe and aerviceable watch-

chain may be made from a number of safety - pires. The pins are linked together to form a chain. One of the end pins in linked through the atem-rang of the watch, while the other may be linked through a buttophole of the vest or passed through the cloth of the



Sebty-piec make a apad substitute for hanken Cham

coat to insure the safety of the timeplace

Method of Giving Electric Bell Signals

NSTEAD of the ordinary push-button a latchstring is pulled. This pulls a piece of apringy brass strip forward, which makes contact with a screwhead. This completes

-49--53

ORASS

HOLE IN WALL

SOC OF MALL -P

Pall the letchstring and the electric hell

will ching

SECTION ROWING OTHER

STERE

MEMY COTO

the circuit and rings the bell.

The little circuit-maker very sumple, consisting of a brate strip held down at one end with a brans bolt A spring boids the strip of brane away from the contact The opposite end of the brans strip bas a bole drillied in it and the string that passes through the partition is tied to this.

Chemists Will Find This a Useful Aid

WHEN mixing compounds it is often necessary to add a certain amount of a liquid frequently. The graduations

of the measuring glussees ore very fine and accurate measuring requires much time

By pluring & 1s base teddur the level wanted, it is possible to quickly pour



The rabber band greatly ra-pedites repeated measuring

the liquid to that point, as rubber is easier to see than the graduations would be



"BOWLEGS and KNOCK-KNEES" UNSIGHTLY SIND FOR BOOKLET SHOWING PHOTOS

OF MEN WITH AND WITHOUT

The Perfect Leg Forme

PERFECT SALES Ch., E40 W. Beyfeld Ave., Popt. 45, Orione, III

Wrestling Book FREE



Frank Golch and Farmer Burne Forest Brown School of Westing, 1700 Renne Wit....

A DC AND GUNS AT FACTORY COST

We pay highest prices for Purs and sell you Guna, Trape, Supplies, etc., AT FACTORY COST. Write for FREE CATALOG and TRAPPER'S COICE. with theme have, and market information.

E. W. DIEGT & CO., 100 Biggs Bidg., HANSAS CITY, MO. WRITE THE WORDS FOR A SONG

We revise poems, write music and guaranter to secure publication by a New York Music Publisher Our lyth Edwar and Chief Composer is a soon writer of outlonic reputation and has writen many big song hits. Submit poems on any subject. We manufe them free Suomit

BROADWAY STUDIOS 369A Phagecald Bidg., Briedway at Times Sq., New York.






THE HOME WORKSHOP

Heat Can Be Blown where It Is Needed

MOST houses are insufficiently beated. The heat supplied by fireplace, furnace, or stove seems insufficient because it is not forced where it is most wanted. Since heat rises, whether it comes from an open fire, a gas log, or a steam radiator, the heat waves curve directly upward tinisis deflected in some way. This is where the electric fan comes in

The electric fan gathers the air from bebind it and sucking it through the fan, blows it out in front. If a fan is placed in front of the source of the heat, it will do the same with the heat waves. In this way,




By means of the electric for the heat does the grate for will be destributed through the room

the heat, instead of making straight for the celling, can be blown out into the room for some distance at a level with its source and can be felt at a much greater distance from the source than if there were no fea used

The distance the fan should be placed from the heat source, depends, of course, on the radiating surface and the interesty of the heat.

Improvising a Practical Funnel for an Emergency

THERE are times when you need a funnel for filing a tank or vessel. From a near-by trash-heap, or possibly from your haggage-kit, a practical substitute can



early he secured. A bottle, the neck of which will fit into the opening of the tank or vessel to be filled, will serve as a satisfactory funnel if the bottom in broken off.—Charles A. Goddate.

Make \$15 to \$25 a Day and be happy doing it \$2

GET a job you can't lose!

You can make \$90 to \$150 a week as District Sales Manager for the Wirard Kerosene and "Quicklit" Lamps and Lanterns—if you can qualify! We want men who are capable of doing big things—and of earning big money right now, The Wirard Kerosene and "Quicklit" Lamps and Lanterns are the only sure lamps and lanterns that always give all the

light that is needed—never get out of order—cannot leak, explode, catch fire. "Quicklit" burns gasoline; lights with ordinary matches. Give more and longer light for less fuel. Only lamps and lanterus made with automatic cleaning needle. Demonstrate these superiorities and you will sell one to a dozen lamps and lanterus a day easily





WIZARD

LAMPS & LANTERNS


You can sell direct or through dealers. Build your own business—have a dealer in every town working for you.

We need real men who are able to earn beginners. If your time is worth \$15 to \$15 a day, wire or write your application today withfull particulars of your ability.

The Nagel-Chase Mfg. Co. 271-275 East Eric St., Chicago, Ill. The Automatic Graning Needle - a new

motor them quick sellers







This Offer Saves Your First Payment On

the first order you place after sending the actto as. This of the counts of learns from a large for the place of the counts of learns from a large for the place of the plac

FURNISHINGS SYMPHONIC PIANOS

SYMPHONIC PLAYER PIANOS

Charle offer shierested in

Total deal three and speciment spiles with your full agence and a filtered. After any ing our proposition your life standard if you'r be should be a soul on how he may not be though first said payment. Societing the character of the though first said after a filter with

1 TO 4 YEARS TO PAY



ditter things of apperium for your factor from the control of the

Lerskiin Com. Dat PSM-121 Ballin, N. Y



Put Your Name On This Pay-Roll

Men like you are wanted for bigpay positions in the fascinating field of automobile engineering. We have made it easy for you to fit yourself for one of these positions. You don't have to go to school. You don't have to serve an apprenticeship. Fifteen automobile engineers and specialists have compiled a spare-time reading course that will equip you to be an automobile expert without taking any time from your present work.

AUTO BOOKS

6 Volumes Shipped Free

Non ready for your off telestreshe minute dis untume theats on Autonobile Engineering, correcing the consequences care and report of pleasure. ment of tracks and ment of eigh advanced of constron on I all and Systems Corrage Beauty ment Webling and a ner repair mechania trestains everything that a meclimate or his engineer or a most acres but on the owner person as we have not the interest of the control o and en name out diagrams. A Bluency that cost in ne-secular of dollars to cost, she for a days, examination.

Partial List of Contents

Diero than 540 Blut-prints of Wiring Dingsome Ladwine blotme Walder Maker Ladwirtston and Rapele Carbarrance and Soc-Carbarrature and Bottimps
Values Contined
Labetreation
Fig. Whemis
Clusted
I seasontestes
Fig. Drie
Is acquisites
Fig. Drie
Is acquisites
Value in thing
Is acting
I

Only 10c a Day

Not a cent to pay in advance. First you are the Not a count on part in indication. From your age the base in any other two bosons are about the count of any in additional count of any in a set from the areas. In a set of the count of any in a set of the areas o

Send No Money Now



Dop take or to the first of F N AC WY Walter Bolt & Dr. men nen a Gre he boas Can the pro-Sent or every

AMERICAN TECHNICAL SOCIETY Direct 2005 Change, TO.

AMERICAN TECHNOLAL SOCIETY Bapt. S-366, Chica

Firstlet with one he is allowed as hangewhile Engineer ing too I days a parameters of the archive and I do a hour for a last type because a fine parameters of the first and the second an

Address

How I Listen In on the World by Radio

(Continued from page 22)

"loose couplet." This is a "tuning "device, The simple outfit with which I started was as careless as a pup about what it brought in. If there was music, amaleur traffic, and government business in the air at the same time, it brought them all to my listening ear and it sounded like a Morse family quilting-bee with everybody talking at once. The "loose coupler," by a few simple adjustments, put out everybody except one person and locked the door. If I got tired of listening to that one, a simple twist of the wrist would put him out and bring in another

The practice end of radio was becoming so fascinating that I deto learn cided something of the theory I joined the Y M C A cines and to less time than most men spend quarterly at the picture show | bad qualified for end received a government Scener na a radio operator

Then one day I discovered the vacuum-tuba detector -It looks like an electric light, but when you book it up, it yells like the burker outside a side show. A storage buttery lights the filament just us in the case of an automobile lamp A dry bet tery connects with plate in the vacuum tube just no it would with the automobile's ignition system, although in this case there is no spark, just a noisewas flow of current. The knobs and switches which control the

vacuum tube are all pisinly marked Within an hour I was familiar with the different ad ustments.

Where using my old appearates I had always been obliged to "sh-sh" the family because the sounds which I heard were not loud enough to compete with their voices. But with my vacuum-tube detector the phone sometimes talked so loudly that I could hang it on a hook, lean back in my chair and still hear everything distinctly

One winter's night I was amouning myself by seeing how many different stations I could hear [had purchased from the Superintendent of Documents, Government Printing Office, Washington, D. C., lists of all the amateur, commercial, and government ship and shore stations of the United States. Also I had purchased from a private concern a list which included foreign ship and shore stations. One station in calling another gives the call letters

of the station called, then the French word "dr," meaning "from," and then its own call letters. By looking in the book I could find out who was calling whom

The vacuum detector and the tuning outfit that went with it not only brought in all the stations I had been able to hear with the less efficient apparatus, but many more. The old apparatus seldom made audible any signals from stations more than three hundred miles away, nor from those which sent out electrical waves that were more than 1500 meters from crest to crest.

> The new receiver would bring in messages from much greater distances, I began with the lower wave lengths and erveral Ameteur stations and numerous ships of various Entloamities. A number of these were sending "QTE" to NAH. the New York naval statton Freely translated, this means "Where am 1 at?" None of these ships was lost, but their nic proper lenew that our government a radio compassstations at Fire Island Sandy Hook, and Mantoloking can deletraine a ship s position night or day, in oun or storm, more accurately than her OWE nevigator can. Raising my receiving WAVE length I heard aucceasively Key West, Santiago de Cuha, Bermuda. and, finally, at the upper limit of my tuning range, I was amazed to hear POZ la Nauen, a suburh of Berlin.

Facts a Beginner Should Know about Wireless

THE following publications may be secured from the Superintendent of Documents, Government Printing Office Weshington, D. C.

Commercial and Government Radio Stations of the United States," LSc.

American Radio Stations of the United litates 15c

"Radio Communication Laws and Regu lutions, 15c,

"The Radio Service Buffetis," issued

monthly like a year.

A Radio Call Book containing the call letters of foreign ships and shore stations, as well as those in the United States, may be purchased from any dealer in radio equipment for \$1.50

Every beginner should register at once with the United States Navy Amatrus Bureau and receive a copy of the secret codes used in transmitting amateur broad casts at slow speed. Application blanks can be obtained from Sessrout Radio Commodore Buy Scouts of America, 200 Fifth Avenue, New York City who handles these for the Navy as a convenience to those interested in wireless

For information concerning local broadcasts that you would like to receive, consult local dealers, near by amateurs, or write to the Chief Radio Imspector Bureau of Navigation, U.S. Department of Commerce at any one of the following cities

Scaton, Mass., New Orlands, La., Detroit, Mich.; Baltimore, Md.; San Francisco, Cal., Chicago, Ill., New York, N. Y., Benttle, Wash.

Membership in a national organization of radio amateurs will be found helpful liome of the most active are

American Radio Relay League, Hart ford, Conn.

National Amateur Wireless Asso., 326 Broadway, N. Y.

> talking with the Annapolla naval station! The simplicity of the thing was staggering. I was bearing a conversation across five thousand miles of land and sea no easily as though it were in the next room. Recovering from my amasement, I started down the scare again. I had just reached 600 meters when a faint signal eaught my sur,

803 "

The skin tightened on my scalp as it did once when I was awakened in dead of night by a crash outside my window. Here was a tragedy of the seas being enacted within my bearing! I wrote down the call letters of the ship in distress, and the words "on fire." At that moment, before I could catch ber position, there came an inter ruption. Traffic from ship to ship and ship to shore often breaks out in bursts. Into the babel came a string of signals stronger (Continued on page 104)

How I Listen In on the World by Radio

(Continued from page 104)

than the rest. I tried to tune them out. but from my lowest wave length to one far above that on which the SOS was coming. they were clear and strong

Pausing a moment to read the signals, I discovered that it was NAH repeating, over and over again: "QRT for SOS." Buntly speaking, it meant: "Shut up until Uncle Sam gets a ship out of trouble."

In five minutes the other was as silent as a deaf-mute asylum. Then in tones that could be heard anywhere in the Atlantic, NAH tersely told the situation and gave directions. Three ships mearest the one ablace were detailed to go to her relief Then the broad, interfering wave of the navy station gave permission for the resumption of traffic

And so, every day, no matter when I listen in, my radio receiver brings me some item of thrilling interest from sfar It is not a passive sport, this radio game. With my transmitting apparatus I can exchange messages with neighbors five to ten muse away. And, all the radio adventures that I am having any man or woman, boy or girl, can duplicate. I began when I was peat forty and with only a few dollars' worth of apparetus. With just my old mineral detector and single phone on July the second I heard a description of the Dempsey-Carpentler prize-fight, blow by blow, given by an expert at the ringuide For this experience I was indebted to the National Amateur Wireless Association, which served an area of 125,000 square miles with its radiophone reports.

A thousand mysteries of the siz are open to the man who will buy a cheap radio receiver and begin. All the technical education he will need he can pick up as he goes slong. Even though his increasing interest leads him to purchase better and better apparatus, so I have, his hobby will cost him far iese than the tobacco habit, and become not only a fascinating recreation, but a necessity as great as the daily paper

For those who wish to make their own radio sets, a series of helpful and instructive articles on this midgest will appear from month to month in the Home Workshop department

How to Make Improved Spark-Plug Brush

HE handy spark-plug cleaning-brush I can be made much handler by cutting a narrow clot in the end of the handle with a



Add on old knife-blade to the spork-plug brash and tourner its usefulness

hacknaw and inserting an old pocket-knife

The knife blade is ready to use in an instant for scraping out beavy carbon deposits from inside the spark-plug shell that the brush can not reach.-J. C. OTTOPY



700 can care from \$1 to \$2 am bour Y so your spare time writing show cards. Outchip and easily learned by our new simple method. No comments or sofetting, we track you bow self your with and pay you could each week. Full particulars and booket free. AMERICAN SHOW CARD SCHOOL 200 April Building, Youge & Strater Straets, Turanto, Counte



The Boss Is Sizing You Up

Whether you know it or not he's always on the lookeut for men he can proyou a bigger job and bigger pay the minute you prove you ere worth it

Get Ready-Your Chance Will Surely Com-Phonese the peoply of production of the model from the fact. Over 17219, but it has not do not space time in prior people from the region of the fact of the fact

TEAH OUT HERE - - -SITERNATIONAL CORRESPONDENCE SCHOOLS Box 7x45 B Sermon, 7x.

Explain fully obtain your Course to the outdoor marked X

COMAI	PTING	
		-
2011		-
7 57 50		
CO Cheeff	FARMO	aria.

DRAFTING

Eventuebral Engineering

Civil Fagusaring

Altertum

The Section Could be a section of the country of

Street Address Chr **Elizabe**

PHONOGRAPH USERS Stop That Scratchy Sound - Get 100% Better Music-The Universal Law products a medition between producting of the production and story of the story of Satisfaction Guaranteed : ord (Samuran appl) temporar distribution in the land of the land o Proposition of the body of the last

GOLD MEDAL Electric WASHER — winner of the Gold Medal at the Panama-Parity Exposition in 1915. Over 35 1001 in use all over U.S. Sent durest to your home on

Trial

or of hard a privary dearn. Comprises practical Real. Bry th part are being a privary way for Europhia you wanted a part of a



L-mated offer - 5,000 machines - must be sold at said! FACTORY PRICE direct to you washing machine prices smasted on these Genuine GOLD MEDAL Electric Washers—NONE BETTER—TOP GRADE Follo successional. If an infed, easy terms as low as


oo a Month aler of drait pay.

Strans & Schram, Popt. 1780

W. Hills Street

Use FREE Contracted a appetial after 5,000 Com-bing Markenson (MI his Contractation NOW

Big Money for Boys!



Learn ELECTRI

for boys who like electric r Evra who are ambitious and will true themselves a spare time can step into good positions and get expersonne that will give been a reas start toward success in 'He. Good saturates are offered with rapid promotten.

For 16 years the International Correspondence Betionly have been training boys for success in electricity and over 200 other subjects will help you prepare right at home for a probtion in the line of electrical work you like best for he may other work that appeals to you. Thousands of hors, through I C. S. tre ning. have arepted into fine pole, but never were

apportunties to great as now.

Let the I C S help you. Chome the work you like best in the coupon below then mark and wall it today. This doesn't ubligate you in the least, and it will bring you information that may clark you on a successful encory. This is your chapte. How's lot it ally her Mark and Mail this coupus new.

------INTERNATIONAL CORRESPONDENCE SCHOOLS DOX 7641-B SCRANTON, PA.

Arrisis, without obligating

parition, or in the rational, its morneau, its morneau, its morneau. Its morneau. Its morneau. Its more without the rational three pulses for Remaining there pulses it between Breete in Robbins Budgam I vice place it a poet Provide in Tolophony it is not provided in the provide it is not between its provide it is not between its provide its Great March March of March of the March of t

SCRAPTON, PA.

The how I can quality for the heters which I mark 3.

CHECKEL EMPLIES.

PRESENT TOWNS BY ALL HAND WINGS TOWNS BY ALL HAND WEST TOWNS BY ALL HAND FOREST POPULATIONS BY ALL HAND FOREST PARTY BY AND ACCOUNT TO THE BY ALL HAND FOREST BY AND ACCOUNT BY BUILD BY ALL HAND FOREST BY AND ACCOUNT BY BUILD BY ALL HAND FOREST BY BUILD BY ALL HAND FOREST BY BUILD BY BU

Principal	Pertone	1-1	14
Decupation Firms			
City.	Blate.	and Corre	_



A microsticia ma e egolic granicat in plants form in experient single distribution form in the financial form and the first test of figure to the first form of the form of the form of the first form of the first first form of the first firs

is 19th flushers felle grammed emerges on stage of the conservices. You are in the parameter emerges non-stage on,
develor getting to nearest; the Proofer Staff Poore
Labour, or Forch Approach Tempurgum Therefore
Labour, or Forch Approach Tempurgum Therefore
Labour, or Forch Approach Tempurgum Therefore
Labour, or the proofer the parameter of the conlight from the proofer the parameter of the conlight from the parameter of the parameter of the conlight from the configuration of the conlight from the configuration of the conlight from the configuration of the conlight from the con
[Importal Plane Co. 27.44 Tempurate con-

Imported Phon Co. 22-24 East Ave. Machiner PLT A Success for \$ Years Server THE ROME WORKSHOP

Various Uses for the Handy Safety-Pin

BESIDES its original latent, the safetypin has other uses. It is an excellent substitute for the more expensive film clip to bang up and dry films. The point of the

pin is pushed through the film and, the pin left open, the curve of the catch thus forming a natural book by which it is bung on the suspended cord.

A number of safetypins linked together forms an extemporized chain of varied uses.

The safety-pin makes s good ever-ready paper-file. By fastening it against the wall or deat by means of a double pointed tack, it may be jeft open. or when deviced, beclosed, thus meuring the safety of its file. When not in the it can be pushed flat

nafety poss against the wall. When traveling, pln your ticket into your pocket with a safety-pin and you will always know where to find it

It is ideal to hold temporarily a small bouquet of flowers.


Use a safety-pip, for want of something hetter, to hold your sheets of paper together when writing, and your recipes, scrapbook items, etc. A. SCHAAL-

Drawer-Knobs Evolved from Glass Bottles

SMALL old glam bottles make excellent knobs for use in home joinery, as is shown in the picture below

I have taken a number of them to reknob kitchen furniture.

I took a dozen empty small drawing-lok bottles, filled each one with a paste of plaster of Paris in which I subsided a



Small gloss bottler are easily changed into

wood-screw hammered flat near its bend. as shown in the illustration. Then I let the pluster of Paris set thoroughly

These homemade knobs were screwed in the woodwork and served their purpose very successfully,

If desired, concrete may be used instead of plaster of Paris. The paste may be colored any particular tint or abade to match the furniture, and to give to the knobs a more attractive appearance when in place. George H. Holden

AGENTS A Gold Mine at







Characteristics of State of the Control of the Cont



Double Your Money! In 10 years

Money invested today is our bonds yielding 7% to 8% ma-turing in 1931 will grow to over twice the amount even though the interest exerted in reinvested at only 0%

Full details of this plan whiche gladly formished request. Write today for our sterature telling how to savest edely with a high interest re-HTTT.

AMERICAN BOND & MORTGAGE COMPANY

162 Fifth Ave., New York City Chicago, Ill. Carsed Rapids Mich Descripert Iowa Columbus, Ohio Rockford, Ill.

Please send without collection year booklet.

THE HOME WORKSHOP

A Glue-Pot Fashioned from a Tin Can

THE glue-pot shown in the illustration cannists of two tin cans, one a large tomato can, and the other a smaller milk-can. The top is cut off with the aid of shears, and the edges are filed off smooth. Then holes, it in in diameter, are drilled as near to the top of each can as practical Through these holes a strong wire is passed.

Olice will prove be securified in this homemade give pot

looped at one end, then it is passed through the smaller can, and finally looped again as it emerges from the large can

Through these two loops another wire is passed and tightly fastened. This is the handle. The large can is always kept half filled with water the area for can is filled with carpenter's give. Whenever the glue is


wanted, it is placed on the stove or over an alcohol flame, to make the water boil Allow the water to boil a few minutes and the glue will be warm and ready for use. The brush with which the glue is applied can be kept in the can, and the excess glue brushed out on the rod passing through the can.

When it is desired to use the gras over an extended period, the water can be kept almmering hurning the glue.

Prevents Wheelbarrow from Tipping Over

SOMETIMES a loaded wheelbarrow will tip over and deposit its contents upon the ground. This often happens upon tilled ground or soft earth. Here is a way to prevent it

Cut two triangular pieces of strong board the height of the wheelbarrow leg and about 8 in, wide at the base. Hinge



These beares make it possible for the needsmap, or wipe his lattice willboar visk of spilling the load in the borrow

the long edge to the outside of the leg, with the base flash with the bottom. Place the binger so that the boards will swing forward and lay flat against the body of the barrow when not in use. These binged flaps may be held in position by a book or a spring clap.

When it is desired to steady the barrow, swing the boards out on each aide until they project at right angles. In this position they give a much greater breadth of base and keep an uneven side load from tipping over the barrow.—L. B. R. SBINS.






fort Johnson Champs of Straight and Floreste Harrison Harrison and Straight and Straight and Straight and Straight Appendix of the State Straight Appendix of the Straight Appendix of the State Straight Appendix of the Straight Appe

from Johanen Trans-Bendige Burgelin news a vid fletter for own refres, strongth and descholery Medals and process to and forefrent.





The Foliant Style Miga

AFTER the long, long grand—then, and only then, can you fully appreciate the excellence of Florsheim materials, the perfection of Florsheim workmanship, the stamma of Florsheim style.

The Florsheim Shoe — \$10 and \$12 Photographic Booklet "Style of the Time" on appoint

THE FLORSHEIM SHOE CO.

Alamona turers

Chican





who cares .

PATENTS

IF YOU HAVE AN INVENTION which you wish to patent you can write fully and freely to Munn & Co. for advice in report to the best way of obtaining protection. Please send shutches or a model of your invention and a description of the device, explaints operation.

All communications are strictly confidential. Our vast practice, extending over a period of seventy years, enables us in many cases to advise a regard to patentability without any expense to the client. Our Hand-Book on Patenta is sent free on request. This emplains our mathods, terms, etc. in regard to Patents, Trade Marks, Foreign Patents, etc.

If you are a reader of


SCIENTIFIC

you are probably aware of the fact that it has a special appeal in the inventor. Each leave contains a description of a large supplier of recently pate exted areations. Pending petent legislation as well as the past recent rulings of the Patent Office and the sures are considered in its selecant.

MUNN & CO.

SOLICITORS OF PATENTS

\$33 Woolworth Building, New York \$24 F Street, Washington, D. C. Tower Building - Chicago, Ill. Hobart Bidg., \$62 Market Street, San Francisco, California



New Big No. 15-225 pp. Wireless Catalog

Wiegless entains mathed int 12c he strongen of civil. Any wireless principle will cell you it a the one extending up it have. As an extending up it have. As an extending the Thousagest and most elaborate entire causing published. Values that cannot be duplicated elambers.

THE WILLIAM & SUCK SOMPARY



think of a simple, practical form
that will fill upp of the many requests we have on the or tow inventions! It may mean a ortune int you.
Thromands of theoreter needed higher Now Your brapes can bein found today for our great new how to "Inventtions and Trade Marks, Their
Protections and Exploitation"
and learn more shrut unking
somewithin ideas than you ever
there that are walted,
too, Append of the

We bely our charge, to get the dollars much of their total for the dollars much of their total form their present.

Advise from Date the poor of the poor of ones.

AMERICAN INDUSTRIES, INC.

201 Patent Dept., WASHINGTON, D. C. PATENTS
ADVERTISED
For SALE FREE
INVENTION AND
MANUFACTURING
SUPPLEMENT.

Published for the man or han idea fend for the earthle copy fine year earthpropules 30c. THE HOME WORKSHOP

An Ice-Scraper Made from Tin Bottle-Caps

METAL caps on grape-juice, sods, and other bottles about be saved, and when mough are accumulated, a good ienteraper can be made. The caps can be nailed to the bottom of an old broom, when




Why not make an les-arraper like this? The tress when you will send one is reporty opprotections

the bair is all gone. A few small nails through each cap will hold it.

When this homemade device is pushed over an icy aldewalk, the ice will be acraped off by the sharp edges of the buttle-caps.—Astron GOLDENBAUM.

Use Up Old Rags for This Shoe-Brush

A GOOD substitute for a shoe-brush can be made from some old cotton or flannel rage as shown in the lituatration



Shore take a fine police if treatest with this homeomic fluided polisher First the wooden frame is made and the middle piece cut with a jack-knife to form a convenient handle. The rega are tacked to the end pieces as shown.—

J. B. Monan

Flashlight on Rifle for Night Shooting

OFTEN it is necessary to use a rife at night, especially where coyotes and nocturnal prowlers are troublesome. Without some kind of light it is next to impossible to score a hit

This difficulty may be overcome by attaching a large flashlight to the rifle barrel with clamps, as shown in the accompanying illustration. When you are ready to use the rifle, turn on the flashlight and



With a powerful high-lamp attached to the burst of your guts your mackensoship will not be handespend by derkness

you may pick a vulnerable spot and bring down the introder with one well-aimed abot.

The writer of this article has used thus method very effectively on neighborhood cuts that became too nousy for his peace of mind. E. G. GETTINS.







Superintendents, Mechanical Engineers, Work Managara, Faraman, Etc.

If you are soriding a position or contemplating a change, communicate with The Industrial and Mercantile Service, Inc., Consultante and Engineers in Industrial and Personnel Problems, 526 H Land Title Bidg., Philadelphia, Pa.

LEARN FAGINEERING

Floritata and Methodica Haginary receive inbusious sulpher Theremore with a 3 minute as 3 years Procedure Technical craining under cyrectom technique of Phonical craining under cyrectom teaching electric y stray, may nature-secretar quantum vending, draining fathermore interactory and stray recommend. Furgress granded Day and sight maximum from the part of the Post of the Pos

PATENTS

Sanklet Free Flightet References Promptones Amprod Best Results

Send drawing or model for preliminary examination of Patent Office records and report as to patentability

All Buriness Gives Prompt and Proper Attention

WATSON E COLEMAN, Pabent Lawyer, 424 F St., Washington, D. C. THE BUMB WORKSHOP


When Tracing from Old Drawings or Prints

THE draftsman who has occasion to trace from blueprints knows what a strain it is to the eyes. Lakewise copying drawings from old tracings that are worn and faded is a difficult matter

Much time may be saved and much labor and eyestrain avoided if the draftsman uses a case with a glass top for the drawingboard. An exhibition case makes an exrellent drafting-table for the purpose. Any case with a glass top, a loose window-sash, or even a loose piece of plate-glass, such as used for a desk-top, may be employed.

The glass top is used as a drawing-board and the under side of the glass is illustrated by an electric bulb, the amount of illustration depending upon the electric of the lines and on the transparency of the material on which the drawing is made and on which it is to be traced.

When copying on tracing-cloth, dayaght diamination may be sufficient, but




Dynaming on this plate is the tracing on the window-pass, but for more comfortable and efficient

when copying from blueprints or translucent paper, electric bulbs on the under side will greatly facilitate the work. Small weights take the place of thumbtacks, unless a special case is constructed with a flush wood frame.—B. Fox.

Safety Oiling Device for Machine Shafting

THE accompanying illustration shows a safety and labor-caving device for oiling shafting. To fill the cylinder the thumb is inserted into the hook and the plunger withdrawn from the cylinder. The wingnut is then loosened so that the plunger



If you rig up one of these pilers, you will be able to lubricate your shafting without rails of secondary

may be awang to the side and the cylinder filled. The plunger is then replaced


To use this device the spout at the top of the pole is placed in the oil-hole and the cock is alightly opened. The oil will then be forced through the tubing into the oilhole

To empty drip-pana, etc., insert the spout into the pan, open the cock, and pull up the plunger. The cylinder is then emptied by placing the three-way cock in the other position and allowing the oil to be forced out through the drain.

DATENTS COPYRIGHTS

SPECIAL OFFER FREE OPINION AS TO PATENTABLE NATURE

Before disclosing an invention, the inventor should write for our blank form "Evidence of Conception." This should be signed and witnessed and if returned to us together with model or sketch and description of the invention, we will give our opinion as to its patentable nature.



Our Three Books Mailed Free to Inventors

Our Illustrated Guide BOOK

HOW TO OBTAIN A PATENT

Sent FREE on Request

Contains full instructions regarding Patents, Trade-Marks, Foreign Patents. Our Methods, Terms, and 100 Mechanical Movements illustrated and described, Articles on Patent Practice and Procedure, and Law Points for inventors

OUR TRADE MARK BOOK

Shows the value and necessity of Trade-Mark Protection and gives information regarding unfair competition

OUR FOREIGN BOOK

We have Direct Agencies in all Foreign Countries. Write for our illustrated Guide Book on Foreign Patents.

SPECIALIZATION Our Staff

The field of invention is so vast that it is impossible for any one man to become an expert in all the different classes of invention. Only those practically skilled in the class to which the invention relates are capable of rendering efficient service. For this reason Victor J. Evans & Co. employ a number of patent lawyers and mechanical experts who have been selected for their special knowledge and ability in certain lines of invention. Each case is placed in charge of experts in the classes in which the invention relates.

THE VALUE OF YOUR PATENT

Will depend much upon the skill and care with which your case is prosecuted in the United States Patent Office. This work will receive the benefit of skill and experience acquired by a long and successful practice. We spare neither time nor paint to accure the broadest possible patents that the inventions will warrant. That every case entrusted to us receives our best efforts, and that our work is done consistently skillfully and thoroughly is evidenced by the many unsolvined letters of commendation that we receive constantly from our chests. We will furnish upon request lists of clients from any State in the Union for whom we have secured patents

Our New York, Philadelphia, Pittsburgh, Chicago, and San Francisco Offices

thering to the promoth of a house as we have evablesce, so the benefit of our course Branch Offices. Now York the Philadele as Pa. Philosoph. Pa. C. Cago, Ill. and Bao France on L. There exists ofts being a perfect time to get import in the conjugate with on Musta other as the U.S. Paris of the to Warrange to happy out the responsible to the exist of the first market dark as the branch of these as the exist touch with the Market hip and fully exampled. As the parish beginness to all the branches.

Highest References—Prompt Attention—Reasonable Terms



VICTOR J. EVANS & CO. Patent Attorneys

Non Tork Office Platedy, Life Pleasure, Office Pleasure, Office 1987 Westwarth, Edg. 135 S. Breed Street 514 Furpire Bidg. Chicago Offices 1114 Tacomo Bidg. See Francisco Offices, Hebrit Bidg. Main Offices, 760 9th Street, Washington, D. C.

Gentlemen: Please send me FREE OF CHARGE your books as described above.

Name Address

ATENTS IF YOU HAVE AN INVENTION and DESIRE

TO LEARN HOW TO

SECURE A PATENT, send for Our Guide Book, HOW TO GET A PATENT, sent Free on request. Tells our Terms, Methods, etc. Send model or sketch and description of your invention and we will give our opinion as to its _____

patentable nature.

RANDOLPH & CO.

130 F St., N. W.,

Washington, D. C.

NAME STREET, CCTY STATE

To the Man With an Idea

l offer a most comprehensive expercental or service of his prompt legal protection and the

development of his proposition

all the first

and y it shed to be




WRITE TODAY FOR FREE BOOK ABOUT PATENTS and "RECORD W MULEYTON for establishing evidence of conjugation. The book ages how to provided, the usual open of obtaining a passent and contains most sound practical solvies overy in-reader should have RESNELD OF TYVENED by should be filled out, staned and witnessed below yes Cheramo the matter of madel and description for

m rayout upon perentable maters and eget to

Princet, decreased over by Restrictly has Patrice payment plan. Pretrampery addies without

J.REANEY KELL PATENT LAWYER

637 COLUMBIAN BLDG. WASHINGTON, D.C.



SEXUAL KNOWLEDGE

WINTELD SCOTT HALL HE D. HALL SEX FACTS MADE PLAIN What every young and had been that every young and had the tree young and should know that every young hashand and Every young are should know that every parent should know the every parent should know the every parent should know the every paren

SMERICAN PUB CO., 1937 Wanted Bidg., Philipatriphia

PATENTS PATENT-SENSE Divided An **LUCKUPACTURETS** BIXTH EDITION

tial Information and Advice relative to Patents, Trade-Markin Assignment, Sale or Licensing of Rights; Abstracts from Landing Decisions; State Laws on Patent and Trade-Mark Property. FREEL Write LACEY & LACEY Dogt. B. Weshington, D. C.

A Hand-Book of Essen-

PATENTS Secured

Prompt Service. Avoid dangerous delays. Send for our "Record of Invention form and Free Book telling How to Obtam a Patent. Send sketch or model for examination. Preliminary advice without charge. Highest References. Write TODAY J. L. Jackson & Co., 169 Oursy Bidg., Washington, D. C.

PATENTS

Send for our free book of parent information

Beale & Park WALL WALLER



C 500% AUCITIOPROFIT

Gold and Silver Sign Letters For store fronts, office windows and alms signs of all kinds. Me experience preventry Anyone can put them on

end make money right from the start.

\$75 to \$200 a Week! You can sell to practy trade or travel all over the country. There is 5 his demand for window lettering in every town. Send for free samples and particulars.


Liberal Offer to General Agents METALLIC LETTER CO. 433-A No. Clark St. CHICAGO, ILL. THE HOME WORKSHOP

Reduce Noise Over the Shop Telephone

IN noisy shops much of the noise is transmitted over the telephone when it

is used and the party at the oppoate end but a difficult time bearing. This can be avoided by the use of a heavy cardboard meyaphone attached to the telephone transmitter, a s shown in the illustration

This attachment will make the votce louder and tend to shut out undesirable nones. - F B MORAN.



Outside spines counct type by the transcourter d it is protested as shown here

How to Cut Heavy Sheet Metal with Shears

FEW amateur mechanics know how to tinzer's shears. The illustration shows the best way of doing this

One handle of the chears is held in the vice and the other handle is manipulated



Try this method of using the tioner's shears you will find it provenient and labor-saving


with the hand. When held in this way, the cutting of the heavy metal will be found YELN GERY

It is only necessary to guide the metal with one hand and force the shears downward with the other

An Electric Bulb Becomes a Burglar Alarm

WHEN an electric bulb is allowed to drop on the floor and break, there is considerable notes. This can be utilised as a burglar alarm in the manner shown in the drawing.

A small shelf in placed near the door and an old bulb in placed upon the shelf This is so placed that the opening of the door wid cause it to drop off and break. The noise produced will be sufficient to arouse the occupunts of the house - J. B. MORAN



When the door to opened the lamp will drop on the flow slarming the whole house




EASY to do and at low cost.
Your old Your power bicycle can be ealthly transformed to a speedy, may-runthey high power Mouseyele with the Shaw Motor Attachment. Fitness men's developed of any make or size Chain drive model can be attached in tess than an holar. A boy can not it on. No apectal took or knowledge pecchany

Motor Attachment

Thousands in use, A light weight 211 S.P. mour of wanderful educatory. Simple is attach. Everything furnished doublets, Every numer epithusiantic. All materials des guaranteest, Get poe NOW.

FREE Write at some for Free both and Low-Direct Factory Price on the Shape Attachment mine the Mine Marse-Margelo-a demplote proper namelon at a low price.

SHAW MANUFACTURING CD. Pept, 14611 Galachurg, Kan



HARE HE PROFITS CHANGOE MUTERIES 120 Brinds Non on FID Charber

Radighter out looks relay versus proper task failed to by valed told countrille possible. No experience he half-he begins out a or experience in health between fail to 10 10 12 at 10 hours that Walney in fail require the Walney in fail require the world fail to 10 the possible of the latest properties. It is never refer that is 100 to 1

HOBART BROS. CO. True Gible





LIBERTY TOP & TIRE CO. Dept. Rd. Circlesoni, G.



Get on the Staff of



hers Free Book and property to be at longer that there is the property of the THE BOLL W. RENGOP

Oxyacetylene Cuts Steel Disks in a Drill-Press

STEEL dishs may be cut to exact diameters with an oxyacetylene flame is an ordinary drill-press in the manner) shown in the illustration.

The oxyacetylene cutting-tool which as specially designed for cutting sheet metal and differs from the more common weldingtool is secured horizontally to the chuck on the drill-spindle, which remains station-

The sheet steel to be cut is then centered and clamped to the table of the drill-press. A previously punched hale at a point on the circle to be cut for a hole formed by the flame) is first provided, then the drill-press




This method of certains atrol debts is well-worth trying. It is efficient and accurate

table with the sheet-steel plate clamped to it is rotated by hand, and the flame cuts sharply and quickly, following an accurate circle. T. A. Hos.

Making a Scaffolding for Laying Shingles


WHEN it becomes necessary to shingle a dwelling or barn, a ecasiolding is required strong enough to support the weight of the man or men laying the

Any one who knows how to use a saw and a haramer can easily make the simple



Four scripe of word a harmore and a handful The street and to make the cooler's scaffolding of nada to all the

scaffolding shown in the illustration from a few pieces of narrow flooring. The dimensions of the frame should be so chosen that the frame fits between the sheathing hoards. The feet of the workman rest on the beavy bottom piece as indicated in the dugram. - WILLIAM E. KING



You Want to Earn Big Money!

And you will not be setlefied unless you seem steady promotion. But are you prepared for the job shead of you? Do you measure up to the standard that insures success? For e more responsible position a fairly good education is necessary. To write e sensible business letter, to prepare estimates, to figure cost and to compute interest, you must have a certain amount of preparation. All this you must be able to do before you will carn promotion.

Many business houses hire no men whose general knowledge is not equal in a high school course. Why? Because big business refuses to burden with their who are barred from promotion by the lack of elementary education.

Can You Qualify for a Better Position?

We have a plan whereby you can. We can give you a complete but almosted high school creates in two years, given you at the coestials that form the foundation of practical basiness. It will prepare you to hold your away where competition is keen and caucting. Do not doubt your ability, but toake up your mind to it and you will soon have the requirements that will bring you secous and big money. YOU CAN DO IT.

Let us show you how to get on the road to increase. It will not cost you a single working hour. We are so sure of being able to help you that we will cheerfully return to you, at the end of ten lessons, every cost you was so if you are not absolutely satisfied. What fairer offer can we make you? What tairer offer can we make you? What tairer offer can we make you?

AMERICAN SCHOOL Dopt. (842), Dreenl Ave. & 19th St., Chingo

		יידיי
P. Complete		
Amei	ICAN	lani

Antonio h	1 100	Ar position a lawrer B. Mechan	Clark of the second of the sec
Printers o	1 (51	Telephon Tempres	t. nou
Name		Addrson.	



\$6000.00YEAR

WHAT others have done, year is low estimate. Many make more. This new machine and Hey Starts you in paying business quickly No experience needed. Taught at my school or by mail within two weeks. Very little capital required, it's a box-ansa for ambitious mon.

Many Men Making Messy

you one of the crawd drifting back to 1914 was a scale of Protect yourself Jose the ranks of those who have for saken john, time clocks and bossed Be among these muney makent Harges, of the day of the same of the same of the same part of the same of the same protect of \$3,800,000 during first year \$5000,000 to date, and expect year's total to reach 160,000.00 Ramary S. D., working alone, closed \$445,56 in one munth, wendt, lad, approximates \$800.00 to don't have the same same \$1500.00 weekly a ngle handed, hi wheti, ili, any "Record day was \$150.00 - last month did \$2,400.00." And so on!

Great Opportunity Now

Above successed were made within past eighteen months. These mon look all yentage of aplended conditions. Sight now car owners are economic ag. Not maying new time. Making old ones do. This work floriding Tire Surgery stations with cash business.

Gat My Big Proposition

Start ske others have done. Get the facts. There's nothing to stop you. I'll help you to the limit. My proposition is highly atteresting. My machine is marvalous, its compact dough and size make small, handy abop possible. Its his capacity earns morey fact. Send this copponed protein me, personally. Write one postel in me, personally. me tonight.

M. Heywood, President HAYWOOD TIRE & EQUIPMENT CO. 1110 Capital Ave.

Process And Process Co. Dear Sir., I doe interested in The Surgery. Please latt me all about Oak profession business.

NEW KIND OF HEAT!

Try Hin Your Stove 30 Days Free The Oulver Od-Gos Burner



Bost surry with east and word - charger. Maket year store or page as of ear street. New them the last

der chopping absorbing No select des chopping absorbing agent would be select described absorbing agent with the select described and select described at season could be come gas from the select described at season could be come gas from the select described at season could could be come gas from the select described at season could be come gas from the select described and select des

IS DATE THEAL - WHITE TODAY this make decide built provides. It day triat. Theoretical is one over 18 years. Write (or five Provides and special introduction prices.

OLIVER # in from A Botton to


AGENTS

THE BOME WORKSHOP

A Phonograph Horn Makes a Novel Flower-Pot

AN old morningsuch as was used with the old cylinder phonographs, and an old ombreda-stand comhine to make a very pleasing flower-pot stand for a sunny window

The born should be given a good cont of tar or black asphaltum on the inside and a coat



An old howe combined with an umbretta stand makes this flower got


of enumel paint on the outside to prevent rusting. It should then be set with the large end up, as shown in the accompanying illustration, and filled with good rich earth

The little end will serve to drain any excess water into the drip-pan of the umbreils-stand and the depth of the horn provides sufficient apace to prevent the plant roots from cramping.

To Straighten Curled or Twisted Gut

"RE gut with which fishbooks are smalled has always a tendency to curl and twist up after drying, making it inconvenient for the fisherman to amort or handle them.

To straighten gut that has become curied, hold it stretched tout and quickly pass a



Here is shown a simple method of equiphera-ing the cutget needs which become transcal often drying

lighted match under the entire length of gut so that the tip of the flame barely touches the gut. The flame must not be stopped at any one point, as it as apt to burn the gut. -B. Fox.

An Old Flatiron Made into a Bench Anvil

A HOME mechanic who does not have a big boavy vice will find the suggestion given here of value. An old-fashinned flatiron is held in an upright position by a



Penting on this sup-port the old flateres becomes a recylerable brock dored

made of three pieces of beavy board. Two-inch material should be used in the construction of the houder, as the anvil is called upon to withstand a good deal of strain when in use.--L. LATRIER

wooden bolder



Gett citt of mistry Gargareth. Best statement should be epititive and remaining. You were learn weath that uncontained attended it is between the uncontained attended in the the mistre of the contained attended to the contained attended Further of the country transfer and the second section of Mantal Papers of the Mill Papers of the Mill Papers of the Country of the Section which we will be seen to be seen to

of the the application of which even which the incomment of the property of the transfer of the property of the transfer of the property of th

LIONEL STRONGFORT

Physical and Harith Specialist

Dopt. 567 Newark, New Jarsey





RAISE RABBI



antic plantic spales a michie We sup-v stack and key all you raise Out-alroad hant "Common though Rate-arch the from Pig Rateing," Unrespect from the first pay had. Goorges and force you purely, 500 8 rate. Soll-ped parcial the

OUTDOOR ENTERPRISE CO. Line Beach Dept. 1881, Harrise City, Man







WHITING-ADAMS

Create on Automobiles beautiful, lustrous, lasting surfaces which are much admirad.

Thousands of Automobiles on the read whiting adams brushes

Soud for Mastrated Literature JOHN L. WHITING J. J. ADAMS CO.

Brush Maintfacts over for the part Years and the





LEARN AUTOS AND TRACTORS

Wonderlief opportunities constantby office of represent more one create prior becomes five the first prior does not be proposed to the first prior of the first

high ore find the desired excellent family find along Trees. Cleveland Automobile School, 3451 E. Jath St. Cleveland, Ohio.



We furnish averything \$240 print plane- mee material, tone grave, medium, full supersections. arms, medium, full intermedicina. The cate early make \$100 to Choreless Phonograph Co. 1(J) 2dSc., Uhhart, Ind






THE BOME WORKSHOP

A Wrench or Chuck for Square-Shank Tools

N the illustration is shown a method of making a small tan or reamer wreach for holding square shanks. A length of steel shafting or similar stock in drilled down the center, the diameter of the hole being a tride less than the measurement acruse the flate of the shank of the amazest. tool to be held in the chack. Next, the end of the bar is taper-threaded with a pipe-dia. Then two slots, at right angles, are cut with a backwaw, forming four segments.

By bending these segments out, one at a time, they can be filed flat on the inside and when bent back into place a square socket will have been formed. If the tool is to be hardened, this must not be done until all the bending and filing is complete; if not hardened, it must be carefully used or the socket will wear out of shape.

A sut is now made, either knurled or from a regular hexagon nut. It is drilled




FOR PIUNG This illustrator is good method of making a sepench or cheeft for square should tools

AND SLIT

and tapped with a pipe-tap to fit the thread on the shank of the chuck; screwing the nut on to the chuck will draw the jaws together and clamp the tap or reamer in place. Different-sized tools, within limits, can be held in such a chuck: It may be used in the laths or provided with a gross handle for bench work .- H H. PARKER.

Cleaning Candlesticks from Wax or Paraffin

WAX, or paraffin adhering to candlesticks can be removed easily by pouring hot water over the parts to be cleaned. The wax will looses and fall off without any part of it remaining on the candlestick Either the lauret or the tea-kettle may be used for the hot water -B. Fox



Her mater will remove every trace of was or parather from your satelless select without injurung ubem

An Easy, Fascinating Way to Learn DRAFTING AT HOME



RAFTING offers exceptional opportunities today not only because it pays good salaries, but because it is the first step toward success in Mechanical or Structural Engineering or Archi-Lock size.

Drafting is just the kind of work a man likes to do-pleasant, interesting, profilable

Is Drafting hard to learn? Not if you go about it right.

There is an easy, fascinating way by which you can learn quickly, right at home, in the spare time that now goes to Waste.

For 30 years the International Correapondence Schools have been giving men just the training they need for success in Drafting and more than 200 other subjects.

Let the J. C. S. help you, too. Choose the work you like best in the coupon, then mark and mail it. This down't obligate you in the least but it will bring you information that will start you on a successful career. This is your chance. Don't let it alip by again. Mark and mail this coupon now.

---- TEAR GUT MERE ----INTERNATIONAL CORRESPONDENCE SCHOOLS Box 7647 B. Screaton, Proces.

Without cost or obligation, please cond me-temptets information about the subject before which I have placed on X to the ills below m X in the list below


-	THE R P. LEWIS D. P. LEWIS CO. P.
ď	PRINTING
	M- tentre at Emplebeering
▢	Marrie Mg
	4 of highworlds
П	ARCHITECTURE DESC.
П	I B P & The Inching
Н	Fig. at a STREET
ч	And march this

Altert

Address.

CI ETINDO Hairs or making have to be seen that the ERRITORD is Bernier by the Boundard Traffic Management in the State of the State

CityRtate
www.World's Best
Roofing
La facilitation
of a bridge program
Edwards "Reo" Metal Shingles
Fine Rooting Book
CONTRACTOR OF THE PARTY OF THE
LOW PE CEO CARACES
Care to the state of the state





STURDY omail engine Lathe built A with the same quality construct tion that has made MONARCH ENGINE LATHES standard the world over An accurate, dependable muchine tool especially designed for and guaranteed to do any small work that any other lathe will do with speed and accuracy.


MONARCH JUNIOR will fit in any shop or in a work-room right in your own home. They are especially designed for beginners—are easy to learn to operate and are equipped the more as any larger lathe.

The Greatest Achievement in Lathe Building History

Monurch Junior \$250

Full particulars one a Monarch Janior Cataing will be sent you on emplest.

The Monarch Machine Tool Co. 201 Oak Street, - - Sidney, Ohio



THE HOME WORKSHOP

Keeps the Ink-Bottle Cap from Rolling

DRAWING-INK bottles are menalty provided with stoppers with a pin axtension carrying at its lower and a quill that is submerged in the ink and serves for filling the drawing-pen. If the stopper is laid on the drawing-board, it is likely to roll on the

MOLLOW 51DE OF GULL UP

PUNTTEN

Give the stopper of your sale bottle a flat side to herp it from rolling


paper if the board in tilted or jurred. and many a carefully enscuted drawing in ruined by smudges from the ink-inden filling-quill of the stopper

After having suffered through several accidents of this kind, I dovised the method

limstrated here to prevent further repetitions. I cut the stopper as shown in the picture. The flat side prevents the stopper from rolling and the slant makes it impossible for the quill to come in contact with the drawing-paper. - M. COMSTOCK.

Prevent Sledge-Hammers from Flying off the Handle

THIS consists merely of two wedges made of wrought trop as shown, 1 1/4 in. longer than the length of the eye in the sledge, and is 16 in, thick at the angle end,



Two wedges used as shown here will prevent the sledge-becomes from flying off its bandle

tapering down to nothing at the other end After two of these are driven in (one on each side) a 3-16-in bote is drilled through the handle, a pin put through it, and the ends of the pin are riveted.—L. J. BITKER.

Camouflaging a Disfiguring Crack in a Mirror

LARGE plate-glass mirror, used at A the back of a florest's window, was cracked by an accident. To avoid the expense of replacing the mirror, the florist adopted the following scheme for effectively comouflaging the ugly crack.

A number of leaves were painted on each

side of the crack with the stema just touching the erack This gave the crack the apof a ревгапсе branch of leaves.

Another effective way of actomplishing the same resusts by one who may out be able to paint leaves.



Crucks in the course may be commodered by the energies of artisttic while

would be to paste some dried pressed leaves on the mirror. This idea can be utilized for cracked mirrors at home.—B. Fox.

AN EASY WAY

no a small relary. He redependent, On in the the tree re-pairing bodisms. Our note are a I made later the first car day. Others average 270 to bids a main't Very Hula except neutral, John plentical. Every netures a po-mble curescent. He expenses teached, We Lauch Poll.

HALER Tire Repair Outfit mored Wropped Trend Market Bland by Con Manufacture

on an owner on the big bigs, of volumes on outfite A box pan is. It's the maly volumes or has a stammate Hear Control, and t undercute of oursears a first, then as watching we asymptoting.

FREE Book "How to Open a The Mepair the pt sells how to make his me Den't delay. Write queek.

C. A. SHALER CO.





amires & D. P. Church M. Church M. \$150 to 1300 MONTHLY PROVIT Charding Battering Start NOW! HODART BROK CO







f. o. b. Kan

"Lighting Fixtures



Ready to hang. Direct from manu facturers.

Completely wired including glassware.

Send for Catalogue No. 20


ERIE FIXTURE SUPPLY CO. Deck A, Erie, Pa.

THE HOME WORKSHOP

Substantial Shelving Made from Pipe Stanchions

SHELVES of unusual strength and rigidity can readily be made from wroughtcon pipe necticed at the floor and ceiling and provided with a series of holes for cross bars, as a shown in the picture

The pipe med will vary with the weight ! it is required to support. One-such size is ;




Pape etanchione force etrong supports for shelving which is intended to carry heavy loads

aultable for most purposes and white enamel makes this attractive. The holes permit of varying the distances between the shelves, which shelves are simply planking resting on the cross supports.

This form of shelf is not any more expensive than one or other wood, as iem material is required where metal is used and has the further advantage of showing off the stock by not obstructing the view as heavy wooden frames do.—G. A. Li ERS.

Put Oarlocks on a Chain to Prevent Their Loss

MODERN rowboats are, as a rule, equipped with removable ourlocks. These are undoubtedly convenient in some cases, but they are easily pulled out of their sockets and may be lost by falling over-



Child your authority to the glownies of the book to prevent them from becoming loss


board. Their loss may be prevented in the following manner, as illustrated in the picture

Drill a hole through the shank of the carlock, draw a ring through the hole, and fasten to the ring a short piece of chain the other end of which is attached to a staple driven into the side of the boat, near the place for the carlock.

Factory Stock-reducing Sale \$175 of 1/4 H.P. A.C. fully guaranteed \$175 as \$10 w \$15 as \$15 w \$15 as \$15 w \$15 as \$15 w \$15 as \$15 w \$

While they last, we offer the balance of our purchase of 10,000 new, latest type 1/2 HP single phase, 110 volt, 1740 RPM, 60 cycle A.C. split-phase, induction motors at the following prices, f.o.b. Chicago

100 lots,	each	\$11.75
25 lots,	each	12.00
12 lots,		12.25
6 lots,	each	12.50
3 lots,	each	13.00
Single M	otore	13.50



Several hundred thousand of these motors are in use, giving remarkable satisfaction, year after year. They are exceedingly simple in design and sturdy in construction. Have important exclusive patented features which reduce repair and upkeep expense.

Every motor is tested for 50% overload and guaranteed for 1 year. A GUARANTEE-TAG wired to it instructs the owner to return it to the factory, express collect, and receive a complete new motor which will be shapped to him express prepaid, should anything go wrong with the motor in the first year of its service.

Motors are exactly suited for operating washing machines, churns, cream separators, ventilating fans, lathes, dolls, grinders, saws and similar work.

Motors are of squirrel cage type, air-cooled. They cut out at higher speed and cut in at lower speed than ordinary motors.

Furnished in either reversible type with binding post terminal; or non-reversible, with cord and plug terminal. In ordering state preference

CASH MUST ACCOMPANY ORDER


or, we will ship C.O.D., if you prefer. Above prices are just about half usual quotation on motors of this class; and there is no margin seft to cover bookkeeping or collection costs.

NORTHWESTERN ELECTRIC COMPANY

410-420 SO. HOYNE AVENUE, CHICAGO







REDUCED PRICES

Back to Normaley-20% Further Reduction SOUTH BEND LATHES-EST. 1906

9° a 3' Lather B176.00 | 10° a 0' Latha 0465.00
10° a 0 Lathar 238.00 | 10° a 10 Latha 656.00
13° a F Lathar 384.00 | 21° a 12 Lathar 548.00
10° a 6' Lathar 376.00 | 34° a 14' Lathar 1140.00

South Bend Lather can be furnished with Siber Fight Change Graph
at with COMPLETE QUITCK CHANGE GEAR

Frier Catalog No. 47

SOUTH BEND LATHE WORKS, 43 E. Madison St., SOUTH BEND, IND.

Williams' "Agrippa" Tool Holders

When your work demands unusually heavy cuts: when the piece in process is partigularly difficult to machine; when you hit hard spots, when speed in production is required, you can depend upon Williams' "Agrippe" Tool Holders, "The Holders that Hold " All kinds and sizes: booklet on request

J. H. WILLIAMS & CO.


"The Drop-Forging Poople"

BROOKLYN BUFFALO CHICAGO 7 Richard St. T Vulcan St. 1007 W. 120 St.

St. Catharines, Onterio

Less perspiration and more results

PIPE threading by hand will always require muscle but it chem't demand fussy, bothersome adjustments nor back straining exertion. The man who still burdens himself with either in needlessly punishing himself because there is a line of tools combining 3 Big Peatures, with each leature almed at making one or more details of threading definitely easier, quicker or simpler The combination of these features is an exclusive Oster possession available only to the man who pulls the handle of an




Ask year supply house or mile up THE OSTER MFG. CO., CLEVELAND, O.

THE HOME WORKSHOP

Gramophone Mechanism for Turning the Grindstone

CARBOR- Grindera UNDUM. emery, or small stone wheel attucked to an old double action opring gramophune, forms s grindstone suitable for all forms of light work.



Too old for grinding out runes, the gramo-phone will at nd your

First, remove the revolving table, and cut the disk down to, say, 2 or 3 in. In diameter.


Now thread the shaft and to take a small nut. This done, put on the grinding-wheel and secure it in position with a washer and One winding, and the mechanism is good for a number of tools.

Keep Your Ball of String in This Twine-Holder

SHOPKEEPERS who use twine for tying purcels can easily make a holder like that shown in the illustration. costs nothing and keeps the ball of string

from unwinding.





Next and convenient is this way of holding

Sec. 68

to a shelf or the wall To each end of the board a side piece le nailed. A piece of a curtainroller, long enough to fit loosely between the two side pieces, is provided with the pin-capa

of the roller and is placed with its pine in the roller brackets acrowed to the side pieces.

The roller forms the support for the ball of twine, which can rotate freely as the string is unwound. C A Black, Ja.

Cuff-Buttons from a Pair of Dica

WITH a lathe, a file, or a hackness, cuff-buttons of striking appearance may be made from a pair of dice. If the dice are of Ivory, so much the better, but cubes of bone, celluloid, wood, or any other material are also suitable. In making the cuts, care should be taken not to cut too

The material between the cuts should be carefully removed, so as to leave a stem-

connecting the two face parts of the button. The picture clearly illustrates the appearance of the button when completed The method of removing the undesired material depends upon the tooks used in the making of the buttom. JOHN NEU-RABL BC



Not very commenced but owful for buttonon the cuffs

The Technical or Scientific Book You Need

Term to our 96-page catalog and find just the book you need on any amentific or prac-tical ambject—the latest book by the best author. This is the most complete catalog of ats kind asseed. You'll refer to it constantly as your work. Only 360 copus remain.


With the entalog will be sent the supplements for \$10 and 1920 and new \$2-page book set for 921 Prices are not yet entirely stabilized. but those in the supplements will be 60° c correct. If there is any change in price you will be pot-fied before your order is filled.

Send for catalog to-day. It's free. There will be no obligation for you to buy, and we want you to know our extensive book department.

Scientific American Publishing Company 235 Brandway, New York City







ASBESTOS

We are miners and shippers of Crude Asbestos in any quantity. We produce all grades at our world famous BELL ASBESTOS MINES, in Canada. We also card fibres, spin yarns, weave cloths, and make all sorts of Asbestos

For anything you want in Asbeston

Keasbey & Mattison Company Days S.4 AMBLER, PERSON, U.S.A.


Owners of the Wathf's Lors out Asberton Minns

THE BUME BURKSHOP

Combined Square and Angle Gage Is Useful

A COMBINATION of a machinist's square and angle gage is shown in the attached sketch. It consists of a stotled blade fitted into a stool bar or stock with a fixed pivot and two adjusting screws through the center of the stock. These adjustable acress permit of mitting the blade at an angle of aquaring it up with the stock as is required.

The same tool is serviceable as a depth gage, as the blade can be and undwise and




This combination of a square, depth gage, and angle pressure will be found truy impli-

secured by means of the two set acrows. The tool is compact and will fit readily into a tool-sit, affording the machinist three me-ful tools in one, namely, try-square, angle gage and depth gage. G. A. Lukas.

How Baby's Bathtub Can Be Placed Conveniently


TO make a bathtub for the baby a large tin pan can be used. The pan should be provided with two beavy wire hooks at each end. The hooks rest on the




A boby's bothesh that is safe and easily made

edge of the hathtub and a small rubber hose may be used to fill the pan with water from the faucet.

The wire hooks should be earefully soldered to the pan at the bottom and sides. The outside of the pan may be enameted any court desired and the inside is usually enameted in white. W. C. ROYER.







Marble in Inkwell Prevents Evaporation of Ink



The marble keeps the dirt out and preventa-the sale fe an evapor SALIS

MOREIBE evaporates from inkweda in an office than is used for writing and the result in that that which to left for writing m always made muddy by the remaining sediment

A means of preventing ink evaporation consists in dropping an ordi-

nary marble over the hale in the ink-wed. The marble effectively revents evaluation while putting the par into the link in no make difficult than other wise because the ball also aside as soon as the per in pushed against it

How to Keep Library Paste in Good Condition

IBRARY paste ordinarily comes in - small bottles having a sprew, tit is necessary to underew the tup, on use

the brush and after using make the brush down the brain again. Y the brush is lost

Here to a plan that takes care of the problem. Put the bottle of paste in a saucer containing some water, and then cover the bottle with an inverted tumbler. The



Erry paste as shown here and it will reven via commutency

paste is kept fresh, can be used quickly, and it is not necessary to clean the brush after every using. The placing of water in the eaucer is not an emential if the paste is med frequently. If used seldom, however, it is best to add the water so that the paste will be kept from drying out. - N G. NEAR.

Increase the Holding Power of a Nail

HERE is a simple method of increasing the holding-power of a wire-nail or apikes. With a flat file remove the point of the nail at showning the picture and then, with abacteur applit the darl for about one fourth of ittength. With a triangular file the two halves should be beveled in the

SLOT

AND FILE

CUT

· OFF

Nails split like this will

hold with great tenactry

manner indicated at the left.

Before using the nail or spike, drill a hole of the same diameter as that of the nail in the wood to the depth you wish the nai. to reach before spreading. Then piace the nail or spike in the bule and bammer it It will down. spread as shown.



New Furniture For Old— This FREE BOOK Tells How

Explains how to refinish old furniture to conform with the vogue for enameled and stained effects-bow to make your home agreetic cheery and inviting. Tells how to finish respectables soft wood so it is no beautiful to the standard of Tells to visit ma-ter as to be I adopt them includes to read the greet wring capacity etc.

We will gladly send this book free and nostan Am Co 10c we will also seen you a cao A Jameso s Prepared Was

S. C. JOHNSON & BON, Days. P.S. J. Racios, Wir. The Wood Finishing Authorisies"

BE YOUR OWN BOSS. MAKE MORE MONEY



Which slidtly impound, you may not had a transform in group or at had a transform in group over health and a like and not be l

to the bottle to be most people the to the people of the filth findice over the people of the filter over the people o

We will tell a ANDERSON STEAM VULCANIZER CO.

Agents: 90c an Hour



Exceptioning burget. Howeverlye, the harden electricum is becomed by this because electricum is because the following translation of the first in the first in the pair a met apply is for the feether in the figure pair a met in the first in

AMERICAN PRODUCTS CO., 4843 Assesses Strice, Contrast, Onto

THE AJAX EYELET FASTENER BINDS PAPERS QUICKLY AND PERMANENTLY



Wester for our extendigms of office their MACHINE APPLIANCE CORPORATION

351-353 Jay St Spec. Dept. Brackeyn, N Y.



Bendratishes of pipe flora by to to bin Hand or mo tor operated.

Standard

Standard Phys Repth 1" to 4" pipe, in PLOCK on temperature delivery.

AMERICAN PIPE BENDING MACHINE CO. 5) Pearl Street BOSTON, MASS.



"Red Daniff" Piless made in 160 dylar - on for viery and. Knower and and the world new Style No. 1874—615 such shown here. From declars or from m, \$1.75

Makes Difficult Drilling EASY



CHAIN sling to hold the drill to the work and an automatic feed to put pressure on it to make it bite.

You take the tool to the work, instead of the work to the shop.

Saves a lot of labor in drilling iron or steel, the truck frame. engine cylinder, angle irons, wagon tires, pipes, pipe flanges, boilers, etc. Drills through metal with less work on your part than driving an auger bit through wood

"Red Davil" Chain Drill No. 2011

fast the tool for all-around drilling purposes. Equipped with three-loot steel chain and a steel chuck, which takes 16 meh round shank drais. Guaranteed absolutely Sokl by reliable deal-rs everywhere, or from un, \$3. L5.

The "Red Devil" Mechanics Tool Booklet in yours for the entire-

SMITH & HEMENWAY CO., Inc. New York, N. Y. 264 Broadway

"Red Devil" Glass Eutters the paster plandered lank of the world. It's all in the wheel." Made in 60 styles. No. 626 shows here, The




THE HOME WORKSHOP

For Increasing the Depth of a Hacksaw

THE other day I encountered a job which required a saw-slot between two holes in the center of a piece of work. I found the work impossible, as the backunw was not of sufficient depth to reach the holes, so I quickly made the arrangement shown in the illustration.

Two places of flat stock, of the same dimension as the backsow frame, are given a short right-angled bend on one end, which is drilled and tapped for a machinescrew. The straight end of each piece is drilled and fitted with a pin that will pass through the holes in the saw-blade. The centers of the please are drilled to pass over




For qualting deep cuts, attack an extractor like this to the two arms of your lackness frame

the pine in the hacksaw frame. The illustration shows the pieces in position.

After the saw-blade has been drawn tight, the acrows are turned down until the hands pinch on the ends of the frame. This makes the attachment perfectly rigid, besides increasing the depth of the frame. - R. H. KARPER.

Use a Motor-Truck for Pulling Posts


THE power of any motor-truck is sufficient to perform all the chores and hard Jobs about the farm if the power could but be applied in the proper directions. Here is shown one of these jobs and the device to



Posts may be pulled without much effort by this laver arrangement operated by a motor-truck

change the direction of force to accomplish it. Pulling posts from a fenceline without broaking them requires a vertical lift, so the tack has to be used. It is made of 4 in. by 4 in. timbers, such piece \$ ft. long. The upright and the base are mortised together. while the side arm is attached with but one bolt so that it can be folded for carrying.

After the chain has been snubbed around the base of the post and the jack set as shown, the truck is started and the post is Lited. The truck need not be stopped until another post is reached, when the one just pulled may be thrown in the truck and the jack arranged for another one. This method saves time and requires but one



"FOLKS OFTEN SAY—

'You never know people until you live with them.' it's so with tools

"For more than forty years we old-timers have been 'living with Starrett Tools.

"We know them-know that underneath the polish there's quality through and through

"We've learned to know their dependable accuracy, and taught the youngstern to appreciate it, too.

"That's why we say-'Starrett!""

Catalog No. 22 "R" sent free upon request.

THE L. S. STARRETT COMPANY

The World's Greatest Tactuckers Manufacturers of Harly Sews Connection ATDIOL, MASS.











Results Count— Then Count Them!

You run a machine for results; you develop it or invest in it for what you'll get out of it—and that's what a counter tells.

The amount of output is registered then by the machine itself; it tells (on the counter) what you ought to expect, and get.

It puts your production under easy supervision and control—just putting on a



The Set-Back Rotary Ratchet Counter below is for machines such as purch presses and metal stamping machines, where a reciprocating movement indicates an operation.



Registers one for each throw of the laver and sets back to zero from any figure by turning knob once round. Supplied with from four to ten figure-wheels, as required. Price with four figures, as illustrated, \$ 150- subject to discount. (Car few than by site.)

Speed Counter

Here's the handlest instrument for finding revolutions-per-minute of a shaft or flywheel. You hold the tip of the counter against end of revolving shaft press lightly when the second hand of your watch count to O-release pressure when minute is up.



Cut less that 3s size,?

The Veeder Speed Counter enables you to keep motors, engines, generators, line sharting and machines operating at officient appeals. Price, with two rubber tipe as all-histrated; \$3,50

Send for free booklet if there's anything you want to count—automatically or by hand.


The Veeder Mfg. Co., 44 Sargeant St., Hartford, Conn.

How to Measure Electrical Resistance

By W. H. Hoschke

OFTEN the amateur electrician finds it necessary to make fairly accurate determinations of electrical resistance. Many believe that a costly Wheatstone bridge must be had if resistance is to be measured. This is not so, however, since very reliable determinations of electrical resistance, accurate enough for all common purposes, can be made by the use of a voltmeter and an ammeter, together with a couple of dry cells and a switch. In fact, a very rough determination can be made with an ordinary galvanometer and in another case with a single voltmeter, as will be explained later.

Figure 1 shows a method of measuring resistance with a voltmeter and an am-



Four ways of measuring electrical resolutions are dissirated in these wring diagrams

meter. In this case, a little key can be used in place of a switch. The wire should he scraped clean before the binding posts are screwed down. High-resistance contacts are sure to interfere with accurate results. After the apparatus is connected, the key is pressed and the voltmeter and ammeter read. When the readings of both instruments are made, the resistance of the coil in the circuit may be calculated by following out Ohm's law (resistance= volts + amperes It will be understood, however, that this method of calculation bolds good only when direct current is bring used. The formula is changed alightly when alternating-current rematance is mematred.

When a wiring diagram similar to the one described is used, the resistance of the voltmeter must of necessity be high. If the resistance of this meter is not high it will be necessary to connect the apparatus as shown in Fig 2. When instruments are connected in this manner, it will be necessary to learn the resistance of the amineter. The formula given above is followed out, but it wall be necessary to subtract the resistance of the ammeter from the total resistance of the ammeter from the total resistance to obtain the required result in the wall be the resistance of the coil to be measured.

Another method of measuring resistance in a very simple way is illustrated in Fig. 3. This is recognized as the differential galvanometer method of resistance measurement. The connections must be made as anistrated. A two-point switch must be used. It is connected with the circuit as shown. The known resistance is variable. Any good type of laboratory rheostat can

be used, providing it has a resistance greater than the resistance of the coil to be measured

The rhecatat should also be graduated so that the resistance will be known at any point. The resistance of the rhecatat is carefully adjusted until the galvanometer needle comes to zero. When this adjustment is made, the resistance of the coil to be measured will be the same as that represented by the laboratory rhecatat or resistance box. This is a very simple way of measuring regulatore and is accurate enough for all common purposes.

Another good way of making measurements in resistance with a single voltmeter is shown in Fig. 4. In this case, a two-pole double-throw switch of the sliding type must be used. If the experimenter dom not have this at hand, he can very readily assemble one from materials found about the shop. In this connection it will be noticed that a known resistance will be used. A small resistance speed or even a 75-ohm telephone receiver can be inserted in this part of the circuit to act as a known resistance.

In this instance it is not necessary that the known resistance. This method of resistance measurement is known as the drop method. First, the double-throw switch is moved to the left and the drop in voltage across the known resistance is measured. A note is made of this figure. The switch is thou moved to the right and the drop in voltage across the unknown resistance is noticed. From these figures it will be possible to measure the resistance. The formula used is a simple one and follows:

$$R = \frac{R \log V}{V L}$$

R. - Calenagen tests a nec

Ry = Known resistance

V - Voltage drop nerosa unknown resistance

As - America deep actions known resignance

Dolls Made from Old Cut-Out Photographs



Lettle girls would love to play with one of these dolls

A DOLL that will delight the small girl is made by having an enlargement made from a negative on single-weight semi-matt peper and mounting it on an extra heavy pines of cardboard.

The stand is made from a 2-in piece of pine rut in triangular shape, with a dot to hold the base of the cut-out. The upright piece is made from 14-in. pine. See what your little girl thinks of this —Howard Fowl-

On+ Thie STRC-SR3-BFPE

Easy, Now, to Own This Fastest-Cutting Log Saw



The only way to have more menoy is to make more maker. My Special Office and New Lawrer Private on the OTTAWA could you to easily make more money. Let me tell you about it.

H. C. OVERMAN.

Use Every Day in the

Easlest For

1 Man To Move

You Can Make Big Money Sawing Wood and Selling It In Towns and Cities

THE Wood business is paying big money to thousands of men. You, too, can easily clear your own land, and make money clearing land for neighbors and supplying wood for needed fuel. Thousands have made the old, back-breaking job of falling trees and sawing up logs and poles, the easiest job of all, thanks to the OTTAWA-the lastest-cutting, easiest-to-move Log Saw. It's a great labor-saver and a big money-maker. Hundreds of OTTAWA owners are making splendid money and have quickly paid for their OTTAWAS out of their profits on the work it does. You can increase your income to more than it has ever been and at the same time have a portable power plant for running your grinder, sheller, pea buller, pump and other machinery.

Wood Is In Demand!

Wood join great damand so luck. Coal to coaling more and in hord to get. But most with an OTTAWA Log Gov. You can but more woodpatily and mote more manay.

Your Profits For a Few Days' Work Will Pay For Your

TTAWA OG SA

The Greatest Money-Maker and Work-Saver



Cuts Down Trees Level With Ground

Direct From Factory: Erroy OTTAWA abluped direct to the user from my factory or the nearest of eight conveniently located Factory Branches. I save you all middle profits I save you on freight. You get the lowest factory price and deal direct with the man who makes the OTTAWA in the world's Largest Log Saw Pactory.

Friction Clutch: Lever control coables the new without stopping engine. Powerful another three may at raise of 220 strates a manufacture three may at raise of 220 strates a manufacture three may at raise of 220 strates a manufacture three may at raise of 220 strates a manufacture three may be read to the control of 220 strates a manufacture three raises and the control of 220 strates a manufacture three raises are read to the control of the control of 220 strates and a contro

—Feach second? The origi-tial 4-cycle log anw and the first made in America and sold direct from factory,

NOW SELLING AT NEW LOWER PRICES Power Force Feed: This feature OTTAWA mw the human way, Easiest, quickest and safest, New you have a log-in a few minutes it is all sawed into any lengths - without any hard work. You lengths - without any hard work. You oimply cost while the OTTAWA works for you. Plenty of surplus nower for mwing you. Plenty or and bett work.

Special Offer NOW! Now Priors and Special Plan of Easy Payments permit any honorst man to sale the OTTAWA and let it pay for itself out of the hig money it will make for him. I want to send you this plan at once. I want you to know all about it and spread the good news among your friends. Mail the noupew to me, with your name and address, boday.

Send For Free Book!

My new OTTAWA Rock is in three colors; a regular encyclopedia on Wood Cutting compiled by experts, Valuable and interesting It's FREE — Send for it NOW. tre The Connec

\$1,000 in Spare Time:

"The OTTAWA Leg flow is once a fire outsit. I have made about it, the with it in space time. I want in no be without it for anything."

JOH LAYER,

Bernaton, Act.

Made \$34.50 in One Buy!

OTTAWA Log Saw and am well pleased with the I read my new one day and made the newing store built." H. W. EMERHOUN, Hodges, Ala,

30 Days' Trial

A whole month to prove the OTTAW A is the fastest cutting Log Saw ever Invented. 10 - Year Guerenter bucked by the World's Largest Lag Saw Factory

R. C. OVERMAN, Gon'l Mgr.,

OTTAWA MFG. CO.

OTTAWA, KANS.

Prompt Shipments from Ottowa, Ears., St. Panl, Minn., Portland, Ore., San Francisco, Cal., Delina, Tex., Decisio, Est.,



Carprol Ind is

Simply Mail This

N. C. Overmen, Gon'l Mgr. GYTAWA MPC. CO., 1800F Wood Bt., Otlows, Ko


Send me your Free Book at Word Sewing and Special Offer on the Improved Off AWA Log Saw, with New Lawer Prices—all without obt-sales to me.

The Standard By Which All LOG SAWS Are Judged-More In Use Than All Others.

310 Sau Cuts



Boys! Look at this Wonderful Auto Chassis



You can build it with

Toy Engineering for Boys

You may think it hard to make, but thousands of boys have built models much more wonderful than this one.

This chassis, for instance, is a real working model. Not only does it look like a chassis, but it is a real one in miniature. It is 26 inches long, and fully self contained. It's great fun to make it run forward on the floor, then shift the gears into "high" or reverse and watch it respond to your slightest touch. The detailed views at the left show you just how the differential and gear-case are made.

It's surprising what remarkable models a bright intelligent boy can build with Meccano and a screwdriver, after making the very simple ones. The big Book of Instructions makes everything easy.

3 THINGS TO READ AND REMEMBER

COMPETITION

FREE BOYS ing things about model building. Every page a picarare. Free if you send names and addrewer of yourself and


This year we will give \$1250 in prizes to Meorano and bers for building new models. Here is your chance for win a fine prize. Any boy can pater. Von must have an entry blank however Ask super counts. Put No. your dealer for a free Its after your own for blank or write to us.

BIG \$1250 PRIZE



No. IX. A dandy outfit for any boy. Contains a powerful electric motor. Bullds over 100 models, Sent presaid on receipt of price if not at your dealer's.

Meccano Company, Inc. Div. K, 71 West 23rd St., New York City



3 SPEED TRANSMISSION

This view shows the shifting Progressive typetwo speeds forward and one feverse.

returence.

Here is a new book which

describes

tells interest-



Corona helped him to success

Send for the free booklet that tells how Corona can increase your output and income

HIS name is Harry Botsford; he is editor of The Dodge Idea, and publicity advisor to five corporations besides.

He came back from the war to find his business position gone and so he journeyed out to the oil fields.

"I had always been a reader of magazines," he writes, "and one day while I was hard at work, the BIG IDEA came—why not rent a typewriter and see if I could write some articles and sell them?

"I managed to rent an oldfashioned typewriter and carried it three miles on my back. By the time I got to the house, I will swear that machine weighed a ton! Then and there, I quietly registered a vow that I would buy one of those 6½ pound Corona typewriters I had heard so much about.

More income in the evening than he earned during the day

"Every night, tired and weary physically, I put in two hours before that typewriter, trying to write salable

articles. Fortune indeed smiled, for my first attempt was accepted by a small trade paper.

"At the end of the first two is months, I checked up on my income and found to my joy that the two hours I had put in each night had netted me more money than had the eight and a half hours at heart-breaking labor. Finish his story in this free book

The rest of the story—just how he moved forward in income, step by step, how he has travelled all over the country with faithful little Corona, is told in a free booklet entitled "Increasing Your Output and Income."

The book tells also the stories of many other men and women, in all

sorts of businesses, who have found Corona a faithful little private secretary and are doing more and better work with its help.

There is a copy of the book free for every reader of this magazine. It will be sent by mail without obligation; merely fill in the coupon and mail.

"Fold it up-take it with you-typewrite anywhere"

CORONA

The Personal Writing Machine

Built by CORONA TYPEWRITER COMPANY, Inc., Groton, N.Y.

These are more than 1000 Corous Dealers and Service Searces in the United States



You need not put off owning your own Corons—for its total cost (including the case) is only \$50—and you can buy it on easy payments.

	A TYPEWRITER 12 Main St., Groto Inputer to the pile areasons Your Cut	wat fine hanklet No. LE.
Name		
Address		
	*******	 mark marketing



It is easy to identify Victrola instruments

You can tell them the moment you raise the lid and see the trademark "Victrola." You will also see other Victor trademarks, as the picture and the phrase "His Master's Voice."

Be sure to get a Victrola instrument, for it is the chosen instrument of the greatest artists and specially made to play their Victor records.

The Victor trademarks besides being your means of identification are also your guarantees of quality. Victrola instruments are built to give a lifetime of service. Look under the lid for the Victor trademarks—"Victrola," the picture and the phrase "His Master's Voice"—and you can be certain of lasting satisfaction.

Victrola instruments \$25 to \$1500.



HIS MASTERS VOICE

This trademark and the trademarked word "Victrola" identify all our products. Look under the lid! Look on the label! VICTOR TALKING MACHINE CO. Camden, N. J.

Victor Talking Machine Company, Camden, N. J.